MARATHON HEATER







INDEX

⇒ CONSTRUCTION3
⇒ STANDARD SPECIFICATIONS3
⇒ WATT DENSITY4
SHEATH OPTIONS4
⇒ LEAD WIRE OPTIONS4
TERMINATION OPTIONS5
⇒ END SEALS9
⇒ CUSTOM FITTINGS10
⇒ FITTING OPTIONS10
⇒ THERMOCOUPLES11
⇒ FLANGES11
⇒ MECHANICAL STOPS11
⇒ CONSTRUCTION OPTIONS12
⇒ LENGTH CONTROL12
CIRCUIT OPTIONS14
○ TODAY HEATERS15
○ NON-SWAGED CARTRIDGE HEATERS16
⇒ SQUARE CARTRIDGE HEATERS17
⇒ ENGINEERING DATA18
⇒ ORDERING19
⇒ FREQUENTLY ASKED QUESTIONS19



UL File No: E202904 CSA File No: LR 109455-1

- Questions?
- Phone: (830)-775-1417
- Fax: (830)-775-4379
- Email: sales@marathonheater.com
- http://www.marathonheater.com



The engineers at Marathon Heater have developed a cartridge heater that exceeds the performance and durability of other cartridge heaters. Through refinements in the swaging process, specially designed cores, careful selection of magnesium oxide fill, nickel chromium resistance wire, stainless steel tubing, and carefully controlled production processes, HotRods routinely outperform other cartridge heaters in difficult applications.

HotRods are available in a wide variety of diameters and configurations. Choose from our 14,000+ stock heaters for immediate delivery or let the engineers at Marathon Heater design a unique heater for your special application. Standard manufacturing times are normally less than 2 weeks.


CONSTRUCTION

- **1. High Temperature Lead Wires** for temperatures up to 550° C.
- **2.** *High Impact Ceramic Cap* retards contamination and is suitable for high vibration applications. Deep holes in cap prevent fraying of leads when bent.
- **3. Nickel-Chromium Resistance Wire** for maximum heater life, evenly wound for even heat distribution. (6)
- **4.** *High Purity Magnesium Oxide* fill selected for maximum dielectric strength and thermal conductivity, highly compacted for maximum heat transfer.

5. 304 Stainless Steel Sheath for oxidation resistance in a wide variety of environments. 316 Stainless Steel and Incoloy® are also available. Please consult the application guide in the back for help in determining which material is best for your application.

6. $\emph{TIG Welded End Disc}$ to prevent contamination and moisture absorption.

HotRods are UL recognized, File #E202904, CSA certified, CSA file no. LR 109455-1 and RoHS Compliant.



Select stock heaters may be customized according to your needs **and still be shipped the same day!!**







STANDARD SPECIFICATIONS

Nominal	Minimum	Maximum	Std. Lead	Max amps with	Max lead wire	Maximum	Maximum
Diameter	Diameter	Diameter	Wire Gauge	Std. Lead wire	gauge	Amps	Volts
1/8"	.119	.124	24	3.6	24	3.6	240
1/4"	.244	.249	24	6	22	9	300
6.5 mm	.250	.255	24	6	22	9	300
5/16"	.306	.311	24	6	22	9	300
8 mm	.309	.314	24	6	22	9	300
3/8"	.369	.374	22	9	18	15	480
10 mm	.388	.393	22	9	18	15	480
12 mm	.466	.471	22	9	18	15	480
12.5 mm	.486	.491	22	9	18	15	480
1/2"	.494	.499	22	9	18	15	480
13 mm	.506	.511	22	9	18	15	480
17/32	.525	.530	22	9	18	15	480
14 mm	.545	.550	18	15	14	26	480
5/8"	.619	.624	18	15	14	26	480
16 mm	.624	.629	18	15	14	26	480
17 mm	.663	.668	18	15	14	26	480
11/16"	.682	.687	18	15	14	26	480
19 mm	.742	.747	18	15	14	26	480
3/4"	.744	.749	18	15	14	26	480
25 mm	.978	.983	18	15	14	26	480
1"	.994	.999	18	15	14	26	480

- Length tolerance is ±3/32 or ±3% whichever is greater. For more on this, see "LENGTH CONTROL" on page 12.
- Camber tolerance is .025 per foot of length. Slight camber is normally not a problem since the heater will flex enough to enter a clean hole
- Wattage tolerance is +5%, -10%.

SPECIFICATIONS

WATT DENSITY

- The tighter the hole fit, the better. Loose fit equals poor heat transfer and shorter heater life.
- Clearance is determined by taking the hole diameter and subtracting the heater diameter.
- Cycling reduces heater life and high cycling applications should use lower numbers.
- Please consult the following tables for the maximum allowable watt density for heating metals.

FORMULA

Watt density is calculated with the following formula:

Wattage Watt Density Heated Length x Diameter x 3.14

MAXIMUM WATT DENSITY FOR HEATING METALS

			Block Tempera	ature in °F		
Hole Clearance	1200	1000	800	600	400	200
0.002	140	270	300	300	300	300
0.003	120	205	295	300	300	300
0.004	100	175	240	300	300	300
0.005	90	145	200	285	300	300
0.007	70	100	150	200	250	300
0.010	60	90	110	150	200	225
0.015	50	75	95	110	140	165
0.030	40	60	80	90	100	110
0.060	30	40	50	55	65	65
0.100	25	35	45	50	50	50

SHEATH OPTIONS

304 S/S STEEL IS STANDARD

- Incoloy: For applications to 1600°F
- 304 Stainless Steel: For applications to 1400 °F
- 316 Stainless Steel: For corrosive environments
- For more information, see sheath suitability chart on page 18.



LEAD WIRE OPTIONS

Wire type	Maximum Recommended Temperature	
Duraflex	550°C	Highest temperature rating, durable, non-fraying, good moisture resistance. This is our standard lead wire.
Teflon	250°C	Good dielectric strength.
Silicon Rubber	200°C	Good moisture resistance.
Braided Silicon Rubbe	r 200°C	Inexpensive wire, good for non-abrasive applications.
SJO Cord	90°C	Rubber jacket, resistant to oil and moisture. For use on 3/8" diameter and larger.

SWAGED IN LEADS

- Swaged in leads are ideal for applications where there is a lot of movement or the leads must be bent sharply upon exiting the heater.
- Please note that for heaters over 3" long there is a short unheated section where the leads connect to the power pins.
- Also remember that if the heater is inserted completely into the hole, the leads are exposed to the block temperature (maximum temperature for standard leads is 550°C, 1022°F.).
- Unless otherwise specified, all heaters are supplied with swaged in leads.



Unheated Length at Lead End of Heater Heater Diameter (inches)										
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"			
Under 3" long	.20	.20	.25	.30	.39	.39	.61			
Over 3" long	.81	.79	.84	.84	1.01	1.00	1.27			

CRIMPED ON LEADS

- Crimped on leads are generally used where the temperature at the end of the heater exceeds the maximum rated temperature of the lead wire. Since the connection between the leads and power pins is made outside the heater, the unheated length at the lead end of the heater is kept to a minimum.
- Crimped on leads are not recommended for applications where the leads must be bent sharply near the heater, or in applications where the leads will be subject to a lot of flexing.
- The high temperature connectors are covered by 1-1/2" of 2500 volt silicone rubber coated fiberglass sleeving.


Unheated Length



Unheated Length at Lead End of Heater											
		Heate	r Diametei	(inches)							
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"				
Under 3" long	.20	.20	.25	.29	.54	.54	.74				
Over 3" long	.20	.20	.25	.29	.54	.54	.81				

RIGHT ANGLE LEADS

- Right angle leads are ideal for applications where space is limited.
- Leads are covered with a silicon impregnated fiberglass sleeve where they exit the heater.
- When ordering, please specify the <u>overall</u> length.



Unheated Length at Lead End of Heater Heater Diameter (inches)										
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"			
Under 3" long	.20	.20	.25	.29	.39	.39	.24			
Over 3" long	.81	.79	.84	.84	1.01	1.00	.31			
Extension length	.25	.25	.31	.37	.37	.37	.75			

STRAIGHT BRAID

- Swaged in stainless steel braid provides excellent abrasion protection while allowing the leads to be bent in a tight
- Because the braid is swaged in, it is extremely resistant to pulling out of the



Unheated Length at Lead End of Heater

Heater Diameter (inches)										
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"			
Under 3" long	.25	.20	.35	.29	.39	.39	.54			
Over 3" long	.86	.79	.94	.84	1.01	1.00	1.20			

RIGHT ANGLE BRAID

- Right angle stainless steel braid offers the same advantages as straight swaged in stainless steel braid but allows use in tight spaces.
- When ordering, please specify the overall length.



Heater Diameter (inches)										
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"			
Under 3" long	.20	.20	.25	.29	.39	.39	.24			
Over 3" long	.81	.79	.84	.84	1.01	1.00	.31			
Extension Length	.31	.31	.37	.37	.44	.44	.75			

STAINLESS STEEL FLEXIBLE CONDUIT

- Flexible conduit provides maximum lead protection from abrasion but can not be bent as sharply as stainless steel braid.
- Flexible conduit is swaged into the heater for maximum protection. (Flexible conduit is also known as armor or hose).






Unheated Length at Lead End of Heater

Heater Diameter (inches)									
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"		
Under 3" long	.62	.60	.30	.23	.39	.39	.54		
Over 3" long	1.23	1.20	.89	.84	1.01	1.00	1.20		
Conduit O. D.	.25	.303	.303	.303	.37	.48	.48		

RIGHT ANGLE STAINLESS STEEL FLEXIBLE CONDUIT

- Right angle stainless steel conduit offers the same advantages as swaged in stainless steel conduit but allows use in tight spaces.
- When ordering, please specify the overall length.





Unheated Length at Lead End of Heater											
		Heater	[.] Diameter	(inches)							
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"				
Under 3" long	.55	.60	.65	.70	.90	.80	.24				
Over 3" long	.81	.79	.84	.84	1.01	1.00	.31				
Extension Length	.31	.37	.37	.37	.44	.44	.75				
Conduit O. D.	.25	.25	.33	.37	.37	.37	.37				

CONVOLUTED CONDUIT

- It is not a seal at all, but rather a sealed, stainless steel, flexible hose brazed to the heating element.
- This protects the leads and covers the end of the heater. It is rated for applications up to 1100° F.
- While the hose is flexible, it is not recommended for applications with continuous flexing and movement.
- It is available only on heaters 1/2" diameter and larger.

Specifications						
	O. D.	I. D.	Dynamic Bend Radius	Static Bend Radius		
Specifications	.50″	.25″	5″	1"		

RIGHT ANGLE COPPER ELBOW WITH CONDUIT

- Right angle flexible conduit can also be attached to the sheath with a copper elbow.
- This method can also be used to attach right angle flexible conduit to stock heaters.
- Order length = Insertion Length + "A" Dimension

Order Length = Insertion Length + "A" Length



Heater Diameter								
	.25" .37" .50" .62" .75"							
"A" Dimension	.29	.38	.48	.57	.75			
"B" Dimension	.85	.91	1.16	1.25	1.90			
Conduit O.D.	.25	.37	.48	.625	.62			

COPPER COUPLER

- Flexible conduit can also be attached to the sheath with a copper coupler.
- This method can also be used to attach flexible conduit to stock heaters.




Order Length = Insertion Length + "A" Length

Heater Diameter								
	.25″	.37"	.50″	.62″	.75″			
"A" Dimension	.29	.38	.48	.57	.75			
"B" Dimension	.70	.70	.85	1.10	1.35			
Conduit O.D.	.25	.37	.48	.62	.62			

CERAMIC BEADS

When the temperature at the exit area of the heater is higher than 1100°F, ceramic beads protect the wires until conventional insulation can be utilized.



STRAIGHT PINS

- Conductor pins bonded to resistance wire.
- Uses minimum unheated length at end of heater.

Un	heated	Length
----	--------	--------

Unheated Length at Lead End of Heater								
	Heater Diameter (inches)							
Heater Length	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	
Under 3" long	.20	.20	.25	.29	.54	.54	.74	
Over 3" long	.20	.20	.25	.29	.54	.54	.81	

SLEEVING

TVNA		Max Rec.	Comments
l	Silicone Rubber Fiberglass Sleeving	200 °C	Can sleeve both leads together or each lead separately.
	Fiberglass Sleeving	240 °C	Good for lead protection and used over crimps.



END SEALS

LAVA SEAL

- A swaged in lava plug protects the internal cartridge from contamination.
- Up to 1500 °F

CEMENT

- Provides protection against some thicker liquids and dust, however it is not waterproof. It is also somewhat brittle and subject to cracking in high impact or high vibration applications.
- Up to 2600 °F.

TEFLON® SEAL

- Teflon Seals are a mechanical seal constructed by compressing a solid piece of Teflon in the end of the heater creating a seal between the Teflon piece and sheath, and a seal between the Teflon piece and the lead wire.
- An unheated section of 1" at the end of the heater is generally required to avoid overheating the seal.
- Teflon lead wire is used in conjunction with the Teflon end seal. While Teflon seal has a temperature rating of 350 °F, it softens slightly above 300 °F and can relax and compromise the seal.

EPOXYLITE® POTTING

- Provides similar mechanical properties as epoxy potting.
- Up to 600 °F.

EPOXY POTTING

- Provides a very good seal with excellent mechanical strength. However, it's adherence to Teflon or silicone rubber lead wire is only fair.
- Up to 265 °F, and bonds well to Duraflex lead wire.

RTV


- Provides a good moisture seal.
- Up to 500 °F.
- Works well with silicone rubber leads (silicone rubber leads rated to 392 °F.).




End Seals and Lead Wires								
Type Temperature Moisture Applications Vibration or Flexible								
Cement	2600 °F	Poor	Poor					
Lava Seal	1500 °F	Poor	Poor					
Epoxylite	600 °F	Good	Excellent					
Teflon Seal	350 °F	Good	Excellent					
RTV w/ Silicone Rubber Leads	392 °F	Excellent	Average					
Ероху	265 °F	Good	Good					

FITTING OPTIONS

SINGLE ENDED NPT FITTINGS



DOUBLE ENDED NPT FITTINGS




←A→

A

CUSTOM FITTINGS

- Straight Threads
- Brass Cubes
- Stainless Steel Cubes
- Others to Your Specifications



 $\leftarrow B \rightarrow$

 $-B \rightarrow$

OTHER OPTIONS

INTERNAL THERMOCOUPLE

- Built-in thermocouples can be of type "J" or type "K", grounded or ungrounded, and attached either at the disc end of middle of the cartridge.
- Thermocouple lead wire is 24 ga. solid and, unless otherwise specified, thermocouple leads are the same length as the power leads.
- When ordering, please specify type, location, grounded or ungrounded (if not specified, you will receive grounded), and insulation material (if not specified, you will receive fiberglass).



Center of cores, measures heater temperature, not part temperature.



Middle, grounded, also available as ungrounded.

Type "C"



Disc end, ungrounded, also available as grounded.

* Sheath has been cut to show the thermocouple.

FLANGES


- Flanges can be welded on the lead end of the heater.
- Flanges can be used to hold a heater in place to prevent backing out during operation.
- Flanges also assist in heater removal.
- Flanges are 1/16" thick



Flange Outside Diameter								
	1"	1-1/2"	2"					
Can be used on	1/4, 5/16, 3/8, 1/2	1/4, 5/16, 3/8, 1/2, 5/8, 3/4	1/2, 5/8, 3/4, 1					
Hole Spacing Hole Size	3/4	1-1/8	1-1/2					
Hole Size	.14	.16	.20					

MECHANICAL STOPS

- Weld Beads
- Tab Stops
- Custom Round Flanges
- Custom Rectangular Flanges
- Ideal for preventing heaters from sliding too far into the hole



CONSTRUCTION OPTIONS


LENGTH CONTROL

- Due to the large reduction in diameter during the swaging process, cartridge heaters also grow in length. Although the length change is fairly predictable, it is influenced by many factors and yields a larger length tolerance than is found in other manufacturing techniques. When dealing with longer heaters this length variation can be an issue in some applications. There are several alternatives in these situations.
- The simplest is to just order the heater short enough that when at the maximum length tolerance it does not extend beyond the block it has been inserted into. The downside to this is that when the heater is at the short end of the length tolerance, you have empty space in the hole.
- An alternative is to have the heater trimmed to length after the swaging process. As only the unheated portion of the heater can be trimmed away, a large unheated section must be designed into the heater for trimming as illustrated below. The end result is the same amount of unheated block as you would have with the standard heater described above.
- Marathon does offer a heater called the HTS heater which allows for length adjustments in the heated area and produces an exact length heater with minimal unheated section. Unfortunately, this is only an option for some combinations of voltage, wattage, and heated length. Please consult with the engineering department at Marathon Heater to see if this is an option for your application.
- Another good option when watt densities and temperatures permit is a non-swaged heater. Non-swaged heaters are built with a standard length tolerance of 1/8".

FLANGE EXAMPLE

When ordering a heater with 30" below the flange, the heater must be designed so that if they run on the short side of the tolerance. They are still long enough to have 30" below the flange (heater needs to be 30.06 long). This means that the heater has to be designed at 30.99" long and the heaters at the high side of the tolerance could be as long as 31.92" long.

Heater size at Minimum Length tolerance.



Heater size at Medium Length tolerance. 30.99




Heater size at Maximum Length tolerance. 31.92




NO FLANGE EXAMPLE

When ordering a heater trimmed to exactly 30", we can not trim away the heated portion of the heater, so we leave a cavity to trim and fill the remaining portion of the cavity with cement. We need to have at least 1/8" cavity to pot. So, we require a cavity length that, when we trim the longest heater, will leave us 1/8" of cavity. The heaters have to be designed so that the shortest heater is at least 30" long. That means they are designed at 30.92" and the longest one could be 31.98". • Cavity is (31.86 - 30) + 1/8 = 1.98"

Heater size at **Minimum** Length Tolerance (no excess cavity to trim).



Heater size at **Medium** Length Tolerance (some cavity must be trimmed). 30.92



Heater size at Maximum Length Tolerance (ALL cavity must be trimmed). 31.86



DOUBLE ENDED CONSTRUCTION

- Hotrod cartridge heaters are also available with an electrical termination on each end.
- Heaters can be made with lead wires, straight pins, or screw terminals.

POST TERMINALS

- Post terminals (also called screw terminals or stud terminals) are used in applications where easy lead replacement is desirable. They work great with ring terminals or fork terminals.
- Post terminals are only available for heaters 1/2" diameter and up.
- Terminals are #6-32 and supplied with 2 stainless steel washers and 2 stainless steel nuts on each stud.



BENT CARTRIDGE HEATER

- Cartridge heaters can be bent at any angle from 10°
- Heaters must be bent in an unheated section
- Can be constructed with most of the other options shown in this catalog.

Specifications								
Heater Diameter	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	
Min. Bend Radius	1/2	1/2	1/2	3/4	1	1-1/4	N.A.	
Min. Cold Length	2.25	2.25	2.37	2.87	3.37	3.87	N.A.	

END TUBE EXTENSIONS

- Custom Right Angle Tube Extensions are available.
- They serve as an excellent lead support.
- They can also help keep the heater from sliding too far into the hole.
- Please specify dimensions.



SPRING GUARD

Spring guards are used for additional support in flexing applications.



CIRCUIT OPTIONS

DUAL VOLTAGE

Dual Voltage cartridge heaters can be engineered to operate at different voltage ratings. To order, specify dual voltage and voltage requirements.

3 PHASE

Marathon Cartridge Heaters are available for three phase delta for high amperage applications. Certain restrictions apply.

WATTAGE

We are sometimes asked about DC or frequencies other than 60 Hz. Neither of these affect the performance or wattage rating of the heater.

INDIVIDUALLY CONTROLLED HEAT ZONES

- Individually controlled heat zones give flexibility when needing to control the heat along the length of a cartridge heater. These zones are commonly used in sealing bar applications.
- Dual Zone are commonly constructed with 4 power leads.
- Three Zone heaters are constructed with (6) color coded leads. Yellow leads indicate disk end zone. Black leads indicate center zone. Red leads indicate lead end zone. Please consult factory for available diameters. Specify length and wattages of desired zones.



DISTRIBUTED WATTAGE

- Distributed wattage heaters are often used in platens and sealing bars. Wattage is usually increased on the ends of the heater to compensate for end losses and maintain a constant temperature along the heated product.
- Specify desired lengths in inches and wattages in percentage.



TODAY HEATERS


Marathon Heater, Inc. has thousands of standard stock cartridge heaters ready for a variety of modifications.

Stock heaters can ship the same day with the following options:

- Trimmed cavity
- Rt. Angle Leads
- Stainless Steel Braid
- Rt. Angle Stainless Steel Braid
- Stainless Steel Flexible Conduit
- Rt. Angle Stainless Steel Flexible Conduit
- Standard Flanges
- Brass and Stainless Steel NPT fittings

Diameters include:

- 1/4"
- 3/8"
- 1/2"
- 5/8"
- 3/4"
- All heaters come with either 14", 26", or 38" high temperature leads.
- Allow 1 extra day for options requiring potting.



Orders must be received by 2:00 pm CST in order to ship the same day.

Out of stock heaters and heaters with options such as fittings and potting will ship the next day.





HOW TO ORDER

- **Step 1:** Choose a Today Heater Stock part # that matches your required dimensions and wattage. Get the part #'s at marathonheater.com (xxxxxxxxxx)
- Step 2: Choose your lead length (in).
- Step 3: Choose your option (Conduit, right angle leads, etc.).
- **Step 4:** Choose your lead protection length (in).

OPTIONS CHART

OPTION	CODE
Right Angle Leads	R
Stainless Steel Braid	В
Right Angle St. Steel Braid	А
Flexible Conduit	С
Right Angle Flexible Conduit	K
Standards Brass NPT	Н
Oversize Brass NPT	HH
Standard Stainless NPT	Q
Oversize Stainless NPT	QQ
Standard Flange	F
Oversize Flange	FF
Epoxy Potting	Е
EpoxyLite Potting	X
Silicone Rubber Potting	V
Cement Potting	Р
Convoluted Tubing	Υ
Right Angle Convoluted Tubing	Z
Copper Elbow	W
Copper Coupler	U

NON-SWAGED CARTRIDGE HEATERS

COST-EFFECTIVE NON-SWAGED HEATERS

APPLICATIONS

For applications where a swaged heater is not required, non-swaged cartridge heaters offer a cost effective alternative. Non-swaged heaters can be used up to 45 w/in² and to temperatures up to 800°F. Non-swaged heaters offer tighter length tolerances (±1/16") than swaged heaters. Non-swaged heaters can be built with 3 independent heat zones. Nonswaged heaters are not recommended for applications where there is a lot of vibration or impact.

Most of the lead configurations and options available for swaged HotRod heaters are also available for non-swaged cartridge heaters. Consult your Marathon Heater agent for more information.

Standard leads are UL rated to 550°C. Leads are connected internally with nickel connectors.

High temperature cement filling protects leads and internal parts. Epoxy and silicone rubber are also available.

Nickel-Chromium resistance wire stretched evenly throughout the heated length.

High purity MgO is vibratory filled into the heater for maximum heat transfer.

304 Stainless Steel sheath for superior oxidation resistance.

Welded end disc to prevent contamination and moisture absorption.



Heating coil wound on core .

SPECIFICATIONS

Nominal Diameter	Minimum Diameter	Maximum Diameter	Std. Lead Wire Gauge	Max amps with Std. Lead Wire	Max lead wire gauge	Maximum Amps	Maximum Volts
3/8"	.37	.37	22	9	18	15	480
1/2"	.49	.50	22	9	18	15	480
5/8"	.62	.62	18	9	16	25	600
3/4"	.74	.75	18	15	16	20	600
1"	.99	1.0	18	15	16	20	600

Clearance is determined by taking the hole diameter and subtracting the heater diameter.

- Cycling reduces heater life and high cycling applications should use lower numbers.
- Staying below these values will result in increased heater life.

FORMULA

Watt density is calculated with the following formula:

Hole Clearance	Block temperature in °F						
	1000	800	600	400	200		
0.003	25	30	35	40	45		
0.005	20	25	30	35	45		
0.010	20	23	28	30	38		
0.015	18	20	25	27	34		
0.030	16	15	20	23	30		
0.100	10	12	15	20	25		

SQUARE CARTRIDGE HEATERS

HIGH DENSITY SQUARE CARTRIDGE HEATERS

For those applications where a drilled hole is not practical, Marathon Heater offers square cartridge heaters. Unlike square cartridge heaters from other manufacturers, Marathon's square cartridge heaters are swaged, allowing them to be used in high temperature and high watt density applications.

Square heaters are ideal for milled slots in long platens where drilling a long hole would be too difficult. Square heaters are also much easier to remove from a slot after extended high temperature usage than removing a round heater from a drilled hole.

Typical Applications

- Bag Sealing
- Long platens
- Cutting jaws

Available Diameters

- .375" diameter
- .500" diameter
- .625" diameter

Lead Options

- Rt. Angle leads
- S/S braid
- S/S conduit
- Rt. Angle braid
- Rt. Angle conduit

Heater Options

- Thermocouple
- Flanges
- Tab stops
- Weld beads
- Moisture seals
- Distributive wattage

SPECIFICATIONS


	3/8	1/2	5/8
Max Cross Section	0.374	0.499	0.624
Min. Cross Section	0.369	0.494	0.619
Std. Lead Wire	22	22	18
Maximum Amp.	9	9	15
Max Lead Wire	22	18	18
Max amps with	9	15	15
Maximum Volts	300	300	300
Lead Wire Temp	550 °C	550 °C	550 °C

RECOMMENDED MAXIMUM WATT DENSITIES

Clearance (Inches)	Temperature in °F.								
	1200°F	1000°F	800°F	600°F	400°F	200°F			
0.002	105	200	225	225	225	225			
0.003	90	150	220	225	225	225			
0.004	75	130	160	225	225	225			
0.005	65	105	150	210	225	225			
0.007	50	75	110	150	175	225			
0.010	45	65	80	110	150	170			
0.015	35	55	70	80	105	120			
0.030	30	45	60	65	75	80			
0.060	20	30	35	40	45	50			
0.100	15	25	30	35	35	35			

UNHEATED LENGTH AT LEAD END OF HEATER

Heater Length Under 3" Long	.375" Diameter	.500" Diameter	.625" Diameter
Under 3" Long	.25	.30	.38
Over 3" Long	.90	.90	1.00



ENGINEERING DATA

MAXIMUM HOTROD WATT DENSITY IN 200°F MOVING AIR

				Air Veloci	ty, Feet p	er Minute			
Air Direction	0	500	1000	1500	2000	2500	3000	3500	4000
Parallel to Heater	44	52	56	60	64	67	72	75	78
Parallel to Heater Perpendicular to Heater	44	68	76	82	86	93	97	103	108

MAXIMUM HOTROD WATT DENSITY IN STILL AIR

					Air Tempe	rature °F			
	100	250	500	750	1000	1100	1200	1300	1400
Max Watts/in²	53	52	50	46	40	35	28	20	13

HOTROD SHEATH TEMPERATURE IN 70°F STILL AIR

				Watt De	nsity (wat	tts/in²)		
	5	10	15	20	25	30	35	40
Oxidized Sheath	450	800	1050	1100	1200	1300	1350	1400
Non-Oxidized Sheath	750	1000	1150	1300	1400	1500	1600	1650

SHEATH SUITABILITY CHART

- Our standard sheath material, 304 stainless steel, is suitable for most applications. For applications above 1200° F the use of Incoloy is recommended.
- The use of Incoloy below 1200° F will provide no performance improvement, however it will increase cost.
- For many immersion applications, especially tap water, 316 stainless steel is the best choice. Please see the chart below for help in determining the best sheath material for your application.

Air to 1500°F E E E E Air to 1600°F G G E Air to 1800°F NR NR G Acetic Acid F G F 40 180 Acetone E E E 20 130 Alcohol F E E 25 212 Asphalt E E E 4-10 200-500 Caustic Soda, 10% E E E 4-10 200-500 Caustic Soda, 10% E E E 40 275 Electroplating Bath, Cadmium E E E 40 275 Electroplating Bath, Copper E E E 100 180 Ethylene Glycol F F F F 30 180 Ethylene Glycol F F F F 30 500 Glycerin E E E E 10 500 <th></th> <th>304 SS</th> <th>316 SS</th> <th>Incoloy</th> <th>Max Watt Density</th> <th>Max Temp (°F)</th>		304 SS	316 SS	Incoloy	Max Watt Density	Max Temp (°F)
Air to 1800°F NR NR G Acetic Acid F G F 40 180 Acetone E E E E 20 130 Alcohol F E E E 25 212 Asphalt E E E 4-10 200-500 Caustic Soda, 10% E E E 100 210 De-greasing Solution G E E 40 275 Electroplating Bath, Cadmium E E E 100 180 Electroplating Bath, Copper E E E 100 180 Ethylene Glycol F F F 30 180 Ethylene Glycol F F F 30 500 Glycerin E E E 2-5 300 Glycerin E E E 5 100 Mitric Acid (30% max) F F	Air to 1500°F	Е	Е	Е		
Acetic Acid F G F 40 180 Acetone E E E E 20 130 Alcohol F E E E 25 212 Asphalt E E E 4-10 200-500 Caustic Soda, 10% E E E 100 210 De-greasing Solution G E E 40 275 Electroplating Bath, Cadmium E E E 100 180 Electroplating Bath, Copper E E E 10 <t< td=""><td>Air to 1600°F</td><td>G</td><td>G</td><td>Е</td><td></td><td></td></t<>	Air to 1600°F	G	G	Е		
Acetone E E E E 20 130 Alcohol F E E E E 25 212 Asphalt E E E E E 4-10 200-500 Caustic Soda, 10% E E E H 100 210 De-greasing Solution G E E E 40 275 Electroplating Bath, Cadmium E E E H 100 180 Electroplating Bath, Copper E E E Incompany 180 Electroplating Bath, Copper E E E 100 180 Electroplating Bath, Copper E E E 100 180 Electroplating Bath, Copper E E E 100 180 Electroplating Bath, Copper E E E E 100 180 Electroplating Bath, Copper E E E E 2-5 <td>Air to 1800°F</td> <td>NR</td> <td>NR</td> <td>G</td> <td></td> <td></td>	Air to 1800°F	NR	NR	G		
Alcohol F E E E 25 212 Asphalt E E E E 4-10 200-500 Caustic Soda, 10% E E E 100 210 De-greasing Solution G E E 40 275 Electroplating Bath, Cadmium E E E 100 180 Electroplating Bath, Copper E E E 2-5 300 Glycerin E E E E 10 500 Kerosene E E E	Acetic Acid	F	G	F	40	180
Asphalt E E E E H 100 200-500 Caustic Soda, 10% E E E E 100 210 De-greasing Solution G E E E 40 275 Electroplating Bath, Cadmium E E E 100 180 Electroplating Bath, Copper E E E 100 180 Ethylene Glycol F F F 30 180 Ethylene Glycol F F F 30 180 Freon E E E 2-5 300 Glycerin E E E 10 500 Kerosene E E E E 5 100 Molasses E E E E 5 100 Nitric Acid (30% max) F F NR 20 167 Oil, SAE 30 E E E E <	Acetone	Е	Е	Е	20	130
Caustic Soda, 10% E E E E H 100 210 De-greasing Solution G E E E 40 275 Electroplating Bath, Cadmium E E E E 100 180 Electroplating Bath, Copper E E E D 100 180 Ethylene Glycol F F F 30 7 7 7 7 30 7 7 7 7 30 7 7 8 9 </td <td>Alcohol</td> <td>F</td> <td>Е</td> <td>Е</td> <td>25</td> <td>212</td>	Alcohol	F	Е	Е	25	212
De-greasing Solution G E E 40 275 Electroplating Bath, Cadmium E E E 100 180 Electroplating Bath, Copper E E E 100 180 Ethylene Glycol F F F G 30 Freon E E E E 2-5 300 Glycerin E E E D 10 500 Kerosene E E E E 25-30	Asphalt	Е	Е	Е	4-10	200-500
Electroplating Bath, Cadmium E E E E 100 180 Electroplating Bath, Copper E E E E 100 180 Ethylene Glycol F F F F 30 TTTT Freon E E E E 2-5 300 300 300 GIycerin E E E E E D 100 500 500 500 600	Caustic Soda, 10%	Е	Е	Е	100	210
Electroplating Bath, Copper E E E 100 180 Ethylene Glycol F F F F 30 Freon E E E E 2-5 300 Glycerin E E E E 10 500 Kerosene E E E E 25-30	De-greasing Solution	G	Е	Е	40	275
Ethylene Glycol F F F F 30 Freon E E E E E 2-5 300 Glycerin E E E E E 10 500 Kerosene E E E E E 5 100 Nitric Acid (30% max) F F NR 20 167 Oil, SAE 30 E E E E 20 250 Oil, SAE 50 E E E E 10-15 250 Oil, Vegetable or Mineral E E E E 30 400 Paraffin or Wax E E E E 5 30 300 Steam @ 300°F E E E E 30 300 Water, Distilled E E E 300 212	Electroplating Bath, Cadmium	Е	Е	Е	100	180
Freon E E E E D 300 Glycerin E E E E E 10 500 Kerosene E E E E 25-30	Electroplating Bath, Copper	Е	Е	Е	100	180
Glycerin E E E E E E E Door Store	Ethylene Glycol	F	F	F	30	
Kerosene E E E E E E Description Description <t< td=""><td>Freon</td><td>Е</td><td>Е</td><td>Е</td><td>2-5</td><td>300</td></t<>	Freon	Е	Е	Е	2-5	300
Molasses E E E E E E E D 100 Nitric Acid (30% max) F F NR 20 167 Oil, SAE 30 E E E E E 20 250 Oil, SAE 50 E E E E E 250 400 Oil, Vegetable or Mineral E E E E E A00 400 Paraffin or Wax E E E E E B 16 Steam @ 300°F E E E E B 300 300 Steam @ 500°F E E E E E 500 150 Trichlorethylene F F F F 300 212	Glycerin	Е	Е	Е	10	500
Nitric Acid (30% max) F F NR 20 167 Oil, SAE 30 E E E E 20 250 Oil, SAE 50 E E E E 10-15 250 Oil, Vegetable or Mineral E E E E 0 400 Paraffin or Wax E E E E 16 Steam @ 300°F E E E E 30 300 Steam @ 500°F E E E E 500 500 Trichlorethylene F F F F 30 150 Water, Distilled E E E E 300 212	Kerosene	Е	Е	Е	25-30	
Oil, SAE 30 E E E E E Description of the property of	Molasses	Е	Е	Е	5	100
Oil, SAE 50 E E E E E 10-15 250 Oil, Vegetable or Mineral E E E E E A00 400 Paraffin or Wax E E E E E 16 C <	Nitric Acid (30% max)	F	F	NR	20	167
Oil, Vegetable or Mineral E E E E E E E H 400 Paraffin or Wax E E E E E E H	Oil, SAE 30	Е	Е	Е	20	250
Paraffin or Wax E E E E E E E E E E B E	Oil, SAE 50	Е	Е	Е	10-15	250
Steam @ 300°F E E E E B E E E D 300	Oil, Vegetable or Mineral	Е	Е	Е	30	400
Steam @ 500°F E E E E E E 500 Trichlorethylene F F F F 30 150 Water, Distilled E E E 300 212	Paraffin or Wax	Е	Е	Е	16	
Trichlorethylene F F F F 30 150 Water, Distilled E E E E 300 212	Steam @ 300°F	E	E	E	30	300
Water, Distilled E E E 300 212	Steam @ 500°F	Е	Е	Е	25	500
	Trichlorethylene	F	F	F	30	150
	Water, Distilled	Е	Е	Е	300	212
Water, Iap F E E 300 212	Water, Tap	F	Е	E	300	212

E=Excellent, G=Good, F=Fair, NR=Not Recommended

ORDERING

A correct and complete purchase order saves time and money for yourself and your customer. Here are some ordering tips to save playing phone tag with your customers.

- Always distinguish overall length (OAL) and insertion length.
- Include flange and locating ring locations as measured from the disk
- Please provide a sketch for zone profiles or distributive wattage heaters.
- Don't forget to indicate if an internal thermocouple is grounded or ungrounded and its location.
- Please remember to include quote numbers on all your purchase orders.

 Please reference applicable quote numbers on all orders.

VARIATION IN QUANTITY

Order Quantity	Over/Under
1-5	0
6-24	1 pc.
25-49	2 pc.
50-74	3 pc.
75-100	4 pc.
100+	5%

F.A.Q.



How long will my heater last?

There is no standard heater life in the industry. The life of your heater is affected by:

- Application
- Application temperature
- Watt density
- Cycling
- Hole fit
- Contamination

What is the maximum temperature for my heater?

The sheath material will withstand temperatures of up to 1800 F. See "Sheath Suitability Chart" on page 18.

What is maximum watt density allowed?

Maximum watt density is determined by several factors including:

- Whether you are heating air, water, oil, metal. Etc.
- Application temperatures
- Hole fit
- See "Watt density" on page 4.

How do you wire a 3 zone heater?

- The red wire is the lead end zone.
- The black wire is the center zone.
- The yellow wire is the disk end zone.

How much does a heater expand after energizing?

Expansion is usually not a factor as the part being heated also expands.

How can I extend the life of my heater?

- The number one cause of heater failure is contamination.
- When foreign substances enter the heater and carbonize, this causes arcing and failure inside the heater. If temperature or other circumstances prevent you from using an end seal, avoid substances that could enter the heater at the lead entrance.
- Heat transfer compounds, especially grease based ones, are a common source of contamination.
- Wrapping tape around the lead wires is another common source of contamination as the adhesive melts and runs down into the heater. Remember, any organic or carbon based product has the potential to cause contamination.
- Excessive cycling is the next most common cause of failure. Avoid excessive cycling by properly sizing your heater and not using more wattage than necessary.
- Solid state controllers are also easier on the heaters than simple on-off controllers.







Marathon Heater 808 Hackberry Ln., Del Rio, TX, 78840. Phone: (830)-775-1417 FAX: (830)-775-4379

www.marathonheater.com

sales@marathonheater.com

Download our latest brochures at http://www.marathonheater.com

BR-CH-12 Revised 4 April 2012 © Marathon Heater Inc. All Rights Reserved.