



Backer Marathon

BACKER MARATHON STOCK BOOKLET

Backer Marathon, Inc.
808 Hackberry Ln.
Del Rio, TX 78840
Tel: 830-775-1417
Fax: 830-775-4379
Email: sales@backermarathon.com
Website: www.backermarathon.com

Terms and Conditions

Terms:

Net 30 days on approved credit. All prices F.O.B. point of shipment.

Prices:

Subject to change without notice.

No minimum order

Variation in Quantity:

Due to losses in the manufacturing process, we are unable to ship exact quantities on custom manufactured items. Please note these variations below. Orders which require exact quantities are subject to a 10% surcharge.

Order Quantity	Over/Under
1-5	0
6-24	1 pc.
25-49	2 pc.
50-74	3 pc.
75-100	4 pc.
100+	5%

RMA:

In order to assure a prompt and thorough response to returned heaters, all returns should be accompanied with an RMA number from our office. All returned heaters will be inspected and evaluated. Final decision regarding returned heaters remains with Backer Marathon.

Please remember that Backer Marathon can only issue credit for defective products. Custom manufactured items can not be returned for re-stocking.

QUOTES:

If you are provided a quote, please remember to reference the quote number on all correspondence. This will save time and money for all. Please remember that quotes are issued for pricing information. Please supply any additional information required to manufacture your product. Backer Marathon cannot be responsible for missing information.

Extra care has been taken in the preparation of this price list. However, Backer Marathon cannot be responsible for omissions or typographical errors.

Table of Contents

Stock Cartridge Heaters

1/4" Cartridge Heaters	4
3/8" Cartridge Heaters	4
1/2" Cartridge Heater	5
5/8" Cartridge Heaters	5
3/4" Cartridge Heaters	6
5/16" Cartridge Heaters	6
10 mm, 12 mm, 20 mm Cartridge Heaters	6
DME Equivalent Low Watt Density Heaters	7
DME Equivalent High Watt Density Heaters	8
Heaters with Internal Thermocouples	9
1/4", 3/8", 1/2" Probe Heaters	10
1/2" and 5/8" Distributor Tube Heaters	11

Stock Mica Band Heaters

12

Stock Mica Nozzle Heaters

13

Silicone Rubber Heaters

14

Gala Style Heaters

15

Stock Air Heaters

15

Stock Viper Coil Heaters

16-17

Stock Thermocouples

18-26

Today Stock Heaters

27-130

BACKER MARATHON STOCK BOOKLET

HOTROD CARTRIDGE HEATERS

Backer Marathon is constantly striving to improve our products and offer the best customer service of any manufacturer .

HOTROD Product Tolerances.	
Diameter	+/- 0.003"
Length	+/- 3% (minimum of +/- 3/32")
Wattage	+5%/-10%
Heat shrink tube	220 F
Duraflex Leads	950 F
Teflon Leads	480 F
Silicone Rubber Leads	390 F
RTV potting	390 F
EpoxyLite potting	650 F
Cement	2000 F
Epoxy	265 F

WATT DENSITY Recommended watt densities in swaged cartridge heaters are dependent on several factors including application temperature and hole fit. However, if the watt density in a swaged cartridge heater is over 100 watts/sq. in. then we recommend evaluating the application to determine the recommended wattage for desired heater life.

ORDERING TIPS A correct and complete purchase order saves time and money for yourself and your customer. Here are some ordering tips to save playing phone tag with your customers:

- Always distinguish OAL and insertion length
- Please include flange and locating ring locations as measured from the disk end.
- Please provide a sketch for zone profiles of distributive wattage heaters.
- Don't forget to indicate if an Internal Thermocouple is grounded or ungrounded and its location.
- **PLEASE REMEMBER TO INCLUDE QUOTE NUMBERS ON ALL YOUR PURCHASE ORDERS.**

BAND HEATER ORDERING TIPS:

- Always include type of termination (e.g. L1, L2, etc. B1, B2, N-1,N2, etc)
- Always include termination orientation (e.g. 90 degrees from gap, 180 degrees from gap, etc)
- Please provide a sketch or drawing showing hole dimensions and locations
- Standard clamping is S/S strap unless otherwise specified
- Please provide total wattage when ordering a 2 pc. heater
- **ALWAYS REMEMBER TO INCLUDE QUOTE NUMBERS ON ALL YOUR PURCHASE ORDERS**

Add 10% for 5 day shipment
Add 20 % for 3 day shipment
Add 40% for next shipment
Same day shipment not available

Since workloads fluctuate, all expedited orders must be pre-approved and approved orders must be placed within 24 hours of approval or shipment cannot be guaranteed. **Orders not received by noon CST will be considered as placed the following day.**

Expedited Services

STOCK CARTRIDGE HEATERS

1/4" Diameter with 10" swaged in high temperature leads

LTH	W	120V	240V
1	55	HR25010H	*
1	100	HR25010J	HR25010K
1	150	HR25010L	*
1.25	75	HR25012T	*
1.25	100	HR25012F	*
1.25	150	HR25012G	HR25012H
1.5	100	HR25015K	*
1.5	150	HR25015L	HR25015AU
1.5	200	HR25015M	HR25015N
2	40	HR25020AX	HR25020AY
2	100	HR25020N	*
2	150	HR25020P	HR25020Q
2	200	HR25020R	HR25020S
2	250	HR25020T	HR25020U
2.5	200	HR25025E	HR25025H

LTH	W	120V	240V
3	75	HR25030AR	HR25030AS
3	200	HR25030H	HR25030J
3	300	HR25030K	HR25030L
3.75	220	*	HR25037F
4	100	HR25040J	HR25040AQ
4	200	HR25040K	HR25040L
4	300	HR25040M	HR25040N
4	375	HR25040AR	*
4.75	275	*	HR25047F
5	300	HR25050AF	*
5	350	HR25050P	HR25050Q
5	450	HR25050AP	*
5.75	350		HR25057C
6	150	HR25060AC	HR25060AD
6	400	HR25060R	HR25060S

3/8" Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240V
1	100	HR37010G	HR37010M
1.25	100	HR37012K	HR37012J
1.25	150	HR37012L	HR37012M
1.5	50	HR37015L	
1.5	100	HR37015N	HR37015M
1.5	150	HR37015P	HR37015Q
1.5	200	HR37015R	HR37015S
1.5	250	HR37015X	HR37015Y
1.75	100		HR37017E
1.75	200	HR37017F	HR37017G
2	50	HR37020L	
2	75	HR37020BF	HR37020BG
2	100	HR37020Q	HR37020R
2	150	HR37020M	HR37020N
2	200	HR37020S	HR37020T
2	250	HR37020P	HR37020U
2	300	HR37020V	HR37020W
2.25	125	HR37022E	
2.25	175	HR37022F	
2.25	300	HR37022G	HR37022H
2.5	155		HR37025Z
2.5	250	HR37025J	HR37025K
3	100	HR37030U	HR37030V
3	150	HR37030AV	
3	200	HR37030AF	HR37030Y
3	250	HR37030Z	HR37030AA
3	300	HR37030AB	HR37030AC
3	350		HR37030BM
3	400	HR37030AD	HR37030AE
3	500	HR37030W	HR37030AG
3.5	300	HR37035F	HR37035G
3.5	500		HR37035T
4	150	HR37040Y	HR37040W

LTH	W	120 V	240V
4	250	HR37040Z	HR37040AA
4	300	HR37040AB	HR37040AC
4	350		HR37040BH
4	400	HR37040AD	HR37040AE
4	500	HR37040X	HR37040AF
4.5	300	HR37045E	HR37045F
4.5	500		HR37045G
5	150	HR37050V	HR37050W
5	185	HR37050BN	HR37050BP
5	300	HR37050U	HR37050X
5	400		HR37050BB
5	500	HR37050Y	HR37050Z
5	550		HR37050BQ
5	750		HR37050AA
5	1000		HR37050AB
5.5	300		HR37055J
6	225	HR37060BL	HR37060BM
6	250	HR37060R	HR37060S
6	400	HR37060AR	HR37060AQ
6	500	HR37060Z	HR37060AA
6	600	HR37060T	HR37060U
6	750		HR37060AB
7	300		HR37070R
7	1000		HR37070G
8	300	HR37080AP	HR37080Y
8	600	HR37080Z	HR37080AA
8	1000		HR37080AB
9	1000		HR37090F
10	600	HR37100H	HR37100J
10	1000		HR37100K
12	750		HR37120L
12	1000		HR37120M

1/2" Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
1	50	HR50010C	
1.25	125	HR50012F	HR50012G
1.25	150		HR50012H
1.5	200	HR50015D	HR50015E
2	75	HR50020Z	HR50020AA
2	200	HR50020G	HR50020H
2	250		HR50020AB
2	300	HR50020K	HR50020J
2	400	HR50020U	HR50020V
2.25	250	HR50022C	HR50022D
2.5	300	HR50025L	HR50025M
2.5	400	HR50025N	HR50025P
2.5	500		HR50025AA
3	150	HR50030AP	HR50030AQ
3	250	HR50030AE	HR50030R
3	300	HR50030S	HR50030T
3	400	HR50030U	HR50030V
3	500		HR50030W
3.5	500	HR50035E	HR50035F
4	180	HR50040AX	HR50040AY
4	250		HR50040AA
4	300	HR50040AB	HR50040V
4	350		HR50040AS
4	400	HR50040W	HR50040X
4	500	HR50040T	HR50040Y
4	750		HR50040Z
4.5	500	HR50045F	HR50045G
5	200	HR50050M	HR50050N
5	300		HR50050AG
5	350	HR50050AH	HR50050AJ
5	500	HR50050P	HR50050R
5	750	HR50050Q	HR50050S
5	800		HR50050AZ

LTH	W	120 V	240 V
5	1000		HR50050T
5.5	750		HR50055E
6	300	HR50060V	HR50060W
6	500		HR50060X
6	750	HR50060R	HR50060Z
6	1000	HR50060S	HR50060BZ
6	1500		HR50060AZ
6.5	1000		HR50065F
7	500		HR50070R
7	600	HR50070F	HR50070G
7	1000		HR50070H
8	400	HR50080BN	HR50080BP
8	500	HR50080U	HR50080Y
8	750	HR50080V	HR50080W
8	1000	HR50080X	HR50080Z
8	1200		HR50080BR
8	1500		HR50080AA
9	500		HR50090G
9	1000		HR50090H
10	500	HR50100K	HR50100M
10	1000	HR50100P	HR50100Q
10	1500		HR50100R
10	2000		HR50100N
12	600	HR50120AF	HR50120AG
12	1000	HR50120K	HR50120L
12	1500		HR50120M
12	2000		HR50120N
14	1000		HR50140C
15	1000		HR50150K
15	1500		HR50150L
16	800	HR50160T	HR50160U
16	1000		HR50160N

5/8" Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
1.5	200	HR62015A	
2	100	HR62020F	HR62020G
2	200	HR62020C	HR62020D
2	300		HR62020H
2.25	250	HR62022A	HR62022B
3	200	HR62030R	HR62030S
3	250	HR62030E	HR62030F
3	400	HR62030G	HR62030J
3	500	HR62030K	HR62030L
3.75	525	HR62037B	HR62037C
4	250	HR62040AH	HR62040AJ
4	500	HR62040E	HR62040F
4	700		HR62040AK
4	750		HR62040H
4	1000		HR62040G
5	300	HR62050V	HR62050W
5	500	HR62050G	HR62050H
5	750		HR62050J
5	1000		HR62050K
5.38	800		HR62053A
6	375	HR62060W	HR62060X
6	500		HR62060H
6	750		HR62060J
6	1000		HR62060K
7	1000	HR62070D	HR62070F
7	1500		HR62070E

LTH	W	120 V	240 V
8	500	HR62080AB	HR62080AC
8	1000	HR62080J	HR62080H
8	1200		HR62080AE
8	1500		HR62080K
9	1000		HR62090B
9	1400		HR62090L
9	1500		HR62090C
10	650	HR62100S	HR62100T
10	1000		HR62100F
10	1500		HR62100G
10	2000		HR62100E
12	775	HR62120Q	HR62120R
12	1000		HR62120E
12	1500		HR62120C
12	2000		HR62120D
14	900		HR62140M
14	1500		HR62140G
14	2000		HR62140P
14	2400		HR62140H
16	1000		HR62160N
16	1050	HR62160V	HR62160W
16	2110		HR62160P
24	1000		HR62240G
24	1500		HR62240H
24	2000		HR62240J

3/4" Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
2	200	HR75020A	HR75020B
2	300		HR75020C
3	225		HR75030H
3	400		HR75030A
3	500	HR75030G	HR75030B
4	300	HR75040T	HR75040U
4	500	HR75040D	HR75040E
4	750		HR75040F
4	1000		HR75040G
5	375	HR75050L	HR75050M
5	500		HR75050E
5	1000	HR75050G	HR75050F
6	450	HR75060N	HR75060P
6	500	HR75060C	HR75060F
6	750		HR75060D
6	1000		HR75060G
6	1200		HR75060Q
6	1500		HR75060E
7	500	HR75070A	HR75070B
7	1000		HR75070C
7	1500		HR75070D

LTH	W	120 V	240 V
8	600	HR75080W	HR75080X
8	750	HR75080G	HR75080H
8	1000		HR75080L
8	1500		HR75080J
8	2000		HR75080K
9	1800		HR75090D
10	800	HR75100P	HR75100Q
10	1000		HR75100B
10	1500		HR75100C
10	1600		HR75100R
10	2000		HR75100D
12	950	HR75120R	HR75120S
12	1000		HR75120C
12	1500		HR75120D
12	2000		HR75120E
14	1100		HR75140J
14	2200		HR75140K
16	1250		HR75160F
24	1000		HR75240L
24	1500		HR75240M
24	2000		HR75240N

5/16" Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
2	100	HR31020E	HR31020F
2	300		HR31020G
3	300	HR31030D	HR31030E
4	300	HR31040A	HR31040B
5	300	HR31050F	HR31050G

10mm Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
1.97	250		HR39019A
3.15	300		HR39031B
3.94	350	HR39039F	HR39039G
3.94	500		HR39039H
4.72	500		HR39047C
5.90	500		HR39059C
6.89	175		HR39068B
7.87	350		HR39078A
7.87	750		HR39078B

12mm Diameter with swaged in high temperature leads

LTH	W	120 V	240 V
4.33	200		HR47043C-24" Leads
5.91	250		HR47059C-36" Leads

20mm Diameter with 10" swaged in high temperature leads

LTH	W	120 V	240 V
7.87	1000		HR78078C
7.87	1500		HR78078F
15.75	3200		HR78157B-24" Leads

DME Equivalent Low Watt Density Replacement Cartridge Heaters With 10” Swaged in High Temperature Leads

MARATHON P/N	DIA	LENGTH	WATTS	VOLTS	DME P/N	WATLOW P/N
HR25020AX	1/4	2	40	120	CU-202-1	
HR25020AY	1/4	2	40	240	CU-202-2	
HR25030AR	1/4	3	75	120	CU-203-1	
HR25030AS	1/4	3	75	240	CU-203-2	
HR25040J	1/4	4	100	120	CU-204-1	E4A28
HR25040AQ	1/4	4	100	240	CU-204-2	
HR25060AC	1/4	6	150	120	CU-206-1	
HR25060AD	1/4	6	150	240	CU-206-2	
HR37020BF	3/8	2	75	120	CU-302-1	
HR37020BG	3/8	2	75	240	CU-302-2	
HR37030U	3/8	3	100	120	CU-303-1	
HR37030V	3/8	3	100	240	CU-303-2	G3A137
HR37040Y	3/8	4	150	120	CU-304-1	G4A78
HR37050BN	3/8	5	185	120	CU-305-1	
HR37050BP	3/8	5	185	240	CU-305-2	
HR37060BL	3/8	6	225	120	CU-306-1	
HR37060BM	3/8	6	225	240	CU-306-2	
HR37080AP	3/8	8	300	120	CU-308-1	G8A54
HR37080Y	3/8	8	300	240	CU-308-2	G8A47
HR50020Z	1/2	2	75	120	CU-402-1	JA280
HR50020AA	1/2	2	75	240	CU-402-2	
HR50030AP	1/2	3	150	120	CU-403-1	
HR50030AQ	1/2	3	150	240	CU-403-2	
HR50040AX	1/2	4	180	120	CU-404-1	
HR50040AY	1/2	4	180	240	CU-404-2	
HR50050M	1/2	5	200	120	CU-405-1	J5A85
HR50050N	1/2	5	200	240	CU-405-2	J5A74
HR50060V	1/2	6	300	120	CU-406-1	
HR50060W	1/2	6	300	240	CU-406-2	J6A66
HR50080BN	1/2	8	400	120	CU-408-1	
HR50080BP	1/2	8	400	240	CU-408-2	
HR50100K	1/2	10	500	120	CU-410-1	
HR50100M	1/2	10	500	240	CU-410-2	J10A62
HR50120AF	1/2	12	600	120	CU-412-1	
HR50120AG	1/2	12	600	240	CU-412-2	
HR50160T	1/2	16	800	120	CU-416-1	
HR50160U	1/2	16	800	240	CU-416-2	
HR62020F	5/8	2	100	120	CU-502-1	L2A48
HR62020G	5/8	2	100	240	CU-502-2	
HR62030R	5/8	3	200	120	CU-503-1	
HR62030S	5/8	3	200	240	CU-503-2	
HR62040AH	5/8	4	250	120	CU-504-1	L4A99
HR62040AJ	5/8	4	250	240	CU-504-2	
HR62050V	5/8	5	300	120	CU-505-1	
HR62050W	5/8	5	300	240	CU-505-2	
HR62060W	5/8	6	375	120	CU-506-1	
HR62060X	5/8	6	375	240	CU-506-2	
HR62080AB	5/8	8	500	120	CU-508-1	L8A96
HR62080AC	5/8	8	500	240	CU-508-2	L8A46
HR62100S	5/8	10	650	120	CU-510-1	
HR62100T	5/8	10	650	240	CU-510-2	
HR62120R	5/8	12	775	240	CU-512-1	
HR62120Q	5/8	12	775	120	CU-512-1	
HR62140M	5/8	14	900	240	CU-514-2	
HR62160V	5/8	16	1050	120	CU-516-1	
HR62160W	5/8	16	1050	240	CU-516-2	
HR75020B	3/4	2	200	240	CU-602-2	
HR75030H	3/4	3	225	240	CU-603-2	
HR75040T	3/4	4	300	120	CU-604-1	
HR75040U	3/4	4	300	240	CU-604-2	
HR75050L	3/4	5	375	120	CU-605-1	
HR75050M	3/4	5	375	240	CU-605-2	

DME Equivalent Low Watt Density Replacement Cartridge Heaters With 10" Swaged in High Temperature Leads (con't.)

MARATHON P/N	DIA	LENGTH	WATTS	VOLTS	DME P/N
HR75060N	3/4	6	450	120	CU-606-1
HR75060P	3/4	6	450	240	CU-606-2
HR75080W	3/4	8	600	120	CU-608-1
HR75080X	3/4	8	600	240	CU-608-2
HR75100P	3/4	10	800	120	CU-610-1
HR75100Q	3/4	10	800	240	CU-610-2
HR75120R	3/4	12	950	120	CU-612-1
HR75120S	3/4	12	950	240	CU-612-2
HR75140J	3/4	14	1100	240	CU-614-2
HR75160F	3/4	16	1250	240	CU-616-2

DME Equivalent High Watt Density Cartridge Heaters With 10" Swaged in High Temperature Leads

MARATHON P/N	DIA	LENGTH	WATTS	VOLTS	DME P/N	WATLOW P/N
HR25010J	1/4	1	100	120	CM-100-1	E1A52
HR25010K	1/4	1	100	240	CM-100-2	E1A66
HR25015L	1/4	1.5	150	120	CM-112-1	E1J41
HR25015AU	1/4	1.5	150	240	CM-112-2	
HR25020R	1/4	2	200	120	CM-202-1	E2A57
HR25020S	1/4	2	200	240	CM-202-2	E2A50
HR25030K	1/4	3	300	120	CM-203-1	E3A350
HR25030L	1/4	3	300	240	CM-203-2	E3A51
HR25040AR	1/4	4	375	240	CM-204-2	
HR25050AP	1/4	5	450	240	CM-205-2	
HR37020U	3/8	2	250	240	CM-303-2	G2A73
HR37030BM	3/8	3	350	240	CM-303-2	
HR37040AF	3/8	4	500	240	CM-304-2	G4A92
HR37050BQ	3/8	5	550	240	CM-305-2	
HR37060AA	3/8	6	500	240	CM-306-2	G6A59
HR50020AB	1/2	2	250	240	CM-402-2	J2A71
HR50030T	1/2	3	300	240	CM-403-2	J3A73
HR50040X	1/2	4	400	240	CM-404-2	J4A6A
HR50050AZ	1/2	5	800	240	CM-405-2	
HR50060BZ	1/2	6	1000	240	CM-406-2	J6A35
HR50080BR	1/2	8	1200	240	CM-408-2	
HR50100R	1/2	10	1500	240	CM-410-2	J10A33
HR50120N	1/2	12	2000	240	CM-412-2	J12A89
HR62020H	5/8	2	300	240	CM-502-2	
HR62040AK	5/8	4	700	240	CM-504-2	
HR62060K	5/8	6	1000	240	CM-506-2	L6A71
HR62080AE	5/8	8	1200	240	CM-508-2	
HR62090L	5/8	9	1400	240	CM-509-2	
HR62100G	5/8	10	1500	240	CM-510-2	L10A8
HR62140P	5/8	14	2000	240	CM-514-2	
HR75020C	3/4	2	300	240	CM-602-2	
HR75040F	3/4	4	750	240	CM-604-2	
HR75060Q	3/4	6	1200	240	CM-606-2	

Heaters With Internal Thermocouples

Hot Runner Heaters with TC (Type J in tip). 240V with 36” of power and TC leads.

DIA	LENGTH	WATTS	MARATHON P/N	DME P/N	INCOE P/N
1/4	1.5	200	HR25015Y		
1/4	1.75	200	HR25017B		
1/4	2	200	HR25020AC		
1/4	2.5	200	HR25025P		
1/4	3	200	HR25030U		
1/4	3.5	250	HR25035E		
1/4	4	250	HR25040V		
1/4	5	250	HR25050AB		
3/8	1.75	200	HR37017N	TCH0001	TJ38017
3/8	2	250	HR37020AQ	TCH0002	TJ38020
3/8	2.5	250	HR37025T	TCH0003	TJ38025
3/8	3	250	HR37030AQ	TCH0004	TJ38030
3/8	3.5	320	HR37035P	TCH0005	TJ38035
3/8	4	370	HR37040BB	TCH0006	TJ38040
3/8	4.5	420	HR37045N	TCH0007	TJ38045
3/8	5	470	HR37050AZ	TCH0008	TJ38050
3/8	5.5	525	HR37055G	TCH0009	TJ38055
3/8	6	575	HR37060AN	TCH0010	TJ38060
3/8	6.5	625	HR37065F	TCH0011	TJ38065
3/8	7	675	HR37070N	TCH0012	TJ38070
3/8	7.5	725	HR37075D	TCH0013	TJ38075
3/8	8	775	HR37080AL	TCH0014	TJ38080
1/2	3.5	420	HR50035N	TCH0015	TJ12035
1/2	4	480	HR50040AL	TCH0016	TJ12040
1/2	4.5	550	HR50045J	TCH0017	TJ12045
1/2	5	625	HR50050AF	TCH0018	TJ12050
1/2	5.5	700	HR50055G	TCH0019	TJ12055
1/2	6	775	HR50060AQ	TCH0020	TJ12060
1/2	6.5	850	HR50065D	TCH0021	TJ12065
1/2	7	900	HR50070N		TJ12070
1/2	7.5	975	HR50075D	TCH0022	TJ12075
1/2	8	1050	HR50080AT		
1/2	8.5	1100	HR50085G		
1/2	9	1200	HR50090P		TJ12090
1/2	9.5	1250	HR50095B		
1/2	10	1325	HR50100AJ		
1/2	10.5	1400	HR50105A		
1/2	11.5	1525	HR50115B		

1/4" Probe Heaters with TC (Type J in tip). 240V with 36" of power and TC leads.

Marathon P/N	LTH	W	DME P/N
HR25020AC	2	200	AFTC-202-2
HR25030AV	3	300	AFTC-203-2
HR25030AW	3	150	AFTC-213-2
HR25037E	3.75	220	AFTC-214-2
HR25040AS	4	375	AFTC-204-2
HR25047E	4.75	275	AFTC-215-2
HR25050AQ	5	475	AFTC-205-2
HR25057B	5.75	350	AFTC-216-2

1/4" Probe Heaters without TC, 240V with 10" of power leads.

Marathon P/N	LTH	W	DME P/N
HR25020S	2	200	AFC-202-2
HR25030L	3	300	AFC-203-2
HR25030AX	3	150	AFC-213-2
HR25037F	3.75	220	AFC-214-2
HR25047F	4.75	275	AFC-215-2
HR25057C	5.75	350	AFC-216-2

3/8" Probe Heaters with TC (Type J in tip). 240V with 36" of power and TC leads.

Marathon P/N	LTH	W	DME P/N
HR37071B	7.19	645	AFTC-327-2
HR37081C	8.19	760	AFTC-328-2
HR37091B	9.19	870	AFTC-329-2
HR37101B	10.19	980	AFTC-3210-2

1/2" Diameter Manifold Heaters. 240V with 36" of power leads and 6" of stainless steel braid.

Marathon P/N	Length	Watts	DME P/N
HR50040BA	4	500	ECH0103
HR50045M	4.5	575	ECH0104
HR50050BA	5	650	ECH0105
HR50055N	5.5	725	ECH0106
HR50060CA	6	800	ECH0107
HR50065K	6.5	875	ECH0108
HR50070AA	7	950	ECH0109
HR50075H	7.5	1025	ECH0110
HR50080BS	8	1100	ECH0111
HR50085M	8.5	1175	ECH0112
HR50090W	9	1200	ECH0113
HR50100AZ	10	1350	ECH0114
HR50110J	11	1500	ECH0115
HR50120AJ	12	1650	ECH0116
HR50150T	15	2050	ECH0117
HR50180R	18	2500	ECH0118

**1/2" Diameter Distributor Tube Heaters with TC (Type J in center).
240V with 36" of power and TC leads.**

Marathon P/n	Length	Volts	Watts	DME P/n
HR50040AZ	4	240	380	HCTC-04-4
HR50050AY	5	240	500	HCTC-04-5
HR50060BY	6	240	600	HCTC-04-6
HR50070Z	7	240	700	HCTC-04-7
HR50080BQ	8	240	820	HCTC-04-8
HR50090V	9	240	920	HCTC-04-9
HR50100AX	10	240	1030	HCTC-04-10
HR50110H	11	240	1140	HCTC-04-11
HR50120AH	12	240	1250	HCTC-04-12
HR50130J	13	240	1350	HCTC-04-13
HR50140V	14	240	1460	HCTC-04-14
HR50150S	15	240	1570	HCTC-04-15
HR50160V	16	240	1680	HCTC-04-16
HR50170E	17	240	1780	HCTC-04-17
HR50180Q	18	240	1900	HCTC-04-18
HR50190F	19	240	2010	HCTC-04-19
HR50200N	20	240	2110	HCTC-04-20
HR50210F	21	240	2220	HCTC-04-21
HR50220G	22	240	2330	HCTC-04-22
HR50230W	23	240	2400	HCTC-04-23
HR50240W	24	240	2400	HCTC-04-24
HR50250F	25	240	2400	HCTC-04-25
HR50260H	26	240	2400	HCTC-04-26
HR50270D	27	240	2400	HCTC-04-27
HR50280F	28	240	2400	HCTC-04-28
HR50290D	29	240	2400	HCTC-04-29
HR50300G	30	240	2400	HCTC-04-30

**5/8" Diameter Distributor Tube Heaters with TC (Type J in center).
240V with 36" of power and TC leads.**

Marathon P/N	Length	Volts	Watts	DME P/N
HR62050X	5	240	620	HCTC-05-5
HR62060Y	6	240	750	HCTC-05-6
HR62070P	7	240	880	HCTC-05-7
HR62080AD	8	240	1020	HCTC-05-8
HR62090K	9	240	1160	HCTC-05-9
HR62100U	10	240	1300	HCTC-05-10
HR62110E	11	240	1430	HCTC-05-11
HR62120S	12	240	1570	HCTC-05-12
HR62130E	13	240	1700	HCTC-05-13
HR62140N	14	240	1840	HCTC-05-14
HR62150M	15	240	1980	HCTC-05-15
HR62160X	16	240	2110	HCTC-05-16
HR62170C	17	240	2250	HCTC-05-17
HR62180L	18	240	2390	HCTC-05-18
HR62190D	19	240	2525	HCTC-05-19
HR62200H	20	240	2660	HCTC-05-20
HR62210A	21	240	2800	HCTC-05-21
HR62220A	22	240	2930	HCTC-05-22
HR62230A	23	240	3070	HCTC-05-23
HR62240L	24	240	3200	HCTC-05-24
HR62250B	25	240	3340	HCTC-05-25
HR62260F	26	240	3480	HCTC-05-26
HR62270C	27	240	3620	HCTC-05-27
HR62280A	28	240	3750	HCTC-05-28
HR62290B	29	240	3900	HCTC-05-29
HR62300J	30	240	4030	HCTC-05-30
HR62320H	32	240	4300	HCTC-05-32
HR62360C	36	240	4840	HCTC-05-36

MICA BAND STOCK LIST

Diam	Wide	Volts	Watts	2 pc	Part Number
3.5	1	120	300		BA035-010A
3.5	1	240	300		BA035-010B
3.5	1.5	240	500		BA035-015C
3.5	2	120	500		BA035-020B
3.5	2	240	500		BA035-020C
3.5	2.5	240	750		BA035-025A
3.75	1	240	300		BA037-010A
3.75	1.5	240	700		BA037-015A
3.75	2.5	240	850		BA037-025A
4	1	240	625		BA040-010B
4	1.5	240	550		BA040-015H
4	1.5	240	750		BA040-015J
4	2	240	600		BA040-020D
4	2	240	800		BA040-020E
4	2.5	240	1000		BA040-025B
4	4	240	1250		BA040-040A
4.5	1	240	350		BA045-010A
4.5	1.5	240	650		BA045-015G
4.5	2	240	500		BA045-020C
4.5	2.5	240	1000		BA045-025A
4.75	1.5	240	600		BA047-015A
4.75	1.5	480	600		BA047-015B
4.81	2	240	760		BA048-020A
4.81	2	480	760		BA048-020B
5	1.5	240	750		BA050-015E
5	2	240	800	X	BA050-020A
5	3	240	1200		BA050-030D
5	3.25	240	1250		BA050-032A
5.25	1	240	500		BA052-010A
5.25	1.5	240	600		BA052-015B
5.25	1.5	240	1000		BA052-015C
5.5	1.5	240	800	X	BA055-015E
5.5	2	240	1000	X	BA055-020A
5.75	1.5	240	600		BA057-015A
6	1.5	240	850		BA060-015E
6	1.5	240	600	X	BA060-015F
6	1.5	240	900	X	BA060-015G
6	2	240	1000	X	BA060-020A
6	3	240	1400	X	BA060-030A

4" diameter heaters and smaller with N2 post terminals.
 Larger than 4" diameter with N3 post terminals.
 1 pc heaters with 5/8" wide straps.
 2 pc heaters with welded on barrel nuts.
 Heaters are marked with Marathon, P/N,
 Volts, Watts, and Date

Diam	Wide	Volts	Watts	2 pc	Part Number
6.25	3	240	1500	X	BA062-030A
6.5	1.5	240	950	X	BA065-015B
6.5	2	240	1000	X	BA065-020D
6.75	1.5	240	750	X	BA067-015C
6.75	2	240	1300	X	BA067-020A
7	1.5	240	950	X	BA070-015B
7	1.5	240	1100	X	BA070-015C
7.25	2	240	900	X	BA072-020A
7.5	1.5	240	1200	X	BA075-015B
7.5	3	240	1800	X	BA075-030B
7.75	1.5	240	1000	X	BA077-015A
7.75	3	240	2000	X	BA077-030A
8	1.5	240	950	X	BA080-015A
8	1.5	240	1200	X	BA080-015B
8	2	240	1500	X	BA080-020A
8	3	240	2250	X	BA080-030A
8.25	2	240	1500	X	BA082-020B
8.5	1.5	240	1200	X	BA085-015A
8.5	2	240	1600	X	BA085-020A
9	1.5	240	1300	X	BA090-015B
9	2	240	1800	X	BA090-020A
9.5	3	240	2000	X	BA095-030A
9.75	2	240	2000	X	BA097-020A
10	1.5	240	1400	X	BA100-015A
11	1.5	240	1600	X	BA110-015B
11	2	240	1200	X	BA110-020A
11	2	240	2000	X	BA110-020B
11.5	1.5	240	1650	X	BA115-015A
12	2	240	2300	X	BA120-020A

STOCK MICA NOZZLE HEATERS

DIAMETER	WIDTH	WATTS	TYPE	120V Part No	240V Part No
1	1	100	S	NZ1010-10100	NZ1010-20100
	1	125	S	NZ1010-10125	NZ1010-20125
	1	125	B	NZ1010-10125B	NZ1010-20125B
	1.5	150	S	NZ1015-10150	NZ1015-20150
	2	200	S	NZ1020-10200	NZ1020-20200
	3	300	S	NZ1030-10300	NZ1030-20300
	4	400	S	NZ1040-10400	NZ1040-20400
1.5	1	150	S	NZ1510-10150	NZ1510-20150
	1.5	250	S	NZ1515-10250	NZ1515-20250
	1.5	275	S	NZ1515-10275	NZ1515-20275
	1.5	275	B	NZ1515-10275B	NZ1515-20275B
	1.5	300	S	NZ1515-10300	NZ1515-20300
	1.5	300	B	NZ1515-10300B	NZ1515-20300B
	2	300	S	NZ1520-10300	NZ1520-20300
	2.5	400	S	NZ1525-10400	NZ1525-20400
	3	450	S	NZ1530-10450	NZ1530-20450
	3	450	B	NZ1530-10450B	NZ1530-20450B
	4	550	S	NZ1540-10550	NZ1540-20550
	5	700	S	NZ1550-10700	NZ1550-20700
6	900	S	NZ1560-10900	NZ1560-20900	
1.75	1.5	300	S	NZ1715-10300	NZ1715-20300
	2	350	S	NZ1720-10350	NZ1720-20350
	3	500	S	NZ1730-10500	NZ1730-20500
2	1	200	S	NZ2010-10200	NZ2010-20200
	1.5	300	S	NZ2015-10300	NZ2015-20300
	2	400	S	NZ2020-10400	NZ2020-20400
	2.5	500	S	NZ2025-10500	NZ2025-20500
	3	600	S	NZ2030-10600	NZ2030-20600
2.5	1	300	S	NZ2510-10300	NZ2510-20300
	1.5	350	S	NZ2515-10350	NZ2515-20350
	2	500	S	NZ2520-10500	NZ2520-20500
	3	700	S	NZ2530-10700	NZ2530-20700
3	1	300	S	NZ3010-10300	NZ3010-20300
	1.5	400	S	NZ3015-10400	NZ3015-20400
	2	600	S	NZ3020-10600	NZ3020-20600
	3	1000	S	NZ3030-11000	NZ3030-21000

S= 10" High Temperature Leads.

B= 10" SS Braided Leads.

Stock Wire Wound Silicone Rubber Heaters

Standard leads- 10" Teflon Standard watt density- 5 watts/sq. in. Consult factory for available options.

Width	Length	Watts	120 Volt	240 Volt
1	3	15	SRW010-030A	*
1	4	20	SRW010-040A	*
1	5	25	SRW010-050A	*
1	10	50	SRW010-100A	SRW010-100B
1	15	75	SRW010-150A	SRW010-150B
1	20	100	SRW010-200A	SRW010-200B
1	25	125	SRW010-250A	SRW010-250B
1	30	150	SRW010-300A	SRW010-300B
1	35	175	SRW010-350A	SRW010-350B
1	40	200	SRW010-400A	SRW010-400B
1	80	400	SRW010-800A	*
2	2	20	SRW020-020A	*
2	5	50	SRW020-050A	SRW020-050B
2	10	100	SRW020-100A	SRW020-100B
2	15	150	SRW020-150A	SRW020-150B
2	20	200	SRW020-200A	SRW020-200B
2	25	250	SRW020-250A	SRW020-250C
2	30	300	SRW020-300A	SRW020-300F
2	35	350	SRW020-350A	*
2	40	400	SRW020-400A	*
3	3	45	SRW030-030A	*
3	5	75	SRW030-050A	SRW030-050B
3	10	150	SRW030-100A	SRW030-100B
3	15	225	SRW030-150A	SRW030-150B
3	20	300	SRW030-200A	SRW030-200B
3	25	375	SRW030-250A	*
3	30	450	SRW030-300A	SRW030-300C
3	35	525	SRW030-350A	*
3	40	600	SRW030-400A	SRW030-400D

Width	Length	Watts	120 Volt	240 Volt
4	4	80	SRW040-040A	*
4	5	100	SRW040-050A	SRW040-050B
4	10	200	SRW040-100A	SRW040-100B
4	15	300	SRW040-150A	SRW040-150B
4	20	400	SRW040-200A	SRW040-200B
4	25	500	SRW040-250A	SRW040-250E
4	30	600	SRW040-300A	SRW040-300C
4	35	700	SRW040-350A	SRW040-350C
4	40	800	SRW040-400A	*
5	5	125	SRW050-050A	SRW050-050B
5	10	250	SRW050-100A	SRW050-100B
5	15	375	SRW050-150A	SRW050-150B
5	20	500	SRW050-200A	SRW050-200B
5	25	625	SRW050-250A	SRW050-250C
5	30	750	SRW050-300A	SRW050-300E
5	35	875	SRW050-350A	SRW050-350C
5	40	1000	SRW050-400A	SRW050-400C
6	5	150	SRW060-050A	SRW060-050B
6	10	300	SRW060-100A	SRW060-100B
6	15	450	SRW060-150A	SRW060-150B
6	20	600	SRW060-200A	SRW060-200B
6	25	750	SRW060-250A	*
6	30	900	SRW060-300A	*
6	35	1050	SRW060-350A	SRW060-350D
6	40	1200	SRW060-400A	SRW060-400D

Add standard factory options to any stock heater and receive stock discounts. Most items ship same day.

Stock Drum Heaters. All heaters are grounded and come with 6 ft. SJO cord set and easy spring loaded fastener. Thermostat not included.

	Specifications	Width	Length	Volts	Watts
SRD5-31-N	5 Gallon Drum	3 in.	31 in.	120	300
SRD5-41-N	5 Gallon Drum	4 in.	31 in.	120	550
SRD55-31-N	55 Gallon Drum	3 in.	64 in.	120	1000
SRD55-32-N	55 Gallon Drum	3 in.	64 in.	240	1000
SRD55-41-N	55 Gallon Drum	4 in.	64 in.	120	1500

Stock Enclosure Heaters. All Heaters come with thermostat and 48" Teflon leads.

	Width	Length	Volts	Watts	T-stat open	T-stat close
SRE020-050A	2 in.	5 in.	120	25	55F	35F
SRE020-050B	2 in.	5 in.	120	50	55F	35F
SRE020-060A	2 in.	6 in.	120	60	110F	80F
SRE020-100A	2 in.	10 in.	120	100	55F	35F

STOCK OEM Replacement Heaters Gala Style

HR10035A	Gala	1" dia x 3.5" OAL. 36" right angle stainless steel braid. 1.5" dia flange, 2.5" insertion length. RTV/Cement potting Used on pelletizer machines.	240	600
HR10035D	Gala	1" dia x 3.5" OAL 36" right angle leads. 1.5" dia flange, 2.5" insertion length. RTV/Cement potting.	240	600
HR10035E	Gala	1" dia x 3.5" OAL. 36" right angle leads with flex hose. 1.5" dia flange, 2.5" insertion length. Cement potting.	240	600

STOCK Air Heaters

1/2" Diameter x 5" tube length

Part No.	Termination	Volts	Watts
AH50050R	36" High Temp Leads	120	400
AH50050T	36" High Temp Leads	240	400
AH50050V	36" High Temp Leads	120	600
AH50050X	36" High Temp Leads	240	600
AH50050S	3 pin connector	120	400
AH50050U	3 pin connector	240	400
AH50050W	3 pin connector	120	600
AH50050Y	3 pin connector	240	600

Fittings can be added to any of the above heaters.
 Add the following numbers to the part no. when ordering
 (for example: AH50050R-1)

- 1 1/8" FPT fitting on inlet
- 2 3/8" MPT fitting on inlet
- 3 1/8" FPT fitting on outlet
- 4 3/8" MPT fitting on outlet
- 5 1/8" FPT fitting on inlet, 1/8" FPT on outlet
- 6 3/8" MPT fitting on inlet, 3/8" MPT on outlet
- 7 1/8" FPT fitting on inlet, 3/8" MPT on outlet
- 8 3/8" MPT fitting on inlet, 1/8" FPT on outlet

OEM REPLACEMENT HEATERS STOCK ITEMS

OEM Part No.	Marathon Part No.	Coil ID	Coil Length	Lead Length	TC	Volts	Watts
SSTC-62-90	CL50-014A	0.500"	1.450"	36"	YES	240	250
SSTC-72-90	CL50-020C	0.500"	1.950"	36"	YES	240	250
SSTC-42-90	CL50-025B	0.500"	2.50"	36	YES	240	450
SSTC-42	CL50-025A	0.500"	2.50"	36	YES	240	450
SSTC-32	CL50-045C	0.500"	4.625"	36	YES	240	300
SSTC-32-90	CL50-045D	0.500"	4.625"	36	YES	240	300
SSTC-31	CL50-045E	0.500"	4.625"	36	YES	240	300
SSTC-31-90	CL50-045F	0.500"	4.625"	36	YES	240	300
SCH0003	CL62-009A	0.625"	0.975	42	NO	240	225
SCH0081	CL62-020A	0.625"	2	36	YES	240	300
SCH0082	CL62-025A	0.625"	2.5	36	YES	240	350
SCH0083	CL62-030A	0.625"	3	36	YES	240	400
SCH0084	CL62-035A	0.625"	3.5	36	YES	240	425
SCH0085	CL62-040A	0.625"	4	36	YES	240	500
SCH0086	CL62-050A	0.625"	5	36	YES	240	500
SCH0087	CL62-060B	0.625"	6	36	YES	240	550

Continued

VIPER COIL HEATERS

OEM REPLACEMENT HEATERS STOCK ITEMS (continued)

OEM Part No.	Marathon Part No.	Coil ID	Coil Length	Lead Length	TC	Volts	Watts
SCH0103	CL075-010C	0.750"	1.0"	36	NO	240	125
SCH0104	CL075-010D	0.750"	1.0"	72	NO	240	125
SCH0105	CL075-010E	0.750"	1.0"	36	NO	240	250
SCH0106	CL075-010F	0.750"	1.0"	72	NO	240	250
SCH0107	CL075-010G	0.750"	1.0"	36	YES	240	125
SCH0108	CL075-010H	0.750"	1.0"	36	NO	240	250
SCH3142	CL75-017A	0.750"	1.75	36	YES	240	315
SCH1060	CL075-015C	0.750"	1.594"	36	YES	240	250
SCH1061	CL075-020G	0.750"	2.094"	36	YES	240	300
SCH2061	CL075-020H	0.750"	2.094"	36	YES	240	300
SCH3242	CL075-024B	0.750"	2.44	36	YES	240	315
SCH1062	CL075-025A	0.750"	2.594"	36	YES	240	350
SCH2062	CL075-025B	0.750"	2.594"	36	YES	240	350
SCH1063	CL075-030D	0.750"	3.094"	36	YES	240	400
SCH2063	CL075-030E	0.750"	3.094"	36	YES	240	400
SCH1064	CL075-035B	0.750"	3.594"	36	YES	240	425
SCH2064	CL075-035C	0.750"	3.594"	36	YES	240	425
SCH1065	CL075-045A	0.750"	4.594"	36	YES	240	500
SCH2065	CL075-045B	0.750"	4.594"	36	YES	240	500
SCH1066	CL075-055A	0.750"	5.594"	36	YES	240	500
SCH2066	CL075-055B	0.750"	5.594"	36	YES	240	500
SCH0109	CL087-010A	0.875"	1.0"	36	NO	240	125
SCH0110	CL087-010B	0.875"	1.0"	36	NO	240	250
SCH0088	CL87-021A	0.875"	2.125	36	YES	240	400
SCH0089	CL87-026A	0.875"	2.625	36	YES	240	450
SCH0090	CL87-031A	0.875"	3.125	36	YES	240	550
SCH0091	CL87-036A	0.875"	3.625	36	YES	240	700
SCH0092	CL87-041A	0.875"	4.125	36	YES	240	800
SCH0093	CL87-051A	0.875"	5.125	36	YES	240	900
SCH0094	CL87-061A	0.875"	6.125	36	YES	240	1000
SCH0095	CL87-071A	0.875"	7.125	36	YES	240	1100
SCH0096	CL150-040B	1.500"	4.00	36	YES	240	1000
SCH0097	CL150-050A	1.500"	5.00	36	YES	240	1000
SCH0098	CL150-060A	1.500"	6.00	36	YES	240	1100
SCH0099	CL150-070A	1.500"	7.00	36	YES	240	1100

Retractable Melt Thermocouples
Type J or RTD Models
1/8" diam. With 1/8" to 1 inch immersion range. 1/2"-20 UNF thread

Part Number	Description	
RM-4222-03	3" Retractable Melt Bolt TC with exposed tip.	
RM-4222-05	5" Retractable Melt Bolt TC with exposed tip.	
RM-4222-07	7" Retractable Melt Bolt TC with exposed tip.	
RE-4222-03	3" Replacement Element	
RE-4222-05	5" Replacement Element	
RE-4222-07	7" Replacement Element	
RTD-4222-03	3" Retractable Melt Bolt RTD	
RTD-4222-05	5" Retractable Melt Bolt RTD	
RTD-4222-07	7" Retractable Melt Bolt RTD	
RTD-RE03	3" Replacement RTD Element	
RTD-RE05	5" Replacement RTD Element	
RTD-RE-07	7" Replacement RTD Element	

Stock Thermocouples

Adjustable Depth Thermocouples with Stainless Steel Overbraid 3/16" diameter probe. .240" diameter spring with bayonet cap. Type BS

Type J Grounded with Spade Lugs

Part Number	Lead Length
JBS24-G1-24R1	24"
JBS36-G1-24R1	36"
JBS48-G1-24R1	48"
JBS72-G1-24R1	72"
JBS96-G1-24R1	96"
JBS120-G1-24R1	120"
JBS144-G1-24R1	144"

Type K Grounded with Spade Lugs

Part Number	Lead Length
KBS24-G1-24R1	24"
KBS36-G1-24R1	36"
KBS48-G1-24R1	48"
KBS72-G1-24R1	72"
KBS96-G1-24R1	96"
KBS120-G1-24R1	120"
KBS144-G1-24R1	144"

Type J Grounded with Polarized Plug

Part Number	Lead Length
JBS24-G1-24R2	24"
JBS36-G1-24R2	36"
JBS48-G1-24R2	48"
JBS72-G1-24R2	72"
JBS96-G1-24R2	96"
JBS120-G1-24R2	120"
JBS144-G1-24R2	144"

Type K Grounded with Polarized Plug

Part Number	Lead Length
KBS24-G1-24R2	24"
KBS36-G1-24R2	36"
KBS48-G1-24R2	48"
KBS72-G1-24R2	72"
KBS96-G1-24R2	96"
KBS120-G1-24R2	120"
KBS144-G1-24R2	144"

Type J Ungrounded with Spade Lugs

Part Number	Lead Length
JBS24-U1-24R1	24"
JBS36-U1-24R1	36"
JBS48-U1-24R1	48"
JBS72-U1-24R1	72"
JBS96-U1-24R1	96"
JBS120-U1-24R1	120"
JBS144-U1-24R1	144"

Stock Thermocouples

Adjustable Depth Thermocouples with Stainless Steel Armor 3/16" diameter probe. S/S armor with bayonet cap. Type AC

Type J Grounded with Spade Lugs

Part Number	Lead Length
JAC24-G1-24R1	24"
JAC36-G1-24R1	36"
JAC48-G1-24R1	48"
JAC72-G1-24R1	72"
JAC96-G1-24R1	96"
JAC120-G1-24R1	120"
JAC144-G1-24R1	144"

Type K Grounded with Spade Lugs

Part Number	Lead Length
KAC24-G1-24R1	24"
KAC36-G1-24R1	36"
KAC48-G1-24R1	48"
KAC72-G1-24R1	72"
KAC96-G1-24R1	96"
KAC120-G1-24R1	120"
KAC144-G1-24R1	144"

Type J Grounded with Polarized Plug

Part Number	Lead Length
JAC24-G1-24R2	24"
JAC36-G1-24R2	36"
JAC48-G1-24R2	48"
JAC72-G1-24R2	72"
JAC96-G1-24R2	96"
JAC120-G1-24R2	120"
JAC144-G1-24R2	144"

Type K Grounded with Polarized Plug

Part Number	Lead Length
KAC24-G1-24R2	24"
KAC36-G1-24R2	36"
KAC48-G1-24R2	48"
KAC72-G1-24R2	72"
KAC96-G1-24R2	96"
KAC120-G1-24R2	120"
KAC144-G1-24R2	144"

Stock Thermocouples

12 mm Adjustable Depth Thermocouples

4.5 mm Diameter Probe. 12 mm Bayonet Cap with 8mm Diameter Sprig. S/S Overbraid. All Grounded
Type BS metric

Part Number	Type J or K	Lead Length
JBS39-G1-24R1-1	J	39"
JBS78-G1-24R1-1	J	78"
JBS118-G1-24R1-1	J	118"
JBS157-G1-24R1-1	J	157"
KBS39-G1-24R1-1	K	39"
KBS78-G1-24R1-1	K	78"
KBS118-G1-24R1-1	K	118"
KBS157-G1-24R1-1	K	157"

14 mm Adjustable Depth Thermocouples

8 mm Diameter Probe. 14 mm Bayonet Cap with 8mm Diameter Sprig. S/S Overbraid. All Grounded

Part Number	Type J or K	Lead Length
JBS39-G1-24R1-2	J	39"
JBS78-G1-24R1-2	J	78"
JBS118-G1-24R1-2	J	118"
JBS157-G1-24R1-2	J	157"
KBS39-G1-24R1-2	K	39"
KBS78-G1-24R1-2	K	78"
KBS118-G1-24R1-2	K	118"
KBS157-G1-24R1-2	K	157"

Fixed Depth Thermocouples

3/16" Diameter Probe. S/S Armor. 2 1/2" Fixed Depth. Type TC, 45TC, 90TC

Part Number	Style	Lead Length
JTC48-G2-24R1	Straight J	48"
JTC60-G2-24R1	Straight J	60"
JTC72-G2-24R1	Straight J	72"
JTC120-G2-24R1	Straight J	120"
KTC48-G2-24R1	Straight K	48"
KTC60-G2-24R1	Straight K	60"
KTC72-G2-24R1	Straight K	72"
KTC120-G2-24R1	Straight K	120"

Part Number	Style	Lead Length
J45TC48-G5-24R1	45 bend J	48"
J45TC60-G5-24R1	45 bend J	60"
J45TC72-G5-24R1	45 bend J	72"
J45TC120-G5-24R1	45 bend J	120"
K45TC48-G5-24R1	45 bend K	48"
K45TC60-G5-24R1	45 bend K	60"
K45TC72-G5-24R1	45 bend K	72"
K45TC120-G5-24R1	45 bend K	120"

Part Number	Style	Lead Length
J90TC48-G5-24R1	90 bend J	48"
J90TC60-G5-24R1	90 bend J	60"
J90TC72-G5-24R1	90 bend J	72"
J90TC120-G5-24R1	90 bend J	120"
K90TC48-G5-24R1	90 bend K	48"
K90TC60-G5-24R1	90 bend K	60"
K90TC72-G5-24R1	90 bend K	72"
K90TC120-G5-24R1	90 bend K	120"

Stock Thermocouples

Washer Style Surface Thermocouples Type WN and Type WQ 3/16" and 5/16" Stud Sizes Available. Type J and K. Stainless Steel Overbraid

Part Number	Type	Stud Size	Lead Length
JWN36-G1-24R1	J	3/16"	36"
JWN48-G1-24R1	J	3/16"	48"
JWN60-G1-24R1	J	3/16"	60"
JWN72-G1-24R1	J	3/16"	72"
JWN96-G1-24R1	J	3/16"	96"
JWN120-G1-24R1	J	3/16"	120"
JWQ36-G1-24R1	J	5/16"	36"
JWQ48-G1-24R1	J	5/16"	48"
JWQ60-G1-24R1	J	5/16"	60"
JWQ72-G1-24R1	J	5/16"	72"
JWQ96-G1-24R1	J	5/16"	96"
JWQ120-G1-24R1	J	5/16"	120"
KWN36-G1-24R1	K	3/16"	36"
KWN48-G1-24R1	K	3/16"	48"
KWN60-G1-24R1	K	3/16"	60"
KWN72-G1-24R1	K	3/16"	72"
KWN96-G1-24R1	K	3/16"	96"
KWN120-G1-24R1	K	3/16"	120"
KWQ36-G1-24R1	K	5/16"	36"
KWQ48-G1-24R1	K	5/16"	48"
KWQ60-G1-24R1	K	5/16"	60"
KWQ72-G1-24R1	K	5/16"	72"
KWQ96-G1-24R1	K	5/16"	96"
KWQ120-G1-24R1	K	5/16"	120"

Hose Clamp Style Thermocouples Type HC

1/2" Wide Clamp with 7/16" Hexagon and Screw Drive Slot. Type J and K. 48" Stainless Steel

Part Number	Type	Clamping Range
JHC48-G0-24R1	J	3/8" - 7/8"
JHC48-G1-24R1	J	1 1/16" - 1 1/2"
JHC48-G2-24R1	J	1 9/16" - 2 1/2"
JHC48-G3-24R1	J	2 1/2" - 3 3/8"
JHC48-G4-24R1	J	2 13/16" - 3 3/4"
JHC48-G5-24R1	J	3 9/16" - 4 1/2"
JHC48-G6-24R1	J	4 5/8" - 5 1/2"
JHC48-G7-24R1	J	5 5/8" - 6 1/2"
KHC48-G0-24R1	K	3/8" - 7/8"
KHC48-G1-24R1	K	1 1/16" - 1 1/2"
KHC48-G2-24R1	K	1 9/16" - 2 1/2"
KHC48-G3-24R1	K	2 1/2" - 3 3/8"
KHC48-G4-24R1	K	2 13/16" - 3 3/4"
KHC48-G5-24R1	K	3 9/16" - 4 1/2"
KHC48-G6-24R1	K	4 5/8" - 5 1/2"
KHC48-G7-24R1	K	5 5/8" - 6 1/2"

Shim Style Surface Thermocouples Type J and K. Stainless Steel Overbraid Type SH

Part Number	Type	Lead Length
JSH48-G1-24R1	J	48"
JSH72-G1-24R1	J	72"
KSH48-G1-24R1	K	48"
KSH72-G1-24R1	K	72"

Stock Thermocouples

Fixed Melt Bolt Thermocouples Type MBF and Type MBR 1/8" Tip Diameter. 1/2-20 UNF Thread. Grounded Junction. Polarized Plug

Part Number	Body Length	Tip Length	Description	Type
JMBF3-GA-24R2	3"	FLUSH	Flexible extension	J
JMBF3-GB-24R2	3"	1/8"	Flexible extension	J
JMBF3-GC-24R2	3"	3/16"	Flexible extension	J
JMBF6-GA-24R2	6"	FLUSH	Flexible extension	J
JMBF6-GB-24R2	6"	1/8"	Flexible extension	J
JMBF6-GC-24R2	6"	3/16"	Flexible extension	J
JMBF9-GA-24R2	9"	FLUSH	Flexible extension	J
JMBF9-GB-24R2	9"	1/8"	Flexible extension	J
JMBF9-GC-24R2	9"	3/16"	Flexible extension	J
KMBF3-GA-24R2	3"	FLUSH	Flexible extension	K
KMBF3-GB-24R2	3"	1/8"	Flexible extension	K
KMBF3-GA-24R2	3"	3/16"	Flexible extension	K
KMBF6-GA-24R2	6"	FLUSH	Flexible extension	K
KMBF6-GB-24R2	6"	1/8"	Flexible extension	K
KMBF6-GA-24R2	6"	3/16"	Flexible extension	K
JMBR3-GA-24R2	3"	FLUSH	Rigid extension	J
JMBR3-GB-24R2	3"	1/8"	Rigid extension	J
JMBR3-GC-24R2	3"	3/16"	Rigid extension	J
JMBR6-GA-24R2	6"	FLUSH	Rigid extension	J
JMBR6-GB-24R2	6"	1/8"	Rigid extension	J
JMBR6-GC-24R2	6"	3/16"	Rigid extension	J
JMBR9-GA-24R2	9"	FLUSH	Rigid extension	J
JMBR9-GB-24R2	9"	1/8"	Rigid extension	J
JMBR9-GC-24R2	9"	3/16"	Rigid extension	J
KMBR3-GA-24R2	3"	FLUSH	Rigid extension	K
KMBR3-GB-24R2	3"	1/8"	Rigid extension	K
KMBR3-GC-24R2	3"	3/16"	Rigid extension	K
KMBR6-GA-24R2	6"	FLUSH	Rigid extension	K
KMBR6-GB-24R2	6"	1/8"	Rigid extension	K
KMBR6-GC-24R2	6"	3/16"	Rigid extension	K

Nissei Nozzle Thermocouple Type NS 30, 40 and 50 mm. Type J and K. 48" Stainless Steel Overbraid

Part Number	Type	Diameter MM	Lead Length
JNS48-G1-24R1	J	30	48"
JNS72-G1-24R1	J	30	72"
JNS144-G1-24R1	J	30	144"
JNS48-G1.5-24R1	J	40	48"
JNS72-G1.5-24R1	J	40	72"
JNS144-G1.5-24R1	J	40	144"
JNS48-G2-24R1	J	50	48"
JNS72-G2-24R1	J	50	72"
JNS144-G2-24R1	J	50	144"
KNS48-G1-24R1	K	30	48"
KNS72-G1-24R1	K	30	72"
KNS144-G1-24R1	K	30	144"
KNS48-G1.5-24R1	K	40	48"
KNS72-G1.5-24R1	K	40	72"
KNS144-G1.5-24R1	K	40	144"
KNS48-G2-24R1	K	50	48"
KNS72-G2-24R1	K	50	72"
KNS144-G2-24R1	K	50	148"

Stock Thermocouples

Adjustable Depth RTD Sensors

3/16" Diameter Probe. .240" Diameter Spring with Bayonet Cap. S/S Overbraid

Part Number	Lead Length
RTDBS24-G1-24R1	24"
RTDBS48-G1-24R1	48"
RTDBS72-G1-24R1	72"
RTDBS96-G1-24R1	96"
RTDB120-G1-24R1	120"
RTDBS144-G1-24R1	144"

Shallow Nozzle Thermocouple Type NZ

S/S Overbraid. Spade Lugs. All grounded

Part Number	Type	Thread Size	Lead Length
JNZ48-G1-24R1	J	1/4-28 NF	48"
JNZ72-G1-24R1	J	1/4-28 NF	72"
KNZ48-G1-24R1	K	1/4-28 NF	48"
KNZ72-G1-24R1	K	1/4-28 NF	72"

Newbury Nozzle Thermocouple Type NB

1/8" Diameter Probe. 1" long x 90 Degree Bend with Spring Strain Relief. S/S Overbraid

Part Number	Type
JNB48-G2-24R1	Newbury 48" overall length
JNB72-G2-24R1	Newbury 72" overall length

Stock Thermocouples

Bendable Probe Thermocouple Type BPC

1/8" Diameter Probe. 1/8" NPT Compression Fitting. S/S Armor. Spade Lugs.

1/8" diameter probe	Type	Probe Length	Lead Length
JBPC48-G6-24R1	J	6"	48"
JBPC72-G6-24R1	J	6"	72"
JBPC120-G6-24R1	J	6"	120"
JBPC48-G12-24R1	J	12"	48"
JBPC72-G12-24R1	J	12"	72"
JBPC120-G12-24R1	J	12"	120"
KBPC48-G6-24R1	K	6"	48"
KBPC72-G6-24R1	K	6"	72"
KBPC120-G6-24R1	K	6"	120"
KBPC48-G12-24R1	K	12"	48"
KBPC72-G12-24R1	K	12"	72"
KBPC120-G12-24R1	K	12"	120"

Bendable Probe Thermocouple Type BPD

3/16" Diameter Probe. 1/8" NPT Compression Fitting. S/S Armor. Spade Lugs.

3/16" diameter probe	Type	Probe Length	Lead Length
JBPD48-G6-24R1	J	6"	48"
JBPD72-G6-24R1	J	6"	72"
JBPD120-G6-24R1	J	6"	120"
JBPD48-G12-24R1	J	12"	48"
JBPD72-G12-24R1	J	12"	72"
JBPD120-G12-24R1	J	12"	120"
KBPD48-G6-24R1	K	6"	48"
KBPD72-G6-24R1	K	6"	72"
KBPD120-G6-24R1	K	6"	120"
KBPD48-G12-24R1	K	12"	48"
KBPD72-G12-24R1	K	12"	72"
KBPD120-G12-24R1	K	12"	120"

Thermocouple Extensions With Stainless Steel Armor. Type EA

Part Number	Lead Length	Description	Type
JEA48-24R21	48	Male Plug-Armor-Spade Lugs	J
KEA48-24R21	48	Male Plug-Armor-Spade Lugs	K
JEA72-24R21	72	Male Plug-Armor-Spade Lugs	J
KEA72-24R21	72	Male Plug-Armor-Spade Lugs	K
JEA120-24R21	120	Male Plug-Armor-Spade Lugs	J
KEA120-24R21	120	Male Plug-Armor-Spade Lugs	K
JEA48-24R31	48	Female Jack-Armor-Spade Lugs	J
KEA48-24R31	48	Female Jack-Armor-Spade Lugs	K
JEA72-24R31	72	Female Jack-Armor-Spade Lugs	J
KEA72-24R31	72	Female Jack-Armor-Spade Lugs	K
JEA120-24R31	120	Female Jack-Armor-Spade Lugs	J
KEA120-24R31	120	Female Jack-Armor-Spade Lugs	K
JEA48-24R22	48	Male Plug-Armor-Male Plug	J
KEA48-24R22	48	Male Plug-Armor-Male Plug	K
JEA72-24R22	72	Male Plug-Armor-Male Plug	J
KEA72-24R22	72	Male Plug-Armor-Male Plug	K
JEA120-24R22	120	Male Plug-Armor-Male Plug	J
KEA120-24R22	120	Male Plug-Armor-Male Plug	K
JEA48-24R23	48	Male Plug-Armor-Female Jack	J
KEA48-24R23	48	Male Plug-Armor-Female Jack	K
JEA72-24R23	72	Male Plug-Armor-Female Jack	J
KEA72-24R23	72	Male Plug-Armor-Female Jack	K
JEA120-24R23	120	Male Plug-Armor-Female Jack	J
KEA120-24R23	120	Male Plug-Armor-Female Jack	K
JEA48-24R23	48	Female Plug-Armor-Female Jack	J

Stock Thermocouples

Thermocouple Extensions With Stainless Steel Armor. Type EA (cont.)

Part Number	Lead Length	Description	Type
KEA48-24R33	48	Female Jack-Armor-Female Jack	K
JEA72-24R33	72	Female Jack-Armor-Female Jack	J
KEA72-24R33	72	Female Jack-Armor-Female Jack	K
JEA120-24R33	120	Female Jack-Armor-Female Jack	J
KEA120-24R33	120	Female Jack-Armor-Female Jack	K

Thermocouple Extensions With Stainless Steel Braid. Type EB

Part Number	Lead Length	Description	Type
JEB48-24R21	48	Male Plug-S/S Braid-Spade Lugs	J
KEB48-24R21	48	Male Plug-S/S Braid-Spade Lugs	K
JEB72-24R21	72	Male Plug-S/S Braid-Spade Lugs	J
KEB72-24R21	72	Male Plug-S/S Braid-Spade Lugs	K
JEB120-24R21	120	Male Plug-S/S Braid-Spade Lugs	J
KEB120-24R21	120	Male Plug-S/S Braid-Spade Lugs	K
JEB48-24R31	48	Female Jack-S/S Braid-Spade Lugs	J
KEB48-24R31	48	Female Jack-S/S Braid-Spade Lugs	K
JEB72-24R31	72	Female Jack-S/S Braid-Spade Lugs	J
KEB72-24R31	72	Female Jack-S/S Braid-Spade Lugs	K
JEB120-24R31	120	Female Jack-S/S Braid-Spade Lugs	J
KEB120-24R31	120	Female Jack-S/S Braid-Spade Lugs	K
JEB48-24R22	48	Male Plug-S/S Braid-Male Plug	J
KEB48-24R22	48	Male Plug-S/S Braid-Male Plug	K
JEB72-24R22	72	Male Plug-S/S Braid-Male Plug	J
KEB72-24R22	72	Male Plug-S/S Braid-Male Plug	K
JEB120-24R22	120	Male Plug-S/S Braid-Male Plug	J
KEB120-24R22	120	Male Plug-S/S Braid-Male Plug	K
JEB48-24R23	48	Male Plug-S/S Braid-Female Jack	J
KEB48-24R23	48	Male Plug-S/S Braid-Female Jack	K
JEB72-24R23	72	Male Plug-S/S Braid-Female Jack	J
KEB72-24R23	72	Male Plug-S/S Braid-Female Jack	K
JEB120-24R23	120	Male Plug-S/S Braid-Female Jack	J
KEB120-24R23	120	Male Plug-S/S Braid-Female Jack	K
JEB48-24R33	48	Female Jack-S/S Braid-Female Jack	J
KEB48-24R33	48	Female Jack-S/S Braid-Female Jack	K
JEB72-24R33	72	Female Jack-S/S Braid-Female Jack	J
KEB72-24R33	72	Female Jack-S/S Braid-Female Jack	K
JEB120-24R33	120	Female Jack-S/S Braid-Female Jack	J
KEB120-24R33	120	Female Jack-S/S Braid-Female Jack	K

Marathon Heater offers a complete line of stock thermocouples that are available for immediate delivery. Along with our cataloged items we can manufacture a wide range of custom products including RTD style with short lead times. We also offer mineral insulated thermocouples starting in sizes at .0625 with short lead times. Please contact our sales personnel for any required assistance.

Marathon Today Heaters Stock

Marathon Today Heaters are a stock item ready for immediate delivery. They are offered with a variety of terminations and options. Leads are 14", 26", and 38" long. All Marathon TODAY heaters have common dimensions regardless of the configuration.

1/4" Diameter Heaters with Trimmed Cavity

O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	120	55	TD25010A-14S	TD25010A-26S	TD25010A-38S
1	120	100	TD25010B-14S	TD25010B-26S	TD25010B-38S
1	240	100	TD25010C-14S	TD25010C-26S	TD25010C-38S
1.25	120	75	TD25012A-14S	TD25012A-26S	TD25012A-38S
1.5	120	50	TD25015B-14S	TD25015B-26S	TD25015B-38S
1.5	120	100	TD25015C-14S	TD25015C-26S	TD25015C-38S
1.5	120	150	TD25015D-14S	TD25015D-26S	TD25015D-38S
1.5	240	150	TD25015E-14S	TD25015E-26S	TD25015E-38S
1.5	120	200	TD25015F-14S	TD25015F-26S	TD25015F-38S
1.5	240	200	TD25015B-14S	TD25015B-26S	TD25015B-38S
2	120	50	TD25020A-14S	TD25020A-26S	TD25020A-38S
2	120	100	TD25020B-14S	TD25020B-26S	TD25020B-38S
2	120	150	TD25020C-14S	TD25020C-26S	TD25020C-38S
2	240	150	TD25020D-14S	TD25020D-26S	TD25020D-38S
2	120	200	TD25020E-14S	TD25020E-26S	TD25020E-38S
2	240	200	TD25020A-14S	TD25020A-26S	TD25020A-38S
2	120	250	TD25020G-14S	TD25020G-26S	TD25020G-38S
2	240	250	TD25020H-14S	TD25020H-26S	TD25020H-38S
2.5	120	200	TD25025A-14S	TD25025A-26S	TD25025A-38S
2.5	240	200	TD25025B-14S	TD25025B-26S	TD25025B-38S
3	120	75	TD25030A-14S	TD25030A-26S	TD25030A-38S
3	120	150	TD25030B-14S	TD25030B-26S	TD25030B-38S
3	120	200	TD25030C-14S	TD25030C-26S	TD25030C-38S
3	240	200	TD25030D-14S	TD25030D-26S	TD25030D-38S
3	120	300	TD25030E-14S	TD25030E-26S	TD25030E-38S
3	240	300	TD25030A-14S	TD25030A-26S	TD25030A-38S
4	120	100	TD25040A-14S	TD25040A-26S	TD25040A-38S
4	120	200	TD25040B-14S	TD25040B-26S	TD25040B-38S
4	240	200	TD25040C-14S	TD25040C-26S	TD25040C-38S
4	120	300	TD25040D-14S	TD25040D-26S	TD25040D-38S
4	240	300	TD25040E-14S	TD25040E-26S	TD25040E-38S
4	120	400	TD25040F-14S	TD25040F-26S	TD25040F-38S
4	240	400	TD25040A-14S	TD25040A-26S	TD25040A-38S
4.5	120	200	TD25045A-14S	TD25045A-26S	TD25045A-38S
5	120	125	TD25050A-14S	TD25050A-26S	TD25050A-38S
5	120	300	TD25050B-14S	TD25050B-26S	TD25050B-38S
5	120	500	TD25050C-14S	TD25050C-26S	TD25050C-38S
5	240	500	TD25050A-14S	TD25050A-26S	TD25050A-38S
6	120	150	TD25060A-14S	TD25060A-26S	TD25060A-38S
6	240	150	TD25060B-14S	TD25060B-26S	TD25060B-38S
6	120	600	TD25060C-14S	TD25060C-26S	TD25060C-38S
6	240	600	TD25060A-14S	TD25060A-26S	TD25060A-38S
7	120	300	TD25070A-14S	TD25070A-26S	TD25070A-38S
7	240	300	TD25070B-14S	TD25070B-26S	TD25070B-38S
8	120	400	TD25080A-14S	TD25080A-26S	TD25080A-38S
8	240	400	TD25080B-14S	TD25080B-26S	TD25080B-38S
10	240	500	TD25100A-14S	TD25100A-26S	TD25080A-38S
12	240	500	TD25120A-14S	TD25120A-26S	TD25120A-38S

Marathon Stock Today Heaters

1/4" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	1.25	120	55	TD25010A-14R	TD25010A-26R	TD25010A-38R
1	1.25	120	100	TD25010B-14R	TD25010B-26R	TD25010B-38R
1	1.25	240	100	TD25010C-14R	TD25010C-26R	TD25010C-38R
1.25	1.5	120	75	TD25012A-14R	TD25012A-26R	TD25012A-38R
1.5	1.75	120	50	TD25015B-14R	TD25015B-26R	TD25015B-38R
1.5	1.75	120	100	TD25015C-14R	TD25015C-26R	TD25015C-38R
1.5	1.75	120	150	TD25015D-14R	TD25015D-26R	TD25015D-38R
1.5	1.75	240	150	TD25015E-14R	TD25015E-26R	TD25015E-38R
1.5	1.75	120	200	TD25015F-14R	TD25015F-26R	TD25015F-38R
1.5	1.75	240	200	TD25015B-14R	TD25015B-26R	TD25015B-38R
2	2.25	120	50	TD25020A-14R	TD25020A-26R	TD25020A-38R
2	2.25	120	100	TD25020B-14R	TD25020B-26R	TD25020B-38R
2	2.25	120	150	TD25020C-14R	TD25020C-26R	TD25020C-38R
2	2.25	240	150	TD25020D-14R	TD25020D-26R	TD25020D-38R
2	2.25	120	200	TD25020E-14R	TD25020E-26R	TD25020E-38R
2	2.25	240	200	TD25020A-14R	TD25020A-26R	TD25020A-38R
2	2.25	120	250	TD25020G-14R	TD25020G-26R	TD25020G-38R
2	2.25	240	250	TD25020H-14R	TD25020H-26R	TD25020H-38R
2.5	2.75	120	200	TD25025A-14R	TD25025A-26R	TD25025A-38R
2.5	2.75	240	200	TD25025B-14R	TD25025B-26R	TD25025B-38R
3	3.25	120	75	TD25030A-14R	TD25030A-26R	TD25030A-38R
3	3.25	120	150	TD25030B-14R	TD25030B-26R	TD25030B-38R
3	3.25	120	200	TD25030C-14R	TD25030C-26R	TD25030C-38R
3	3.25	240	200	TD25030D-14R	TD25030D-26R	TD25030D-38R
3	3.25	120	300	TD25030E-14R	TD25030E-26R	TD25030E-38R
3	3.25	240	300	TD25030A-14R	TD25030A-26R	TD25030A-38R
4	4.25	120	100	TD25040A-14R	TD25040A-26R	TD25040A-38R
4	4.25	120	200	TD25040B-14R	TD25040B-26R	TD25040B-38R
4	4.25	240	200	TD25040C-14R	TD25040C-26R	TD25040C-38R
4	4.25	120	300	TD25040D-14R	TD25040D-26R	TD25040D-38R
4	4.25	240	300	TD25040E-14R	TD25040E-26R	TD25040E-38R
4	4.25	120	400	TD25040F-14R	TD25040F-26R	TD25040F-38R
4	4.25	240	400	TD25040A-14R	TD25040A-26R	TD25040A-38R
4.5	4.75	120	200	TD25045A-14R	TD25045A-26R	TD25045A-38R
5	5.25	120	125	TD25050A-14R	TD25050A-26R	TD25050A-38R
5	5.25	120	300	TD25050B-14R	TD25050B-26R	TD25050B-38R
5	5.25	120	500	TD25050C-14R	TD25050C-26R	TD25050C-38R
5	5.25	240	500	TD25050A-14R	TD25050A-26R	TD25050A-38R
6	6.25	120	150	TD25060A-14R	TD25060A-26R	TD25060A-38R
6	6.25	240	150	TD25060B-14R	TD25060B-26R	TD25060B-38R
6	6.25	120	600	TD25060C-14R	TD25060C-26R	TD25060C-38R
6	6.25	240	600	TD25060A-14R	TD25060A-26R	TD25060A-38R
7	7.25	120	300	TD25070A-14R	TD25070A-26R	TD25070A-38R
7	7.25	240	300	TD25070B-14R	TD25070B-26R	TD25070B-38R
8	8.25	120	400	TD25080A-14R	TD25080A-26R	TD25080A-38R
8	8.25	240	400	TD25080B-14R	TD25080B-26R	TD25080B-38R
10	10.25	240	500	TD25100A-14R	TD25100A-26R	TD25080A-38R
12	12.25	240	500	TD25120A-14R	TD25120A-26R	TD25120A-38R

Marathon Stock Today Heaters

1/4" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Braid	26" Leads w/ 24" S/S Braid	38" leads w/ 36" S/S Braid
1	1.25	120	55	TD25010A-14B12	TD25010A-26B24	TD25010A-38B36
1	1.25	120	100	TD25010B-14B12	TD25010B-26B24	TD25010B-38B36
1	1.25	240	100	TD25010C-14B12	TD25010C-26B24	TD25010C-38B36
1.25	1.5	120	75	TD25012A-14B12	TD25012A-26B24	TD25012A-38B36
1.5	1.75	120	50	TD25015B-14B12	TD25015B-26B24	TD25015B-38B36
1.5	1.75	120	100	TD25015C-14B12	TD25015C-26B24	TD25015C-38B36
1.5	1.75	120	150	TD25015D-14B12	TD25015D-26B24	TD25015D-38B36
1.5	1.75	240	150	TD25015E-14B12	TD25015E-26B24	TD25015E-38B36
1.5	1.75	120	200	TD25015F-14B12	TD25015F-26B24	TD25015F-38B36
1.5	1.75	240	200	TD25015B-14B12	TD25015B-26B24	TD25015B-38B36
2	2.25	120	50	TD25020A-14B12	TD25020A-26B24	TD25020A-38B36
2	2.25	120	100	TD25020B-14B12	TD25020B-26B24	TD25020B-38B36
2	2.25	120	150	TD25020C-14B12	TD25020C-26B24	TD25020C-38B36
2	2.25	240	150	TD25020D-14B12	TD25020D-26B24	TD25020D-38B36
2	2.25	120	200	TD25020E-14B12	TD25020E-26B24	TD25020E-38B36
2	2.25	240	200	TD25020A-14B12	TD25020A-26B24	TD25020A-38B36
2	2.25	120	250	TD25020G-14B12	TD25020G-26B24	TD25020G-38B36
2	2.25	240	250	TD25020H-14B12	TD25020H-26B24	TD25020H-38B36
2.5	2.75	120	200	TD25025A-14B12	TD25025A-26B24	TD25025A-38B36
2.5	2.75	240	200	TD25025B-14B12	TD25025B-26B24	TD25025B-38B36
3	3.25	120	75	TD25030A-14B12	TD25030A-26B24	TD25030A-38B36
3	3.25	120	150	TD25030B-14B12	TD25030B-26B24	TD25030B-38B36
3	3.25	120	200	TD25030C-14B12	TD25030C-26B24	TD25030C-38B36
3	3.25	240	200	TD25030D-14B12	TD25030D-26B24	TD25030D-38B36
3	3.25	120	300	TD25030E-14B12	TD25030E-26B24	TD25030E-38B36
3	3.25	240	300	TD25030A-14B12	TD25030A-26B24	TD25030A-38B36
4	4.25	120	100	TD25040A-14B12	TD25040A-26B24	TD25040A-38B36
4	4.25	120	200	TD25040B-14B12	TD25040B-26B24	TD25040B-38B36
4	4.25	240	200	TD25040C-14B12	TD25040C-26B24	TD25040C-38B36
4	4.25	120	300	TD25040D-14B12	TD25040D-26B24	TD25040D-38B36
4	4.25	240	300	TD25040E-14B12	TD25040E-26B24	TD25040E-38B36
4	4.25	120	400	TD25040F-14B12	TD25040F-26B24	TD25040F-38B36
4	4.25	240	400	TD25040A-14B12	TD25040A-26B24	TD25040A-38B36
4.5	4.75	120	200	TD25045A-14B12	TD25045A-26B24	TD25045A-38B36
5	5.25	120	125	TD25050A-14B12	TD25050A-26B24	TD25050A-38B36
5	5.25	120	300	TD25050B-14B12	TD25050B-26B24	TD25050B-38B36
5	5.25	120	500	TD25050C-14B12	TD25050C-26B24	TD25050C-38B36
5	5.25	240	500	TD25050A-14B12	TD25050A-26B24	TD25050A-38B36
6	6.25	120	150	TD25060A-14B12	TD25060A-26B24	TD25060A-38B36
6	6.25	240	150	TD25060B-14B12	TD25060B-26B24	TD25060B-38B36
6	6.25	120	600	TD25060C-14B12	TD25060C-26B24	TD25060C-38B36
6	6.25	240	600	TD25060A-14B12	TD25060A-26B24	TD25060A-38B36
7	7.25	120	300	TD25070A-14B12	TD25070A-26B24	TD25070A-38B36
7	7.25	240	300	TD25070B-14B12	TD25070B-26B24	TD25070B-38B36
8	8.25	120	400	TD25080A-14B12	TD25080A-26B24	TD25080A-38B36
8	8.25	240	400	TD25080B-14B12	TD25080B-26B24	TD25080B-38B36
10	10.25	240	500	TD25100A-14B12	TD25100A-26B24	TD25080A-38B36
12	12.25	240	500	TD25120A-14B12	TD25120A-26B24	TD25120A-38B36

Marathon Stock Today Heaters

1/4" Diameter Heaters with Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
1	1.25	120	55	TD25010A-14A12	TD25010A-26A24	TD25010A-38A36
1	1.25	120	100	TD25010B-14A12	TD25010B-26A24	TD25010B-38A36
1	1.25	240	100	TD25010C-14A12	TD25010C-26A24	TD25010C-38A36
1.25	1.5	120	75	TD25012A-14A12	TD25012A-26A24	TD25012A-38A36
1.5	1.75	120	50	TD25015B-14A12	TD25015B-26A24	TD25015B-38A36
1.5	1.75	120	100	TD25015C-14A12	TD25015C-26A24	TD25015C-38A36
1.5	1.75	120	150	TD25015D-14A12	TD25015D-26A24	TD25015D-38A36
1.5	1.75	240	150	TD25015E-14A12	TD25015E-26A24	TD25015E-38A36
1.5	1.75	120	200	TD25015F-14A12	TD25015F-26A24	TD25015F-38A36
1.5	1.75	240	200	TD25015B-14A12	TD25015B-26A24	TD25015B-38A36
2	2.25	120	50	TD25020A-14A12	TD25020A-26A24	TD25020A-38A36
2	2.25	120	100	TD25020B-14A12	TD25020B-26A24	TD25020B-38A36
2	2.25	120	150	TD25020C-14A12	TD25020C-26A24	TD25020C-38A36
2	2.25	240	150	TD25020D-14A12	TD25020D-26A24	TD25020D-38A36
2	2.25	120	200	TD25020E-14A12	TD25020E-26A24	TD25020E-38A36
2	2.25	240	200	TD25020A-14A12	TD25020A-26A24	TD25020A-38A36
2	2.25	120	250	TD25020G-14A12	TD25020G-26A24	TD25020G-38A36
2	2.25	240	250	TD25020H-14A12	TD25020H-26A24	TD25020H-38A36
2.5	2.75	120	200	TD25025A-14A12	TD25025A-26A24	TD25025A-38A36
2.5	2.75	240	200	TD25025B-14A12	TD25025B-26A24	TD25025B-38A36
3	3.25	120	75	TD25030A-14A12	TD25030A-26A24	TD25030A-38A36
3	3.25	120	150	TD25030B-14A12	TD25030B-26A24	TD25030B-38A36
3	3.25	120	200	TD25030C-14A12	TD25030C-26A24	TD25030C-38A36
3	3.25	240	200	TD25030D-14A12	TD25030D-26A24	TD25030D-38A36
3	3.25	120	300	TD25030E-14A12	TD25030E-26A24	TD25030E-38A36
3	3.25	240	300	TD25030A-14A12	TD25030A-26A24	TD25030A-38A36
4	4.25	120	100	TD25040A-14A12	TD25040A-26A24	TD25040A-38A36
4	4.25	120	200	TD25040B-14A12	TD25040B-26A24	TD25040B-38A36
4	4.25	240	200	TD25040C-14A12	TD25040C-26A24	TD25040C-38A36
4	4.25	120	300	TD25040D-14A12	TD25040D-26A24	TD25040D-38A36
4	4.25	240	300	TD25040E-14A12	TD25040E-26A24	TD25040E-38A36
4	4.25	120	400	TD25040F-14A12	TD25040F-26A24	TD25040F-38A36
4	4.25	240	400	TD25040A-14A12	TD25040A-26A24	TD25040A-38A36
4.5	4.75	120	200	TD25045A-14A12	TD25045A-26A24	TD25045A-38A36
5	5.25	120	125	TD25050A-14A12	TD25050A-26A24	TD25050A-38A36
5	5.25	120	300	TD25050B-14A12	TD25050B-26A24	TD25050B-38A36
5	5.25	120	500	TD25050C-14A12	TD25050C-26A24	TD25050C-38A36
5	5.25	240	500	TD25050A-14A12	TD25050A-26A24	TD25050A-38A36
6	6.25	120	150	TD25060A-14A12	TD25060A-26A24	TD25060A-38A36
6	6.25	240	150	TD25060B-14A12	TD25060B-26A24	TD25060B-38A36
6	6.25	120	600	TD25060C-14A12	TD25060C-26A24	TD25060C-38A36
6	6.25	240	600	TD25060A-14A12	TD25060A-26A24	TD25060A-38A36
7	7.25	120	300	TD25070A-14A12	TD25070A-26A24	TD25070A-38A36
7	7.25	240	300	TD25070B-14A12	TD25070B-26A24	TD25070B-38A36
8	8.25	120	400	TD25080A-14A12	TD25080A-26A24	TD25080A-38A36
8	8.25	240	400	TD25080B-14A12	TD25080B-26A24	TD25080B-38A36
10	10.25	240	500	TD25100A-14A12	TD25100A-26A24	TD25080A-38A36
12	12.25	240	500	TD25120A-14A12	TD25120A-26A24	TD25120A-38A36

Marathon Stock Today Heaters

1/4" Diameter Heaters with Stainless Steel Flexible Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Conduit	26" Leads w/ 24" S/S Conduit	38" Leads w/ 36" S/S Conduit
1	1.25	120	55	TD25010A-14C12	TD25010A-26C24	TD25010A-38C36
1	1.25	120	100	TD25010B-14C12	TD25010B-26C24	TD25010B-38C36
1	1.25	240	100	TD25010C-14C12	TD25010C-26C24	TD25010C-38C36
1.25	1.5	120	75	TD25012A-14C12	TD25012A-26C24	TD25012A-38C36
1.5	1.75	120	50	TD25015B-14C12	TD25015B-26C24	TD25015B-38C36
1.5	1.75	120	100	TD25015C-14C12	TD25015C-26C24	TD25015C-38C36
1.5	1.75	120	150	TD25015D-14C12	TD25015D-26C24	TD25015D-38C36
1.5	1.75	240	150	TD25015E-14C12	TD25015E-26C24	TD25015E-38C36
1.5	1.75	120	200	TD25015F-14C12	TD25015F-26C24	TD25015F-38C36
1.5	1.75	240	200	TD25015B-14C12	TD25015B-26C24	TD25015B-38C36
2	2.25	120	50	TD25020A-14C12	TD25020A-26C24	TD25020A-38C36
2	2.25	120	100	TD25020B-14C12	TD25020B-26C24	TD25020B-38C36
2	2.25	120	150	TD25020C-14C12	TD25020C-26C24	TD25020C-38C36
2	2.25	240	150	TD25020D-14C12	TD25020D-26C24	TD25020D-38C36
2	2.25	120	200	TD25020E-14C12	TD25020E-26C24	TD25020E-38C36
2	2.25	240	200	TD25020A-14C12	TD25020A-26C24	TD25020A-38C36
2	2.25	120	250	TD25020G-14C12	TD25020G-26C24	TD25020G-38C36
2	2.25	240	250	TD25020H-14C12	TD25020H-26C24	TD25020H-38C36
2.5	2.75	120	200	TD25025A-14C12	TD25025A-26C24	TD25025A-38C36
2.5	2.75	240	200	TD25025B-14C12	TD25025B-26C24	TD25025B-38C36
3	3.25	120	75	TD25030A-14C12	TD25030A-26C24	TD25030A-38C36
3	3.25	120	150	TD25030B-14C12	TD25030B-26C24	TD25030B-38C36
3	3.25	120	200	TD25030C-14C12	TD25030C-26C24	TD25030C-38C36
3	3.25	240	200	TD25030D-14C12	TD25030D-26C24	TD25030D-38C36
3	3.25	120	300	TD25030E-14C12	TD25030E-26C24	TD25030E-38C36
3	3.25	240	300	TD25030A-14C12	TD25030A-26C24	TD25030A-38C36
4	4.25	120	100	TD25040A-14C12	TD25040A-26C24	TD25040A-38C36
4	4.25	120	200	TD25040B-14C12	TD25040B-26C24	TD25040B-38C36
4	4.25	240	200	TD25040C-14C12	TD25040C-26C24	TD25040C-38C36
4	4.25	120	300	TD25040D-14C12	TD25040D-26C24	TD25040D-38C36
4	4.25	240	300	TD25040E-14C12	TD25040E-26C24	TD25040E-38C36
4	4.25	120	400	TD25040F-14C12	TD25040F-26C24	TD25040F-38C36
4	4.25	240	400	TD25040A-14C12	TD25040A-26C24	TD25040A-38C36
4.5	4.75	120	200	TD25045A-14C12	TD25045A-26C24	TD25045A-38C36
5	5.25	120	125	TD25050A-14C12	TD25050A-26C24	TD25050A-38C36
5	5.25	120	300	TD25050B-14C12	TD25050B-26C24	TD25050B-38C36
5	5.25	120	500	TD25050C-14C12	TD25050C-26C24	TD25050C-38C36
5	5.25	240	500	TD25050A-14C12	TD25050A-26C24	TD25050A-38C36
6	6.25	120	150	TD25060A-14C12	TD25060A-26C24	TD25060A-38C36
6	6.25	240	150	TD25060B-14C12	TD25060B-26C24	TD25060B-38C36
6	6.25	120	600	TD25060C-14C12	TD25060C-26C24	TD25060C-38C36
6	6.25	240	600	TD25060A-14C12	TD25060A-26C24	TD25060A-38C36
7	7.25	120	300	TD25070A-14C12	TD25070A-26C24	TD25070A-38C36
7	7.25	240	300	TD25070B-14C12	TD25070B-26C24	TD25070B-38C36
8	8.25	120	400	TD25080A-14C12	TD25080A-26C24	TD25080A-38C36
8	8.25	240	400	TD25080B-14C12	TD25080B-26C24	TD25080B-38C36
10	10.25	240	500	TD25100A-14C12	TD25100A-26C24	TD25100A-38C36
12	12.25	240	500	TD25120A-14C12	TD25120A-26C24	TD25120A-38C36

Marathon Stock Today Heaters

1/4" Diameter Heaters with Rt. Angle Stainless Steel Flexible Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
1	1.25	120	55	TD25010A-14K12	TD25010A-26K24	TD25010A-38K36
1	1.25	120	100	TD25010K-14K12	TD25010K-26K24	TD25010K-38K36
1	1.25	240	100	TD25010K-14K12	TD25010K-26K24	TD25010K-38K36
1.25	1.5	120	75	TD25012A-14K12	TD25012A-26K24	TD25012A-38K36
1.5	1.75	120	50	TD25015K-14K12	TD25015K-26K24	TD25015K-38K36
1.5	1.75	120	100	TD25015K-14K12	TD25015K-26K24	TD25015K-38K36
1.5	1.75	120	150	TD25015D-14K12	TD25015D-26K24	TD25015D-38K36
1.5	1.75	240	150	TD25015E-14K12	TD25015E-26K24	TD25015E-38K36
1.5	1.75	120	200	TD25015F-14K12	TD25015F-26K24	TD25015F-38K36
1.5	1.75	240	200	TD25015K-14K12	TD25015K-26K24	TD25015K-38K36
2	2.25	120	50	TD25020A-14K12	TD25020A-26K24	TD25020A-38K36
2	2.25	120	100	TD25020K-14K12	TD25020K-26K24	TD25020K-38K36
2	2.25	120	150	TD25020K-14K12	TD25020K-26K24	TD25020K-38K36
2	2.25	240	150	TD25020D-14K12	TD25020D-26K24	TD25020D-38K36
2	2.25	120	200	TD25020E-14K12	TD25020E-26K24	TD25020E-38K36
2	2.25	240	200	TD25020A-14K12	TD25020A-26K24	TD25020A-38K36
2	2.25	120	250	TD25020G-14K12	TD25020G-26K24	TD25020G-38K36
2	2.25	240	250	TD25020H-14K12	TD25020H-26K24	TD25020H-38K36
2.5	2.75	120	200	TD25025A-14K12	TD25025A-26K24	TD25025A-38K36
2.5	2.75	240	200	TD25025K-14K12	TD25025K-26K24	TD25025K-38K36
3	3.25	120	75	TD25030A-14K12	TD25030A-26K24	TD25030A-38K36
3	3.25	120	150	TD25030K-14K12	TD25030K-26K24	TD25030K-38K36
3	3.25	120	200	TD25030K-14K12	TD25030K-26K24	TD25030K-38K36
3	3.25	240	200	TD25030D-14K12	TD25030D-26K24	TD25030D-38K36
3	3.25	120	300	TD25030E-14K12	TD25030E-26K24	TD25030E-38K36
3	3.25	240	300	TD25030A-14K12	TD25030A-26K24	TD25030A-38K36
4	4.25	120	100	TD25040A-14K12	TD25040A-26K24	TD25040A-38K36
4	4.25	120	200	TD25040K-14K12	TD25040K-26K24	TD25040K-38K36
4	4.25	240	200	TD25040K-14K12	TD25040K-26K24	TD25040K-38K36
4	4.25	120	300	TD25040D-14K12	TD25040D-26K24	TD25040D-38K36
4	4.25	240	300	TD25040E-14K12	TD25040E-26K24	TD25040E-38K36
4	4.25	120	400	TD25040F-14K12	TD25040F-26K24	TD25040F-38K36
4	4.25	240	400	TD25040A-14K12	TD25040A-26K24	TD25040A-38K36
4.5	4.75	120	200	TD25045A-14K12	TD25045A-26K24	TD25045A-38K36
5	5.25	120	125	TD25050A-14K12	TD25050A-26K24	TD25050A-38K36
5	5.25	120	300	TD25050K-14K12	TD25050K-26K24	TD25050K-38K36
5	5.25	120	500	TD25050K-14K12	TD25050K-26K24	TD25050K-38K36
5	5.25	240	500	TD25050A-14K12	TD25050A-26K24	TD25050A-38K36
6	6.25	120	150	TD25060A-14K12	TD25060A-26K24	TD25060A-38K36
6	6.25	240	150	TD25060K-14K12	TD25060K-26K24	TD25060K-38K36
6	6.25	120	600	TD25060K-14K12	TD25060K-26K24	TD25060K-38K36
6	6.25	240	600	TD25060A-14K12	TD25060A-26K24	TD25060A-38K36
7	7.25	120	300	TD25070A-14K12	TD25070A-26K24	TD25070A-38K36
7	7.25	240	300	TD25070K-14K12	TD25070K-26K24	TD25070K-38K36
8	8.25	120	400	TD25080A-14K12	TD25080A-26K24	TD25080A-38K36
8	8.25	240	400	TD25080K-14K12	TD25080K-26K24	TD25080K-38K36
10	10.25	240	500	TD25100A-14K12	TD25100A-26K24	TD25080A-38K36
12	12.25	240	500	TD25120A-14K12	TD25120A-26K24	TD25120A-38K36

Marathon Stock Today Heaters

1/4" Diameter Heaters with Standard Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	1.25	120	55	TD25010A-14H	TD25010A-26H	TD25010A-38H
1	1.25	120	100	TD25010B-14H	TD25010B-26H	TD25010B-38H
1	1.25	240	100	TD25010C-14H	TD25010C-26H	TD25010C-38H
1.25	1.5	120	75	TD25012A-14H	TD25012A-26H	TD25012A-38H
1.5	1.75	120	50	TD25015B-14H	TD25015B-26H	TD25015B-38H
1.5	1.75	120	100	TD25015C-14H	TD25015C-26H	TD25015C-38H
1.5	1.75	120	150	TD25015D-14H	TD25015D-26H	TD25015D-38H
1.5	1.75	240	150	TD25015E-14H	TD25015E-26H	TD25015E-38H
1.5	1.75	120	200	TD25015F-14H	TD25015F-26H	TD25015F-38H
1.5	1.75	240	200	TD25015B-14H	TD25015B-26H	TD25015B-38H
2	2.25	120	50	TD25020A-14H	TD25020A-26H	TD25020A-38H
2	2.25	120	100	TD25020B-14H	TD25020B-26H	TD25020B-38H
2	2.25	120	150	TD25020C-14H	TD25020C-26H	TD25020C-38H
2	2.25	240	150	TD25020D-14H	TD25020D-26H	TD25020D-38H
2	2.25	120	200	TD25020E-14H	TD25020E-26H	TD25020E-38H
2	2.25	240	200	TD25020A-14H	TD25020A-26H	TD25020A-38H
2	2.25	120	250	TD25020G-14H	TD25020G-26H	TD25020G-38H
2	2.25	240	250	TD25020H-14H	TD25020H-26H	TD25020H-38H
2.5	2.75	120	200	TD25025A-14H	TD25025A-26H	TD25025A-38H
2.5	2.75	240	200	TD25025B-14H	TD25025B-26H	TD25025B-38H
3	3.25	120	75	TD25030A-14H	TD25030A-26H	TD25030A-38H
3	3.25	120	150	TD25030B-14H	TD25030B-26H	TD25030B-38H
3	3.25	120	200	TD25030C-14H	TD25030C-26H	TD25030C-38H
3	3.25	240	200	TD25030D-14H	TD25030D-26H	TD25030D-38H
3	3.25	120	300	TD25030E-14H	TD25030E-26H	TD25030E-38H
3	3.25	240	300	TD25030A-14H	TD25030A-26H	TD25030A-38H
4	4.25	120	100	TD25040A-14H	TD25040A-26H	TD25040A-38H
4	4.25	120	200	TD25040B-14H	TD25040B-26H	TD25040B-38H
4	4.25	240	200	TD25040C-14H	TD25040C-26H	TD25040C-38H
4	4.25	120	300	TD25040D-14H	TD25040D-26H	TD25040D-38H
4	4.25	240	300	TD25040E-14H	TD25040E-26H	TD25040E-38H
4	4.25	120	400	TD25040F-14H	TD25040F-26H	TD25040F-38H
4	4.25	240	400	TD25040A-14H	TD25040A-26H	TD25040A-38H
4.5	4.75	120	200	TD25045A-14H	TD25045A-26H	TD25045A-38H
5	5.25	120	125	TD25050A-14H	TD25050A-26H	TD25050A-38H
5	5.25	120	300	TD25050B-14H	TD25050B-26H	TD25050B-38H
5	5.25	120	500	TD25050C-14H	TD25050C-26H	TD25050C-38H
5	5.25	240	500	TD25050A-14H	TD25050A-26H	TD25050A-38H
6	6.25	120	150	TD25060A-14H	TD25060A-26H	TD25060A-38H
6	6.25	240	150	TD25060B-14H	TD25060B-26H	TD25060B-38H
6	6.25	120	600	TD25060C-14H	TD25060C-26H	TD25060C-38H
6	6.25	240	600	TD25060A-14H	TD25060A-26H	TD25060A-38H
7	7.25	120	300	TD25070A-14H	TD25070A-26H	TD25070A-38H
7	7.25	240	300	TD25070B-14H	TD25070B-26H	TD25070B-38H
8	8.25	120	400	TD25080A-14H	TD25080A-26H	TD25080A-38H
8	8.25	240	400	TD25080B-14H	TD25080B-26H	TD25080B-38H
10	10.25	240	500	TD25100A-14H	TD25100A-26H	TD25080A-38H
12	12.25	240	500	TD25120A-14H	TD25120A-26H	TD25120A-38H

Marathon Stock Today Heaters

1/4" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	1.25	120	55	TD25010A-14Q	TD25010A-26Q	TD25010A-38Q
1	1.25	120	100	TD25010B-14Q	TD25010B-26Q	TD25010B-38Q
1	1.25	240	100	TD25010C-14Q	TD25010C-26Q	TD25010C-38Q
1.25	1.5	120	75	TD25012A-14Q	TD25012A-26Q	TD25012A-38Q
1.5	1.75	120	50	TD25015B-14Q	TD25015B-26Q	TD25015B-38Q
1.5	1.75	120	100	TD25015C-14Q	TD25015C-26Q	TD25015C-38Q
1.5	1.75	120	150	TD25015D-14Q	TD25015D-26Q	TD25015D-38Q
1.5	1.75	240	150	TD25015E-14Q	TD25015E-26Q	TD25015E-38Q
1.5	1.75	120	200	TD25015F-14Q	TD25015F-26Q	TD25015F-38Q
1.5	1.75	240	200	TD25015B-14Q	TD25015B-26Q	TD25015B-38Q
2	2.25	120	50	TD25020A-14Q	TD25020A-26Q	TD25020A-38Q
2	2.25	120	100	TD25020B-14Q	TD25020B-26Q	TD25020B-38Q
2	2.25	120	150	TD25020C-14Q	TD25020C-26Q	TD25020C-38Q
2	2.25	240	150	TD25020D-14Q	TD25020D-26Q	TD25020D-38Q
2	2.25	120	200	TD25020E-14Q	TD25020E-26Q	TD25020E-38Q
2	2.25	240	200	TD25020A-14Q	TD25020A-26Q	TD25020A-38Q
2	2.25	120	250	TD25020G-14Q	TD25020G-26Q	TD25020G-38Q
2	2.25	240	250	TD25020H-14Q	TD25020H-26Q	TD25020H-38Q
2.5	2.75	120	200	TD25025A-14Q	TD25025A-26Q	TD25025A-38Q
2.5	2.75	240	200	TD25025B-14Q	TD25025B-26Q	TD25025B-38Q
3	3.25	120	75	TD25030A-14Q	TD25030A-26Q	TD25030A-38Q
3	3.25	120	150	TD25030B-14Q	TD25030B-26Q	TD25030B-38Q
3	3.25	120	200	TD25030C-14Q	TD25030C-26Q	TD25030C-38Q
3	3.25	240	200	TD25030D-14Q	TD25030D-26Q	TD25030D-38Q
3	3.25	120	300	TD25030E-14Q	TD25030E-26Q	TD25030E-38Q
3	3.25	240	300	TD25030A-14Q	TD25030A-26Q	TD25030A-38Q
4	4.25	120	100	TD25040A-14Q	TD25040A-26Q	TD25040A-38Q
4	4.25	120	200	TD25040B-14Q	TD25040B-26Q	TD25040B-38Q
4	4.25	240	200	TD25040C-14Q	TD25040C-26Q	TD25040C-38Q
4	4.25	120	300	TD25040D-14Q	TD25040D-26Q	TD25040D-38Q
4	4.25	240	300	TD25040E-14Q	TD25040E-26Q	TD25040E-38Q
4	4.25	120	400	TD25040F-14Q	TD25040F-26Q	TD25040F-38Q
4	4.25	240	400	TD25040A-14Q	TD25040A-26Q	TD25040A-38Q
4.5	4.75	120	200	TD25045A-14Q	TD25045A-26Q	TD25045A-38Q
5	5.25	120	125	TD25050A-14Q	TD25050A-26Q	TD25050A-38Q
5	5.25	120	300	TD25050B-14Q	TD25050B-26Q	TD25050B-38Q
5	5.25	120	500	TD25050C-14Q	TD25050C-26Q	TD25050C-38Q
5	5.25	240	500	TD25050A-14Q	TD25050A-26Q	TD25050A-38Q
6	6.25	120	150	TD25060A-14Q	TD25060A-26Q	TD25060A-38Q
6	6.25	240	150	TD25060B-14Q	TD25060B-26Q	TD25060B-38Q
6	6.25	120	600	TD25060C-14Q	TD25060C-26Q	TD25060C-38Q
6	6.25	240	600	TD25060A-14Q	TD25060A-26Q	TD25060A-38Q
7	7.25	120	300	TD25070A-14Q	TD25070A-26Q	TD25070A-38Q
7	7.25	240	300	TD25070B-14Q	TD25070B-26Q	TD25070B-38Q
8	8.25	120	400	TD25080A-14Q	TD25080A-26Q	TD25080A-38Q
8	8.25	240	400	TD25080B-14Q	TD25080B-26Q	TD25080B-38Q
10	10.25	240	500	TD25100A-14Q	TD25100A-26Q	TD25080A-38Q
12	12.25	240	500	TD25120A-14Q	TD25120A-26Q	TD25120A-38Q

Marathon Stock Today Heaters

1/4" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	1.25	120	55	TD25010A-14E	TD25010A-26E	TD25010A-38E
1	1.25	120	100	TD25010B-14E	TD25010B-26E	TD25010B-38E
1	1.25	240	100	TD25010C-14E	TD25010C-26E	TD25010C-38E
1.25	1.5	120	75	TD25012A-14E	TD25012A-26E	TD25012A-38E
1.5	1.75	120	50	TD25015B-14E	TD25015B-26E	TD25015B-38E
1.5	1.75	120	100	TD25015C-14E	TD25015C-26E	TD25015C-38E
1.5	1.75	120	150	TD25015D-14E	TD25015D-26E	TD25015D-38E
1.5	1.75	240	150	TD25015E-14E	TD25015E-26E	TD25015E-38E
1.5	1.75	120	200	TD25015F-14E	TD25015F-26E	TD25015F-38E
1.5	1.75	240	200	TD25015B-14E	TD25015B-26E	TD25015B-38E
2	2.25	120	50	TD25020A-14E	TD25020A-26E	TD25020A-38E
2	2.25	120	100	TD25020B-14E	TD25020B-26E	TD25020B-38E
2	2.25	120	150	TD25020C-14E	TD25020C-26E	TD25020C-38E
2	2.25	240	150	TD25020D-14E	TD25020D-26E	TD25020D-38E
2	2.25	120	200	TD25020E-14E	TD25020E-26E	TD25020E-38E
2	2.25	240	200	TD25020A-14E	TD25020A-26E	TD25020A-38E
2	2.25	120	250	TD25020G-14E	TD25020G-26E	TD25020G-38E
2	2.25	240	250	TD25020H-14E	TD25020H-26E	TD25020H-38E
2.5	2.75	120	200	TD25025A-14E	TD25025A-26E	TD25025A-38E
2.5	2.75	240	200	TD25025B-14E	TD25025B-26E	TD25025B-38E
3	3.25	120	75	TD25030A-14E	TD25030A-26E	TD25030A-38E
3	3.25	120	150	TD25030B-14E	TD25030B-26E	TD25030B-38E
3	3.25	120	200	TD25030C-14E	TD25030C-26E	TD25030C-38E
3	3.25	240	200	TD25030D-14E	TD25030D-26E	TD25030D-38E
3	3.25	120	300	TD25030E-14E	TD25030E-26E	TD25030E-38E
3	3.25	240	300	TD25030A-14E	TD25030A-26E	TD25030A-38E
4	4.25	120	100	TD25040A-14E	TD25040A-26E	TD25040A-38E
4	4.25	120	200	TD25040B-14E	TD25040B-26E	TD25040B-38E
4	4.25	240	200	TD25040C-14E	TD25040C-26E	TD25040C-38E
4	4.25	120	300	TD25040D-14E	TD25040D-26E	TD25040D-38E
4	4.25	240	300	TD25040E-14E	TD25040E-26E	TD25040E-38E
4	4.25	120	400	TD25040F-14E	TD25040F-26E	TD25040F-38E
4	4.25	240	400	TD25040A-14E	TD25040A-26E	TD25040A-38E
4.5	4.75	120	200	TD25045A-14E	TD25045A-26E	TD25045A-38E
5	5.25	120	125	TD25050A-14E	TD25050A-26E	TD25050A-38E
5	5.25	120	300	TD25050B-14E	TD25050B-26E	TD25050B-38E
5	5.25	120	500	TD25050C-14E	TD25050C-26E	TD25050C-38E
5	5.25	240	500	TD25050A-14E	TD25050A-26E	TD25050A-38E
6	6.25	120	150	TD25060A-14E	TD25060A-26E	TD25060A-38E
6	6.25	240	150	TD25060B-14E	TD25060B-26E	TD25060B-38E
6	6.25	120	600	TD25060C-14E	TD25060C-26E	TD25060C-38E
6	6.25	240	600	TD25060A-14E	TD25060A-26E	TD25060A-38E
7	7.25	120	300	TD25070A-14E	TD25070A-26E	TD25070A-38E
7	7.25	240	300	TD25070B-14E	TD25070B-26E	TD25070B-38E
8	8.25	120	400	TD25080A-14E	TD25080A-26E	TD25080A-38E
8	8.25	240	400	TD25080B-14E	TD25080B-26E	TD25080B-38E
10	10.25	240	500	TD25100A-14E	TD25100A-26E	TD25080A-38E
12	12.25	240	500	TD25120A-14E	TD25120A-26E	TD25120A-38E

Marathon Stock Today Heaters

1/4" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
1	1.25	120	55	TD25010A-14F	TD25010A-26F	TD25010A-38F
1	1.25	120	100	TD25010B-14F	TD25010B-26F	TD25010B-38F
1	1.25	240	100	TD25010C-14F	TD25010C-26F	TD25010C-38F
1.25	1.5	120	75	TD25012A-14F	TD25012A-26F	TD25012A-38F
1.5	1.75	120	50	TD25015B-14F	TD25015B-26F	TD25015B-38F
1.5	1.75	120	100	TD25015C-14F	TD25015C-26F	TD25015C-38F
1.5	1.75	120	150	TD25015D-14F	TD25015D-26F	TD25015D-38F
1.5	1.75	240	150	TD25015E-14F	TD25015E-26F	TD25015E-38F
1.5	1.75	120	200	TD25015F-14F	TD25015F-26F	TD25015F-38F
1.5	1.75	240	200	TD25015B-14F	TD25015B-26F	TD25015B-38F
2	2.25	120	50	TD25020A-14F	TD25020A-26F	TD25020A-38F
2	2.25	120	100	TD25020B-14F	TD25020B-26F	TD25020B-38F
2	2.25	120	150	TD25020C-14F	TD25020C-26F	TD25020C-38F
2	2.25	240	150	TD25020D-14F	TD25020D-26F	TD25020D-38F
2	2.25	120	200	TD25020E-14F	TD25020E-26F	TD25020E-38F
2	2.25	240	200	TD25020A-14F	TD25020A-26F	TD25020A-38F
2	2.25	120	250	TD25020G-14F	TD25020G-26F	TD25020G-38F
2	2.25	240	250	TD25020H-14F	TD25020H-26F	TD25020H-38F
2.5	2.75	120	200	TD25025A-14F	TD25025A-26F	TD25025A-38F
2.5	2.75	240	200	TD25025B-14F	TD25025B-26F	TD25025B-38F
3	3.25	120	75	TD25030A-14F	TD25030A-26F	TD25030A-38F
3	3.25	120	150	TD25030B-14F	TD25030B-26F	TD25030B-38F
3	3.25	120	200	TD25030C-14F	TD25030C-26F	TD25030C-38F
3	3.25	240	200	TD25030D-14F	TD25030D-26F	TD25030D-38F
3	3.25	120	300	TD25030E-14F	TD25030E-26F	TD25030E-38F
3	3.25	240	300	TD25030A-14F	TD25030A-26F	TD25030A-38F
4	4.25	120	100	TD25040A-14F	TD25040A-26F	TD25040A-38F
4	4.25	120	200	TD25040B-14F	TD25040B-26F	TD25040B-38F
4	4.25	240	200	TD25040C-14F	TD25040C-26F	TD25040C-38F
4	4.25	120	300	TD25040D-14F	TD25040D-26F	TD25040D-38F
4	4.25	240	300	TD25040E-14F	TD25040E-26F	TD25040E-38F
4	4.25	120	400	TD25040F-14F	TD25040F-26F	TD25040F-38F
4	4.25	240	400	TD25040A-14F	TD25040A-26F	TD25040A-38F
4.5	4.75	120	200	TD25045A-14F	TD25045A-26F	TD25045A-38F
5	5.25	120	125	TD25050A-14F	TD25050A-26F	TD25050A-38F
5	5.25	120	300	TD25050B-14F	TD25050B-26F	TD25050B-38F
5	5.25	120	500	TD25050C-14F	TD25050C-26F	TD25050C-38F
5	5.25	240	500	TD25050A-14F	TD25050A-26F	TD25050A-38F
6	6.25	120	150	TD25060A-14F	TD25060A-26F	TD25060A-38F
6	6.25	240	150	TD25060B-14F	TD25060B-26F	TD25060B-38F
6	6.25	120	600	TD25060C-14F	TD25060C-26F	TD25060C-38F
6	6.25	240	600	TD25060A-14F	TD25060A-26F	TD25060A-38F
7	7.25	120	300	TD25070A-14F	TD25070A-26F	TD25070A-38F
7	7.25	240	300	TD25070B-14F	TD25070B-26F	TD25070B-38F
8	8.25	120	400	TD25080A-14F	TD25080A-26F	TD25080A-38F
8	8.25	240	400	TD25080B-14F	TD25080B-26F	TD25080B-38F
10	10.25	240	500	TD25100A-14F	TD25100A-26F	TD25080A-38F
12	12.25	240	500	TD25120A-14F	TD25120A-26F	TD25120A-38F

Marathon Stock Today Heaters

3/8" Diameter Heaters with Trimmed Cavity

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	1	240	100	TD37010A-14S	TD37010A-26S	TD37010A-38S
	1.25	240	100	TD37012A-14S	TD37012A-26S	TD37012A-38S
	1.25	240	150	TD37012B-14S	TD37012B-26S	TD37012B-38S
	1.5	120	50	TD37015A-14S	TD37015A-26S	TD37015A-38S
	1.5	120	100	TD37015B-14S	TD37015B-26S	TD37015B-38S
	1.5	240	100	TD37015C-14S	TD37015C-26S	TD37015C-38S
	1.5	120	150	TD37015D-14S	TD37015D-26S	TD37015D-38S
	1.5	240	150	TD37015E-14S	TD37015E-26S	TD37015E-38S
	1.5	120	200	TD37015F-14S	TD37015F-26S	TD37015F-38S
	1.5	240	200	TD37015A-14S	TD37015A-26S	TD37015A-38S
	1.5	120	250	TD37015H-14S	TD37015H-26S	TD37015H-38S
	1.5	240	250	TD37015J-14S	TD37015J-26S	TD37015J-38S
	1.75	120	50	TD37017A-14S	TD37017A-26S	TD37017A-38S
	1.75	240	200	TD37017A-14S	TD37017A-26S	TD37017A-38S
	2	120	50	TD37020A-14S	TD37020A-26S	TD37020A-38S
	2	120	75	TD37020B-14S	TD37020B-26S	TD37020B-38S
	2	120	100	TD37020C-14S	TD37020C-26S	TD37020C-38S
	2	240	100	TD37020D-14S	TD37020D-26S	TD37020D-38S
	2	120	150	TD37020E-14S	TD37020E-26S	TD37020E-38S
	2	240	150	TD37020F-14S	TD37020F-26S	TD37020F-38S
	2	120	200	TD37020G-14S	TD37020G-26S	TD37020G-38S
	2	240	200	TD37020A-14S	TD37020A-26S	TD37020A-38S
	2	120	250	TD37020M-14S	TD37020M-26S	TD37020M-38S
	2	240	250	TD37020J-14S	TD37020J-26S	TD37020J-38S
	2	120	300	TD37020K-14S	TD37020K-26S	TD37020K-38S
	2	240	300	TD37020B-14S	TD37020B-26S	TD37020B-38S
	2.5	120	250	TD37025A-14S	TD37025A-26S	TD37025A-38S
	2.5	240	250	TD37025B-14S	TD37025B-26S	TD37025B-38S
	3	120	100	TD37030A-14S	TD37030A-26S	TD37030A-38S
	3	120	125	TD37030B-14S	TD37030B-26S	TD37030B-38S
	3	120	150	TD37030K-14S	TD37030K-26S	TD37030K-38S
	3	240	150	TD37030L-14S	TD37030L-26S	TD37030L-38S
	3	120	200	TD37030C-14S	TD37030C-26S	TD37030C-38S
	3	240	200	TD37030D-14S	TD37030D-26S	TD37030D-38S
	3	120	250	TD37030E-14S	TD37030E-26S	TD37030E-38S
	3	240	250	TD37030F-14S	TD37030F-26S	TD37030F-38S
	3	120	300	TD37030G-14S	TD37030G-26S	TD37030G-38S
	3	240	300	TD37030H-14S	TD37030H-26S	TD37030H-38S
	3	120	400	TD37030J-14S	TD37030J-26S	TD37030J-38S
	3	240	400	TD37030A-14S	TD37030A-26S	TD37030A-38S
	3	120	500	TD37030L-14S	TD37030L-26S	TD37030L-38S
	3	240	500	TD37030B-14S	TD37030B-26S	TD37030B-38S
	3.5	120	75	TD37035A-14S	TD37035A-26S	TD37035A-38S
	3.5	120	125	TD37035D-14S	TD37035D-26S	TD37035D-38S
	3.5	120	300	TD37035B-14S	TD37035B-26S	TD37035B-38S
	3.5	240	300	TD37035A-14S	TD37035A-26S	TD37035A-38S
	3.5	120	500	TD37035C-14S	TD37035C-26S	TD37035C-38S
	3.5	240	500	TD37035D-14S	TD37035D-26S	TD37035D-38S

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	4	120	125	TD37040A-14S	TD37040A-26S	TD37040A-38S
	4	120	150	TD37040B-14S	TD37040B-26S	TD37040B-38S
	4	240	150	TD37040H-14S	TD37040H-26S	TD37040H-38S
	4	120	250	TD37040C-14S	TD37040C-26S	TD37040C-38S
	4	240	250	TD37040D-14S	TD37040D-26S	TD37040D-38S
	4	120	400	TD37040E-14S	TD37040E-26S	TD37040E-38S
	4	240	400	TD37040F-14S	TD37040F-26S	TD37040F-38S
	4	120	500	TD37040G-14S	TD37040G-26S	TD37040G-38S
	4	240	500	TD37040A-14S	TD37040A-26S	TD37040A-38S
	4	240	600	TD37040B-14S	TD37040B-26S	TD37040B-38S
	4.5	120	125	TD37045A-14S	TD37045A-26S	TD37045A-38S
	4.5	120	300	TD37045B-14S	TD37045B-26S	TD37045B-38S
	4.5	120	500	TD37045C-14S	TD37045C-26S	TD37045C-38S
	4.5	240	500	TD37045A-14S	TD37045A-26S	TD37045A-38S
	5	120	100	TD37050E-14S	TD37050E-26S	TD37050E-38S
	5	120	125	TD37050N-14S	TD37050N-26S	TD37050N-38S
	5	120	150	TD37050B-14S	TD37050B-26S	TD37050B-38S
	5	240	150	TD37050J-14S	TD37050J-26S	TD37050J-38S
	5	120	200	TD37050H-14S	TD37050H-26S	TD37050H-38S
	5	120	250	TD37050C-14S	TD37050C-26S	TD37050C-38S
	5	120	300	TD37050K-14S	TD37050K-26S	TD37050K-38S
	5	240	300	TD37050L-14S	TD37050L-26S	TD37050L-38S
	5	120	400	TD37050D-14S	TD37050D-26S	TD37050D-38S
	5	240	400	TD37050E-14S	TD37050E-26S	TD37050E-38S
	5	120	500	TD37050M-14S	TD37050M-26S	TD37050M-38S
	5	240	500	TD37050N-14S	TD37050N-26S	TD37050N-38S
	5	120	600	TD37050F-14S	TD37050F-26S	TD37050F-38S
	5	240	600	TD37050B-14S	TD37050B-26S	TD37050B-38S
	5	240	800	TD37050H-14S	TD37050H-26S	TD37050H-38S
	5	240	1000	TD37050C-14S	TD37050C-26S	TD37050C-38S
	6	120	100	TD37060E-14S	TD37060E-26S	TD37060E-38S
	6	120	125	TD37060K-14S	TD37060K-26S	TD37060K-38S
	6	120	150	TD37060A-14S	TD37060A-26S	TD37060A-38S
	6	120	200	TD37060B-14S	TD37060B-26S	TD37060B-38S
	6	120	250	TD37060C-14S	TD37060C-26S	TD37060C-38S
	6	240	250	TD37060F-14S	TD37060F-26S	TD37060F-38S
	6	120	300	TD37060G-14S	TD37060G-26S	TD37060G-38S
	6	240	300	TD37060H-14S	TD37060H-26S	TD37060H-38S
	6	120	400	TD37060D-14S	TD37060D-26S	TD37060D-38S
	6	240	400	TD37060E-14S	TD37060E-26S	TD37060E-38S
	6	120	500	TD37060J-14S	TD37060J-26S	TD37060J-38S
	6	240	500	TD37060K-14S	TD37060K-26S	TD37060K-38S
	6	240	600	TD37060A-14S	TD37060A-26S	TD37060A-38S
	6	240	800	TD37060B-14S	TD37060B-26S	TD37060B-38S
	6	240	1000	TD37060C-14S	TD37060C-26S	TD37060C-38S
	6.5	120	500	TD37065A-14S	TD37065A-26S	TD37065A-38S
	6.5	240	500	TD37065B-14S	TD37065B-26S	TD37065B-38S

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	7	120	250	TD37070A-14S	TD37070A-26S	TD37070A-38S
	7	120	400	TD37070B-14S	TD37070B-26S	TD37070B-38S
	7	240	400	TD37070C-14S	TD37070C-26S	TD37070C-38S
	7	120	500	TD37070D-14S	TD37070D-26S	TD37070D-38S
	7	240	500	TD37070E-14S	TD37070E-26S	TD37070E-38S
	7	120	600	TD37070F-14S	TD37070F-26S	TD37070F-38S
	7	240	600	TD37070G-14S	TD37070G-26S	TD37070G-38S
	7	240	1000	TD37070A-14S	TD37070A-26S	TD37070A-38S
	7.5	240	500	TD37075A-14S	TD37075A-26S	TD37075A-38S
	8	120	250	TD37080A-14S	TD37080A-26S	TD37080A-38S
	8	120	300	TD37080C-14S	TD37080C-26S	TD37080C-38S
	8	240	300	TD37080D-14S	TD37080D-26S	TD37080D-38S
	8	120	500	TD37080E-14S	TD37080E-26S	TD37080E-38S
	8	240	500	TD37080F-14S	TD37080F-26S	TD37080F-38S
	8	120	600	TD37080H-14S	TD37080H-26S	TD37080H-38S
	8	240	600	TD37080B-14S	TD37080B-26S	TD37080B-38S
	8	240	750	TD37080G-14S	TD37080G-26S	TD37080G-38S
	8	240	1000	TD37080A-14S	TD37080A-26S	TD37080A-38S
	9	120	250	TD37090A-14S	TD37090A-26S	TD37090A-38S
	9	120	400	TD37090B-14S	TD37090B-26S	TD37090B-38S
	9	240	400	TD37090C-14S	TD37090C-26S	TD37090C-38S
	9	240	1000	TD37090A-14S	TD37090A-26S	TD37090A-38S
	10	120	250	TD37100A-14S	TD37100A-26S	TD37100A-38S
	10	120	400	TD37100C-14S	TD37100C-26S	TD37100C-38S
	10	120	600	TD37100D-14S	TD37100D-26S	TD37100D-38S
	10	240	600	TD37100B-14S	TD37100B-26S	TD37100B-38S
	10	240	1000	TD37100A-14S	TD37100A-26S	TD37100A-38S
	11	240	1000	TD37110A-14S	TD37110A-26S	TD37110A-38S
	12	120	250	TD37120A-14S	TD37120A-26S	TD37120A-38S
	12	120	500	TD37120D-14S	TD37120D-26S	TD37120D-38S
	12	240	500	TD37120E-14S	TD37120E-26S	TD37120E-38S
	12	120	600	TD37120F-14S	TD37120F-26S	TD37120F-38S
	12	240	600	TD37120B-14S	TD37120B-26S	TD37120B-38S
	12	240	750	TD37120G-14S	TD37120G-26S	TD37120G-38S
	12	240	1000	TD37120A-14S	TD37120A-26S	TD37120A-38S
	12	240	1500	TD37120C-14S	TD37120C-26S	TD37120C-38S
	14	240	600	TD37140A-14S	TD37140A-26S	TD37140A-38S
	14	240	1000	TD37140B-14S	TD37140B-26S	TD37140B-38S
	15	240	1000	TD37150A-14S	TD37150A-26S	TD37150A-38S
	16	240	1000	TD37160A-14S	TD37160A-26S	TD37160A-38S
	21	240	1000	TD37210A-14S	TD37210A-26S	TD37210A-38S

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
1	1.31	240	100	TD37010A-14R	TD37010A-26R	TD37010A-38R
1.25	1.56	240	100	TD37012A-14R	TD37012A-26R	TD37012A-38R
1.25	1.56	240	150	TD37012B-14R	TD37012B-26R	TD37012B-38R
1.5	1.81	120	50	TD37015A-14R	TD37015A-26R	TD37015A-38R
1.5	1.81	120	100	TD37015B-14R	TD37015B-26R	TD37015B-38R
1.5	1.81	240	100	TD37015C-14R	TD37015C-26R	TD37015C-38R
1.5	1.81	120	150	TD37015D-14R	TD37015D-26R	TD37015D-38R
1.5	1.81	240	150	TD37015E-14R	TD37015E-26R	TD37015E-38R
1.5	1.81	120	200	TD37015F-14R	TD37015F-26R	TD37015F-38R
1.5	1.81	240	200	TD37015A-14R	TD37015A-26R	TD37015A-38R
1.5	1.81	120	250	TD37015H-14R	TD37015H-26R	TD37015H-38R
1.5	1.81	240	250	TD37015J-14R	TD37015J-26R	TD37015J-38R
1.75	2.06	120	50	TD37017A-14R	TD37017A-26R	TD37017A-38R
1.75	2.06	240	200	TD37017A-14R	TD37017A-26R	TD37017A-38R
2	2.31	120	50	TD37020A-14R	TD37020A-26R	TD37020A-38R
2	2.31	120	75	TD37020B-14R	TD37020B-26R	TD37020B-38R
2	2.31	120	100	TD37020C-14R	TD37020C-26R	TD37020C-38R
2	2.31	240	100	TD37020D-14R	TD37020D-26R	TD37020D-38R
2	2.31	120	150	TD37020E-14R	TD37020E-26R	TD37020E-38R
2	2.31	240	150	TD37020F-14R	TD37020F-26R	TD37020F-38R
2	2.31	120	200	TD37020G-14R	TD37020G-26R	TD37020G-38R
2	2.31	240	200	TD37020A-14R	TD37020A-26R	TD37020A-38R
2	2.31	120	250	TD37020M-14R	TD37020M-26R	TD37020M-38R
2	2.31	240	250	TD37020J-14R	TD37020J-26R	TD37020J-38R
2	2.31	120	300	TD37020K-14R	TD37020K-26R	TD37020K-38R
2	2.31	240	300	TD37020B-14R	TD37020B-26R	TD37020B-38R
2.5	2.81	120	250	TD37025A-14R	TD37025A-26R	TD37025A-38R
2.5	2.81	240	250	TD37025B-14R	TD37025B-26R	TD37025B-38R
3	3.31	120	100	TD37030A-14R	TD37030A-26R	TD37030A-38R
3	3.31	120	125	TD37030B-14R	TD37030B-26R	TD37030B-38R
3	3.31	120	150	TD37030K-14R	TD37030K-26R	TD37030K-38R
3	3.31	240	150	TD37030L-14R	TD37030L-26R	TD37030L-38R
3	3.31	120	200	TD37030C-14R	TD37030C-26R	TD37030C-38R
3	3.31	240	200	TD37030D-14R	TD37030D-26R	TD37030D-38R
3	3.31	120	250	TD37030E-14R	TD37030E-26R	TD37030E-38R
3	3.31	240	250	TD37030F-14R	TD37030F-26R	TD37030F-38R
3	3.31	120	300	TD37030G-14R	TD37030G-26R	TD37030G-38R
3	3.31	240	300	TD37030H-14R	TD37030H-26R	TD37030H-38R
3	3.31	120	400	TD37030J-14R	TD37030J-26R	TD37030J-38R
3	3.31	240	400	TD37030A-14R	TD37030A-26R	TD37030A-38R
3	3.31	120	500	TD37030L-14R	TD37030L-26R	TD37030L-38R
3	3.31	240	500	TD37030B-14R	TD37030B-26R	TD37030B-38R
3.5	3.81	120	75	TD37035A-14R	TD37035A-26R	TD37035A-38R
3.5	3.81	120	125	TD37035D-14R	TD37035D-26R	TD37035D-38R
3.5	3.81	120	300	TD37035B-14R	TD37035B-26R	TD37035B-38R
3.5	3.81	240	300	TD37035A-14R	TD37035A-26R	TD37035A-38R
3.5	3.81	120	500	TD37035C-14R	TD37035C-26R	TD37035C-38R
3.5	3.81	240	500	TD37035D-14R	TD37035D-26R	TD37035D-38R

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
4	4.31	120	125	TD37040A-14R	TD37040A-26R	TD37040A-38R
4	4.31	120	150	TD37040B-14R	TD37040B-26R	TD37040B-38R
4	4.31	240	150	TD37040H-14R	TD37040H-26R	TD37040H-38R
4	4.31	120	250	TD37040C-14R	TD37040C-26R	TD37040C-38R
4	4.31	240	250	TD37040D-14R	TD37040D-26R	TD37040D-38R
4	4.31	120	400	TD37040E-14R	TD37040E-26R	TD37040E-38R
4	4.31	240	400	TD37040F-14R	TD37040F-26R	TD37040F-38R
4	4.31	120	500	TD37040G-14R	TD37040G-26R	TD37040G-38R
4	4.31	240	500	TD37040A-14R	TD37040A-26R	TD37040A-38R
4	4.31	240	600	TD37040B-14R	TD37040B-26R	TD37040B-38R
4.5	4.81	120	125	TD37045A-14R	TD37045A-26R	TD37045A-38R
4.5	4.81	120	300	TD37045B-14R	TD37045B-26R	TD37045B-38R
4.5	4.81	120	500	TD37045C-14R	TD37045C-26R	TD37045C-38R
4.5	4.81	240	500	TD37045A-14R	TD37045A-26R	TD37045A-38R
5	5.31	120	100	TD37050E-14R	TD37050E-26R	TD37050E-38R
5	5.31	120	125	TD37050N-14R	TD37050N-26R	TD37050N-38R
5	5.31	120	150	TD37050B-14R	TD37050B-26R	TD37050B-38R
5	5.31	240	150	TD37050J-14R	TD37050J-26R	TD37050J-38R
5	5.31	120	200	TD37050H-14R	TD37050H-26R	TD37050H-38R
5	5.31	120	250	TD37050C-14R	TD37050C-26R	TD37050C-38R
5	5.31	120	300	TD37050K-14R	TD37050K-26R	TD37050K-38R
5	5.31	240	300	TD37050L-14R	TD37050L-26R	TD37050L-38R
5	5.31	120	400	TD37050D-14R	TD37050D-26R	TD37050D-38R
5	5.31	240	400	TD37050E-14R	TD37050E-26R	TD37050E-38R
5	5.31	120	500	TD37050M-14R	TD37050M-26R	TD37050M-38R
5	5.31	240	500	TD37050N-14R	TD37050N-26R	TD37050N-38R
5	5.31	120	600	TD37050F-14R	TD37050F-26R	TD37050F-38R
5	5.31	240	600	TD37050B-14R	TD37050B-26R	TD37050B-38R
5	5.31	240	800	TD37050H-14R	TD37050H-26R	TD37050H-38R
5	5.31	240	1000	TD37050C-14R	TD37050C-26R	TD37050C-38R
6	6.31	120	100	TD37060E-14R	TD37060E-26R	TD37060E-38R
6	6.31	120	125	TD37060K-14R	TD37060K-26R	TD37060K-38R
6	6.31	120	150	TD37060A-14R	TD37060A-26R	TD37060A-38R
6	6.31	120	200	TD37060B-14R	TD37060B-26R	TD37060B-38R
6	6.31	120	250	TD37060C-14R	TD37060C-26R	TD37060C-38R
6	6.31	240	250	TD37060F-14R	TD37060F-26R	TD37060F-38R
6	6.31	120	300	TD37060G-14R	TD37060G-26R	TD37060G-38R
6	6.31	240	300	TD37060H-14R	TD37060H-26R	TD37060H-38R
6	6.31	120	400	TD37060D-14R	TD37060D-26R	TD37060D-38R
6	6.31	240	400	TD37060E-14R	TD37060E-26R	TD37060E-38R
6	6.31	120	500	TD37060J-14R	TD37060J-26R	TD37060J-38R
6	6.31	240	500	TD37060K-14R	TD37060K-26R	TD37060K-38R
6	6.31	240	600	TD37060A-14R	TD37060A-26R	TD37060A-38R
6	6.31	240	800	TD37060B-14R	TD37060B-26R	TD37060B-38R
6	6.31	240	1000	TD37060C-14R	TD37060C-26R	TD37060C-38R
6.5	6.81	120	500	TD37065A-14R	TD37065A-26R	TD37065A-38R
6.5	6.81	240	500	TD37065B-14R	TD37065B-26R	TD37065B-38R

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
7	7.31	120	250	TD37070A-14R	TD37070A-26R	TD37070A-38R
7	7.31	120	400	TD37070B-14R	TD37070B-26R	TD37070B-38R
7	7.31	240	400	TD37070C-14R	TD37070C-26R	TD37070C-38R
7	7.31	120	500	TD37070D-14R	TD37070D-26R	TD37070D-38R
7	7.31	240	500	TD37070E-14R	TD37070E-26R	TD37070E-38R
7	7.31	120	600	TD37070F-14R	TD37070F-26R	TD37070F-38R
7	7.31	240	600	TD37070G-14R	TD37070G-26R	TD37070G-38R
7	7.31	240	1000	TD37070A-14R	TD37070A-26R	TD37070A-38R
7.5	7.81	240	500	TD37075A-14R	TD37075A-26R	TD37075A-38R
8	8.31	120	250	TD37080A-14R	TD37080A-26R	TD37080A-38R
8	8.31	120	300	TD37080C-14R	TD37080C-26R	TD37080C-38R
8	8.31	240	300	TD37080D-14R	TD37080D-26R	TD37080D-38R
8	8.31	120	500	TD37080E-14R	TD37080E-26R	TD37080E-38R
8	8.31	240	500	TD37080F-14R	TD37080F-26R	TD37080F-38R
8	8.31	120	600	TD37080H-14R	TD37080H-26R	TD37080H-38R
8	8.31	240	600	TD37080B-14R	TD37080B-26R	TD37080B-38R
8	8.31	240	750	TD37080G-14R	TD37080G-26R	TD37080G-38R
8	8.31	240	1000	TD37080A-14R	TD37080A-26R	TD37080A-38R
9	9.31	120	250	TD37090A-14R	TD37090A-26R	TD37090A-38R
9	9.31	120	400	TD37090B-14R	TD37090B-26R	TD37090B-38R
9	9.31	240	400	TD37090C-14R	TD37090C-26R	TD37090C-38R
9	9.31	240	1000	TD37090A-14R	TD37090A-26R	TD37090A-38R
10	10.31	120	250	TD37100A-14R	TD37100A-26R	TD37100A-38R
10	10.31	120	400	TD37100C-14R	TD37100C-26R	TD37100C-38R
10	10.31	120	600	TD37100D-14R	TD37100D-26R	TD37100D-38R
10	10.31	240	600	TD37100B-14R	TD37100B-26R	TD37100B-38R
10	10.31	240	1000	TD37100A-14R	TD37100A-26R	TD37100A-38R
11	11.31	240	1000	TD37110A-14R	TD37110A-26R	TD37110A-38R
12	12.31	120	250	TD37120A-14R	TD37120A-26R	TD37120A-38R
12	12.31	120	500	TD37120D-14R	TD37120D-26R	TD37120D-38R
12	12.31	240	500	TD37120E-14R	TD37120E-26R	TD37120E-38R
12	12.31	120	600	TD37120F-14R	TD37120F-26R	TD37120F-38R
12	12.31	240	600	TD37120B-14R	TD37120B-26R	TD37120B-38R
12	12.31	240	750	TD37120G-14R	TD37120G-26R	TD37120G-38R
12	12.31	240	1000	TD37120A-14R	TD37120A-26R	TD37120A-38R
12	12.31	240	1500	TD37120C-14R	TD37120C-26R	TD37120C-38R
14	14.31	240	600	TD37140A-14R	TD37140A-26R	TD37140A-38R
14	14.31	240	1000	TD37140B-14R	TD37140B-26R	TD37140B-38R
15	15.31	240	1000	TD37150A-14R	TD37150A-26R	TD37150A-38R
16	16.31	240	1000	TD37160A-14R	TD37160A-26R	TD37160A-38R
21	21.31	240	1000	TD37210A-14R	TD37210A-26R	TD37210A-38R

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Braid	26" Leads w/ 24" S/S Braid	38" Leads w/ 36" S/S Braid
1	1.31	240	100	TD37010A-14B12	TD37010A-26B24	TD37010A-38B36
1.25	1.56	240	100	TD37012A-14B12	TD37012A-26B24	TD37012A-38B36
1.25	1.56	240	150	TD37012B-14B12	TD37012B-26B24	TD37012B-38B36
1.5	1.81	120	50	TD37015A-14B12	TD37015A-26B24	TD37015A-38B36
1.5	1.81	120	100	TD37015B-14B12	TD37015B-26B24	TD37015B-38B36
1.5	1.81	240	100	TD37015C-14B12	TD37015C-26B24	TD37015C-38B36
1.5	1.81	120	150	TD37015D-14B12	TD37015D-26B24	TD37015D-38B36
1.5	1.81	240	150	TD37015E-14B12	TD37015E-26B24	TD37015E-38B36
1.5	1.81	120	200	TD37015F-14B12	TD37015F-26B24	TD37015F-38B36
1.5	1.81	240	200	TD37015A-14B12	TD37015A-26B24	TD37015A-38B36
1.5	1.81	120	250	TD37015H-14B12	TD37015H-26B24	TD37015H-38B36
1.5	1.81	240	250	TD37015J-14B12	TD37015J-26B24	TD37015J-38B36
1.75	2.06	120	50	TD37017A-14B12	TD37017A-26B24	TD37017A-38B36
1.75	2.06	240	200	TD37017A-14B12	TD37017A-26B24	TD37017A-38B36
2	2.31	120	50	TD37020A-14B12	TD37020A-26B24	TD37020A-38B36
2	2.31	120	75	TD37020B-14B12	TD37020B-26B24	TD37020B-38B36
2	2.31	120	100	TD37020C-14B12	TD37020C-26B24	TD37020C-38B36
2	2.31	240	100	TD37020D-14B12	TD37020D-26B24	TD37020D-38B36
2	2.31	120	150	TD37020E-14B12	TD37020E-26B24	TD37020E-38B36
2	2.31	240	150	TD37020F-14B12	TD37020F-26B24	TD37020F-38B36
2	2.31	120	200	TD37020G-14B12	TD37020G-26B24	TD37020G-38B36
2	2.31	240	200	TD37020A-14B12	TD37020A-26B24	TD37020A-38B36
2	2.31	120	250	TD37020M-14B12	TD37020M-26B24	TD37020M-38B36
2	2.31	240	250	TD37020J-14B12	TD37020J-26B24	TD37020J-38B36
2	2.31	120	300	TD37020K-14B12	TD37020K-26B24	TD37020K-38B36
2	2.31	240	300	TD37020B-14B12	TD37020B-26B24	TD37020B-38B36
2.5	2.81	120	250	TD37025A-14B12	TD37025A-26B24	TD37025A-38B36
2.5	2.81	240	250	TD37025B-14B12	TD37025B-26B24	TD37025B-38B36
3	3.31	120	100	TD37030A-14B12	TD37030A-26B24	TD37030A-38B36
3	3.31	120	125	TD37030B-14B12	TD37030B-26B24	TD37030B-38B36
3	3.31	120	150	TD37030K-14B12	TD37030K-26B24	TD37030K-38B36
3	3.31	240	150	TD37030L-14B12	TD37030L-26B24	TD37030L-38B36
3	3.31	120	200	TD37030C-14B12	TD37030C-26B24	TD37030C-38B36
3	3.31	240	200	TD37030D-14B12	TD37030D-26B24	TD37030D-38B36
3	3.31	120	250	TD37030E-14B12	TD37030E-26B24	TD37030E-38B36
3	3.31	240	250	TD37030F-14B12	TD37030F-26B24	TD37030F-38B36
3	3.31	120	300	TD37030G-14B12	TD37030G-26B24	TD37030G-38B36
3	3.31	240	300	TD37030H-14B12	TD37030H-26B24	TD37030H-38B36
3	3.31	120	400	TD37030J-14B12	TD37030J-26B24	TD37030J-38B36
3	3.31	240	400	TD37030A-14B12	TD37030A-26B24	TD37030A-38B36
3	3.31	120	500	TD37030L-14B12	TD37030L-26B24	TD37030L-38B36
3	3.31	240	500	TD37030B-14B12	TD37030B-26B24	TD37030B-38B36
3.5	3.81	120	75	TD37035A-14B12	TD37035A-26B24	TD37035A-38B36
3.5	3.81	120	125	TD37035D-14B12	TD37035D-26B24	TD37035D-38B36
3.5	3.81	120	300	TD37035B-14B12	TD37035B-26B24	TD37035B-38B36
3.5	3.81	240	300	TD37035A-14B12	TD37035A-26B24	TD37035A-38B36
3.5	3.81	120	500	TD37035C-14B12	TD37035C-26B24	TD37035C-38B36
3.5	3.81	240	500	TD37035D-14B12	TD37035D-26B24	TD37035D-38B36

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Braid	26" Leads w/ 24" S/S Braid	38" Leads w/ 36" S/S Braid
4	4.31	120	125	TD37040A-14B12	TD37040A-26B24	TD37040A-38B36
4	4.31	120	150	TD37040B-14B12	TD37040B-26B24	TD37040B-38B36
4	4.31	240	150	TD37040H-14B12	TD37040H-26B24	TD37040H-38B36
4	4.31	120	250	TD37040C-14B12	TD37040C-26B24	TD37040C-38B36
4	4.31	240	250	TD37040D-14B12	TD37040D-26B24	TD37040D-38B36
4	4.31	120	400	TD37040E-14B12	TD37040E-26B24	TD37040E-38B36
4	4.31	240	400	TD37040F-14B12	TD37040F-26B24	TD37040F-38B36
4	4.31	120	500	TD37040G-14B12	TD37040G-26B24	TD37040G-38B36
4	4.31	240	500	TD37040A-14B12	TD37040A-26B24	TD37040A-38B36
4	4.31	240	600	TD37040B-14B12	TD37040B-26B24	TD37040B-38B36
4.5	4.81	120	125	TD37045A-14B12	TD37045A-26B24	TD37045A-38B36
4.5	4.81	120	300	TD37045B-14B12	TD37045B-26B24	TD37045B-38B36
4.5	4.81	120	500	TD37045C-14B12	TD37045C-26B24	TD37045C-38B36
4.5	4.81	240	500	TD37045A-14B12	TD37045A-26B24	TD37045A-38B36
5	5.31	120	100	TD37050E-14B12	TD37050E-26B24	TD37050E-38B36
5	5.31	120	125	TD37050N-14B12	TD37050N-26B24	TD37050N-38B36
5	5.31	120	150	TD37050B-14B12	TD37050B-26B24	TD37050B-38B36
5	5.31	240	150	TD37050J-14B12	TD37050J-26B24	TD37050J-38B36
5	5.31	120	200	TD37050H-14B12	TD37050H-26B24	TD37050H-38B36
5	5.31	120	250	TD37050C-14B12	TD37050C-26B24	TD37050C-38B36
5	5.31	120	300	TD37050K-14B12	TD37050K-26B24	TD37050K-38B36
5	5.31	240	300	TD37050L-14B12	TD37050L-26B24	TD37050L-38B36
5	5.31	120	400	TD37050D-14B12	TD37050D-26B24	TD37050D-38B36
5	5.31	240	400	TD37050E-14B12	TD37050E-26B24	TD37050E-38B36
5	5.31	120	500	TD37050M-14B12	TD37050M-26B24	TD37050M-38B36
5	5.31	240	500	TD37050N-14B12	TD37050N-26B24	TD37050N-38B36
5	5.31	120	600	TD37050F-14B12	TD37050F-26B24	TD37050F-38B36
5	5.31	240	600	TD37050B-14B12	TD37050B-26B24	TD37050B-38B36
5	5.31	240	800	TD37050H-14B12	TD37050H-26B24	TD37050H-38B36
5	5.31	240	1000	TD37050C-14B12	TD37050C-26B24	TD37050C-38B36
6	6.31	120	100	TD37060E-14B12	TD37060E-26B24	TD37060E-38B36
6	6.31	120	125	TD37060K-14B12	TD37060K-26B24	TD37060K-38B36
6	6.31	120	150	TD37060A-14B12	TD37060A-26B24	TD37060A-38B36
6	6.31	120	200	TD37060B-14B12	TD37060B-26B24	TD37060B-38B36
6	6.31	120	250	TD37060C-14B12	TD37060C-26B24	TD37060C-38B36
6	6.31	240	250	TD37060F-14B12	TD37060F-26B24	TD37060F-38B36
6	6.31	120	300	TD37060G-14B12	TD37060G-26B24	TD37060G-38B36
6	6.31	240	300	TD37060H-14B12	TD37060H-26B24	TD37060H-38B36
6	6.31	120	400	TD37060D-14B12	TD37060D-26B24	TD37060D-38B36
6	6.31	240	400	TD37060E-14B12	TD37060E-26B24	TD37060E-38B36
6	6.31	120	500	TD37060J-14B12	TD37060J-26B24	TD37060J-38B36
6	6.31	240	500	TD37060K-14B12	TD37060K-26B24	TD37060K-38B36
6	6.31	240	600	TD37060A-14B12	TD37060A-26B24	TD37060A-38B36
6	6.31	240	800	TD37060B-14B12	TD37060B-26B24	TD37060B-38B36
6	6.31	240	1000	TD37060C-14B12	TD37060C-26B24	TD37060C-38B36
6.5	6.81	120	500	TD37065A-14B12	TD37065A-26B24	TD37065A-38B36
6.5	6.81	240	500	TD37065B-14B12	TD37065B-26B24	TD37065B-38B36

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Braid	26" Leads w/ 24" S/S Braid	38" Leads w/ 36" S/S Braid
7	7.31	120	250	TD37070A-14B12	TD37070A-26B24	TD37070A-38B36
7	7.31	120	400	TD37070B-14B12	TD37070B-26B24	TD37070B-38B36
7	7.31	240	400	TD37070C-14B12	TD37070C-26B24	TD37070C-38B36
7	7.31	120	500	TD37070D-14B12	TD37070D-26B24	TD37070D-38B36
7	7.31	240	500	TD37070E-14B12	TD37070E-26B24	TD37070E-38B36
7	7.31	120	600	TD37070F-14B12	TD37070F-26B24	TD37070F-38B36
7	7.31	240	600	TD37070G-14B12	TD37070G-26B24	TD37070G-38B36
7	7.31	240	1000	TD37070A-14B12	TD37070A-26B24	TD37070A-38B36
7.5	7.81	240	500	TD37075A-14B12	TD37075A-26B24	TD37075A-38B36
8	8.31	120	250	TD37080A-14B12	TD37080A-26B24	TD37080A-38B36
8	8.31	120	300	TD37080C-14B12	TD37080C-26B24	TD37080C-38B36
8	8.31	240	300	TD37080D-14B12	TD37080D-26B24	TD37080D-38B36
8	8.31	120	500	TD37080E-14B12	TD37080E-26B24	TD37080E-38B36
8	8.31	240	500	TD37080F-14B12	TD37080F-26B24	TD37080F-38B36
8	8.31	120	600	TD37080H-14B12	TD37080H-26B24	TD37080H-38B36
8	8.31	240	600	TD37080B-14B12	TD37080B-26B24	TD37080B-38B36
8	8.31	240	750	TD37080G-14B12	TD37080G-26B24	TD37080G-38B36
8	8.31	240	1000	TD37080A-14B12	TD37080A-26B24	TD37080A-38B36
9	9.31	120	250	TD37090A-14B12	TD37090A-26B24	TD37090A-38B36
9	9.31	120	400	TD37090B-14B12	TD37090B-26B24	TD37090B-38B36
9	9.31	240	400	TD37090C-14B12	TD37090C-26B24	TD37090C-38B36
9	9.31	240	1000	TD37090A-14B12	TD37090A-26B24	TD37090A-38B36
10	10.31	120	250	TD37100A-14B12	TD37100A-26B24	TD37100A-38B36
10	10.31	120	400	TD37100C-14B12	TD37100C-26B24	TD37100C-38B36
10	10.31	120	600	TD37100D-14B12	TD37100D-26B24	TD37100D-38B36
10	10.31	240	600	TD37100B-14B12	TD37100B-26B24	TD37100B-38B36
10	10.31	240	1000	TD37100A-14B12	TD37100A-26B24	TD37100A-38B36
11	11.31	240	1000	TD37110A-14B12	TD37110A-26B24	TD37110A-38B36
12	12.31	120	250	TD37120A-14B12	TD37120A-26B24	TD37120A-38B36
12	12.31	120	500	TD37120D-14B12	TD37120D-26B24	TD37120D-38B36
12	12.31	240	500	TD37120E-14B12	TD37120E-26B24	TD37120E-38B36
12	12.31	120	600	TD37120F-14B12	TD37120F-26B24	TD37120F-38B36
12	12.31	240	600	TD37120B-14B12	TD37120B-26B24	TD37120B-38B36
12	12.31	240	750	TD37120G-14B12	TD37120G-26B24	TD37120G-38B36
12	12.31	240	1000	TD37120A-14B12	TD37120A-26B24	TD37120A-38B36
12	12.31	240	1500	TD37120C-14B12	TD37120C-26B24	TD37120C-38B36
14	14.31	240	600	TD37140A-14B12	TD37140A-26B24	TD37140A-38B36
14	14.31	240	1000	TD37140B-14B12	TD37140B-26B24	TD37140B-38B36
15	15.31	240	1000	TD37150A-14B12	TD37150A-26B24	TD37150A-38B36
16	16.31	240	1000	TD37160A-14B12	TD37160A-26B24	TD37160A-38B36
21	21.31	240	1000	TD37210A-14B12	TD37210A-26B24	TD37210A-38B36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
1	1.31	240	100	TD37010A-14A12	TD37010A-26A24	TD37010A-38A36
1.25	1.56	240	100	TD37012A-14A12	TD37012A-26A24	TD37012A-38A36
1.25	1.56	240	150	TD37012B-14A12	TD37012B-26A24	TD37012B-38A36
1.5	1.81	120	50	TD37015A-14A12	TD37015A-26A24	TD37015A-38A36
1.5	1.81	120	100	TD37015B-14A12	TD37015B-26A24	TD37015B-38A36
1.5	1.81	240	100	TD37015C-14A12	TD37015C-26A24	TD37015C-38A36
1.5	1.81	120	150	TD37015D-14A12	TD37015D-26A24	TD37015D-38A36
1.5	1.81	240	150	TD37015E-14A12	TD37015E-26A24	TD37015E-38A36
1.5	1.81	120	200	TD37015F-14A12	TD37015F-26A24	TD37015F-38A36
1.5	1.81	240	200	TD37015A-14A12	TD37015A-26A24	TD37015A-38A36
1.5	1.81	120	250	TD37015H-14A12	TD37015H-26A24	TD37015H-38A36
1.5	1.81	240	250	TD37015J-14A12	TD37015J-26A24	TD37015J-38A36
1.75	2.06	120	50	TD37017A-14A12	TD37017A-26A24	TD37017A-38A36
1.75	2.06	240	200	TD37017A-14A12	TD37017A-26A24	TD37017A-38A36
2	2.31	120	50	TD37020A-14A12	TD37020A-26A24	TD37020A-38A36
2	2.31	120	75	TD37020B-14A12	TD37020B-26A24	TD37020B-38A36
2	2.31	120	100	TD37020C-14A12	TD37020C-26A24	TD37020C-38A36
2	2.31	240	100	TD37020D-14A12	TD37020D-26A24	TD37020D-38A36
2	2.31	120	150	TD37020E-14A12	TD37020E-26A24	TD37020E-38A36
2	2.31	240	150	TD37020F-14A12	TD37020F-26A24	TD37020F-38A36
2	2.31	120	200	TD37020G-14A12	TD37020G-26A24	TD37020G-38A36
2	2.31	240	200	TD37020A-14A12	TD37020A-26A24	TD37020A-38A36
2	2.31	120	250	TD37020M-14A12	TD37020M-26A24	TD37020M-38A36
2	2.31	240	250	TD37020J-14A12	TD37020J-26A24	TD37020J-38A36
2	2.31	120	300	TD37020K-14A12	TD37020K-26A24	TD37020K-38A36
2	2.31	240	300	TD37020B-14A12	TD37020B-26A24	TD37020B-38A36
2.5	2.81	120	250	TD37025A-14A12	TD37025A-26A24	TD37025A-38A36
2.5	2.81	240	250	TD37025B-14A12	TD37025B-26A24	TD37025B-38A36
3	3.31	120	100	TD37030A-14A12	TD37030A-26A24	TD37030A-38A36
3	3.31	120	125	TD37030B-14A12	TD37030B-26A24	TD37030B-38A36
3	3.31	120	150	TD37030K-14A12	TD37030K-26A24	TD37030K-38A36
3	3.31	240	150	TD37030L-14A12	TD37030L-26A24	TD37030L-38A36
3	3.31	120	200	TD37030C-14A12	TD37030C-26A24	TD37030C-38A36
3	3.31	240	200	TD37030D-14A12	TD37030D-26A24	TD37030D-38A36
3	3.31	120	250	TD37030E-14A12	TD37030E-26A24	TD37030E-38A36
3	3.31	240	250	TD37030F-14A12	TD37030F-26A24	TD37030F-38A36
3	3.31	120	300	TD37030G-14A12	TD37030G-26A24	TD37030G-38A36
3	3.31	240	300	TD37030H-14A12	TD37030H-26A24	TD37030H-38A36
3	3.31	120	400	TD37030J-14A12	TD37030J-26A24	TD37030J-38A36
3	3.31	240	400	TD37030A-14A12	TD37030A-26A24	TD37030A-38A36
3	3.31	120	500	TD37030L-14A12	TD37030L-26A24	TD37030L-38A36
3	3.31	240	500	TD37030B-14A12	TD37030B-26A24	TD37030B-38A36
3.5	3.81	120	75	TD37035A-14A12	TD37035A-26A24	TD37035A-38A36
3.5	3.81	120	125	TD37035D-14A12	TD37035D-26A24	TD37035D-38A36
3.5	3.81	120	300	TD37035B-14A12	TD37035B-26A24	TD37035B-38A36
3.5	3.81	240	300	TD37035A-14A12	TD37035A-26A24	TD37035A-38A36
3.5	3.81	120	500	TD37035C-14A12	TD37035C-26A24	TD37035C-38A36
3.5	3.81	240	500	TD37035D-14A12	TD37035D-26A24	TD37035D-38A36

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
4	4.31	120	125	TD37040A-14A12	TD37040A-26A24	TD37040A-38A36
4	4.31	120	150	TD37040B-14A12	TD37040B-26A24	TD37040B-38A36
4	4.31	240	150	TD37040H-14A12	TD37040H-26A24	TD37040H-38A36
4	4.31	120	250	TD37040C-14A12	TD37040C-26A24	TD37040C-38A36
4	4.31	240	250	TD37040D-14A12	TD37040D-26A24	TD37040D-38A36
4	4.31	120	400	TD37040E-14A12	TD37040E-26A24	TD37040E-38A36
4	4.31	240	400	TD37040F-14A12	TD37040F-26A24	TD37040F-38A36
4	4.31	120	500	TD37040G-14A12	TD37040G-26A24	TD37040G-38A36
4	4.31	240	500	TD37040A-14A12	TD37040A-26A24	TD37040A-38A36
4	4.31	240	600	TD37040B-14A12	TD37040B-26A24	TD37040B-38A36
4.5	4.81	120	125	TD37045A-14A12	TD37045A-26A24	TD37045A-38A36
4.5	4.81	120	300	TD37045B-14A12	TD37045B-26A24	TD37045B-38A36
4.5	4.81	120	500	TD37045C-14A12	TD37045C-26A24	TD37045C-38A36
4.5	4.81	240	500	TD37045A-14A12	TD37045A-26A24	TD37045A-38A36
5	5.31	120	100	TD37050E-14A12	TD37050E-26A24	TD37050E-38A36
5	5.31	120	125	TD37050N-14A12	TD37050N-26A24	TD37050N-38A36
5	5.31	120	150	TD37050B-14A12	TD37050B-26A24	TD37050B-38A36
5	5.31	240	150	TD37050J-14A12	TD37050J-26A24	TD37050J-38A36
5	5.31	120	200	TD37050H-14A12	TD37050H-26A24	TD37050H-38A36
5	5.31	120	250	TD37050C-14A12	TD37050C-26A24	TD37050C-38A36
5	5.31	120	300	TD37050K-14A12	TD37050K-26A24	TD37050K-38A36
5	5.31	240	300	TD37050L-14A12	TD37050L-26A24	TD37050L-38A36
5	5.31	120	400	TD37050D-14A12	TD37050D-26A24	TD37050D-38A36
5	5.31	240	400	TD37050E-14A12	TD37050E-26A24	TD37050E-38A36
5	5.31	120	500	TD37050M-14A12	TD37050M-26A24	TD37050M-38A36
5	5.31	240	500	TD37050N-14A12	TD37050N-26A24	TD37050N-38A36
5	5.31	120	600	TD37050F-14A12	TD37050F-26A24	TD37050F-38A36
5	5.31	240	600	TD37050B-14A12	TD37050B-26A24	TD37050B-38A36
5	5.31	240	800	TD37050H-14A12	TD37050H-26A24	TD37050H-38A36
5	5.31	240	1000	TD37050C-14A12	TD37050C-26A24	TD37050C-38A36
6	6.31	120	100	TD37060E-14A12	TD37060E-26A24	TD37060E-38A36
6	6.31	120	125	TD37060K-14A12	TD37060K-26A24	TD37060K-38A36
6	6.31	120	150	TD37060A-14A12	TD37060A-26A24	TD37060A-38A36
6	6.31	120	200	TD37060B-14A12	TD37060B-26A24	TD37060B-38A36
6	6.31	120	250	TD37060C-14A12	TD37060C-26A24	TD37060C-38A36
6	6.31	240	250	TD37060F-14A12	TD37060F-26A24	TD37060F-38A36
6	6.31	120	300	TD37060G-14A12	TD37060G-26A24	TD37060G-38A36
6	6.31	240	300	TD37060H-14A12	TD37060H-26A24	TD37060H-38A36
6	6.31	120	400	TD37060D-14A12	TD37060D-26A24	TD37060D-38A36
6	6.31	240	400	TD37060E-14A12	TD37060E-26A24	TD37060E-38A36
6	6.31	120	500	TD37060J-14A12	TD37060J-26A24	TD37060J-38A36
6	6.31	240	500	TD37060K-14A12	TD37060K-26A24	TD37060K-38A36
6	6.31	240	600	TD37060A-14A12	TD37060A-26A24	TD37060A-38A36
6	6.31	240	800	TD37060B-14A12	TD37060B-26A24	TD37060B-38A36
6	6.31	240	1000	TD37060C-14A12	TD37060C-26A24	TD37060C-38A36
6.5	6.81	120	500	TD37065A-14A12	TD37065A-26A24	TD37065A-38A36
6.5	6.81	240	500	TD37065B-14A12	TD37065B-26A24	TD37065B-38A36

Continued

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
7	7.31	120	250	TD37070A-14A12	TD37070A-26A24	TD37070A-38A36
7	7.31	120	400	TD37070B-14A12	TD37070B-26A24	TD37070B-38A36
7	7.31	240	400	TD37070C-14A12	TD37070C-26A24	TD37070C-38A36
7	7.31	120	500	TD37070D-14A12	TD37070D-26A24	TD37070D-38A36
7	7.31	240	500	TD37070E-14A12	TD37070E-26A24	TD37070E-38A36
7	7.31	120	600	TD37070F-14A12	TD37070F-26A24	TD37070F-38A36
7	7.31	240	600	TD37070G-14A12	TD37070G-26A24	TD37070G-38A36
7	7.31	240	1000	TD37070A-14A12	TD37070A-26A24	TD37070A-38A36
7.5	7.81	240	500	TD37075A-14A12	TD37075A-26A24	TD37075A-38A36
8	8.31	120	250	TD37080A-14A12	TD37080A-26A24	TD37080A-38A36
8	8.31	120	300	TD37080C-14A12	TD37080C-26A24	TD37080C-38A36
8	8.31	240	300	TD37080D-14A12	TD37080D-26A24	TD37080D-38A36
8	8.31	120	500	TD37080E-14A12	TD37080E-26A24	TD37080E-38A36
8	8.31	240	500	TD37080F-14A12	TD37080F-26A24	TD37080F-38A36
8	8.31	120	600	TD37080H-14A12	TD37080H-26A24	TD37080H-38A36
8	8.31	240	600	TD37080B-14A12	TD37080B-26A24	TD37080B-38A36
8	8.31	240	750	TD37080G-14A12	TD37080G-26A24	TD37080G-38A36
8	8.31	240	1000	TD37080A-14A12	TD37080A-26A24	TD37080A-38A36
9	9.31	120	250	TD37090A-14A12	TD37090A-26A24	TD37090A-38A36
9	9.31	120	400	TD37090B-14A12	TD37090B-26A24	TD37090B-38A36
9	9.31	240	400	TD37090C-14A12	TD37090C-26A24	TD37090C-38A36
9	9.31	240	1000	TD37090A-14A12	TD37090A-26A24	TD37090A-38A36
10	10.31	120	250	TD37100A-14A12	TD37100A-26A24	TD37100A-38A36
10	10.31	120	400	TD37100C-14A12	TD37100C-26A24	TD37100C-38A36
10	10.31	120	600	TD37100D-14A12	TD37100D-26A24	TD37100D-38A36
10	10.31	240	600	TD37100B-14A12	TD37100B-26A24	TD37100B-38A36
10	10.31	240	1000	TD37100A-14A12	TD37100A-26A24	TD37100A-38A36
11	11.31	240	1000	TD37110A-14A12	TD37110A-26A24	TD37110A-38A36
12	12.31	120	250	TD37120A-14A12	TD37120A-26A24	TD37120A-38A36
12	12.31	120	500	TD37120D-14A12	TD37120D-26A24	TD37120D-38A36
12	12.31	240	500	TD37120E-14A12	TD37120E-26A24	TD37120E-38A36
12	12.31	120	600	TD37120F-14A12	TD37120F-26A24	TD37120F-38A36
12	12.31	240	600	TD37120B-14A12	TD37120B-26A24	TD37120B-38A36
12	12.31	240	750	TD37120G-14A12	TD37120G-26A24	TD37120G-38A36
12	12.31	240	1000	TD37120A-14A12	TD37120A-26A24	TD37120A-38A36
12	12.31	240	1500	TD37120C-14A12	TD37120C-26A24	TD37120C-38A36
14	14.31	240	600	TD37140A-14A12	TD37140A-26A24	TD37140A-38A36
14	14.31	240	1000	TD37140B-14A12	TD37140B-26A24	TD37140B-38A36
15	15.31	240	1000	TD37150A-14A12	TD37150A-26A24	TD37150A-38A36
16	16.31	240	1000	TD37160A-14A12	TD37160A-26A24	TD37160A-38A36
21	21.31	240	1000	TD37210A-14A12	TD37210A-26A24	TD37210A-38A36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Flexible Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Conduit	26" Leads w/ 24" S/S Conduit	38" Leads w/ 36" S/S Conduit
1	1.31	240	100	TD37010A-14C12	TD37010A-26C24	TD37010A-38C36
1.25	1.56	240	100	TD37012A-14C12	TD37012A-26C24	TD37012A-38C36
1.25	1.56	240	150	TD37012B-14C12	TD37012B-26C24	TD37012B-38C36
1.5	1.81	120	50	TD37015A-14C12	TD37015A-26C24	TD37015A-38C36
1.5	1.81	120	100	TD37015B-14C12	TD37015B-26C24	TD37015B-38C36
1.5	1.81	240	100	TD37015C-14C12	TD37015C-26C24	TD37015C-38C36
1.5	1.81	120	150	TD37015D-14C12	TD37015D-26C24	TD37015D-38C36
1.5	1.81	240	150	TD37015E-14C12	TD37015E-26C24	TD37015E-38C36
1.5	1.81	120	200	TD37015F-14C12	TD37015F-26C24	TD37015F-38C36
1.5	1.81	240	200	TD37015A-14C12	TD37015A-26C24	TD37015A-38C36
1.5	1.81	120	250	TD37015H-14C12	TD37015H-26C24	TD37015H-38C36
1.5	1.81	240	250	TD37015J-14C12	TD37015J-26C24	TD37015J-38C36
1.75	2.06	120	50	TD37017A-14C12	TD37017A-26C24	TD37017A-38C36
1.75	2.06	240	200	TD37017A-14C12	TD37017A-26C24	TD37017A-38C36
2	2.31	120	50	TD37020A-14C12	TD37020A-26C24	TD37020A-38C36
2	2.31	120	75	TD37020B-14C12	TD37020B-26C24	TD37020B-38C36
2	2.31	120	100	TD37020C-14C12	TD37020C-26C24	TD37020C-38C36
2	2.31	240	100	TD37020D-14C12	TD37020D-26C24	TD37020D-38C36
2	2.31	120	150	TD37020E-14C12	TD37020E-26C24	TD37020E-38C36
2	2.31	240	150	TD37020F-14C12	TD37020F-26C24	TD37020F-38C36
2	2.31	120	200	TD37020G-14C12	TD37020G-26C24	TD37020G-38C36
2	2.31	240	200	TD37020A-14C12	TD37020A-26C24	TD37020A-38C36
2	2.31	120	250	TD37020M-14C12	TD37020M-26C24	TD37020M-38C36
2	2.31	240	250	TD37020J-14C12	TD37020J-26C24	TD37020J-38C36
2	2.31	120	300	TD37020K-14C12	TD37020K-26C24	TD37020K-38C36
2	2.31	240	300	TD37020B-14C12	TD37020B-26C24	TD37020B-38C36
2.5	2.81	120	250	TD37025A-14C12	TD37025A-26C24	TD37025A-38C36
2.5	2.81	240	250	TD37025B-14C12	TD37025B-26C24	TD37025B-38C36
3	3.31	120	100	TD37030A-14C12	TD37030A-26C24	TD37030A-38C36
3	3.31	120	125	TD37030B-14C12	TD37030B-26C24	TD37030B-38C36
3	3.31	120	150	TD37030K-14C12	TD37030K-26C24	TD37030K-38C36
3	3.31	240	150	TD37030L-14C12	TD37030L-26C24	TD37030L-38C36
3	3.31	120	200	TD37030C-14C12	TD37030C-26C24	TD37030C-38C36
3	3.31	240	200	TD37030D-14C12	TD37030D-26C24	TD37030D-38C36
3	3.31	120	250	TD37030E-14C12	TD37030E-26C24	TD37030E-38C36
3	3.31	240	250	TD37030F-14C12	TD37030F-26C24	TD37030F-38C36
3	3.31	120	300	TD37030G-14C12	TD37030G-26C24	TD37030G-38C36
3	3.31	240	300	TD37030H-14C12	TD37030H-26C24	TD37030H-38C36
3	3.31	120	400	TD37030J-14C12	TD37030J-26C24	TD37030J-38C36
3	3.31	240	400	TD37030A-14C12	TD37030A-26C24	TD37030A-38C36
3	3.31	120	500	TD37030L-14C12	TD37030L-26C24	TD37030L-38C36
3	3.31	240	500	TD37030B-14C12	TD37030B-26C24	TD37030B-38C36
3.5	3.81	120	75	TD37035A-14C12	TD37035A-26C24	TD37035A-38C36
3.5	3.81	120	125	TD37035D-14C12	TD37035D-26C24	TD37035D-38C36
3.5	3.81	120	300	TD37035B-14C12	TD37035B-26C24	TD37035B-38C36
3.5	3.81	240	300	TD37035A-14C12	TD37035A-26C24	TD37035A-38C36
3.5	3.81	120	500	TD37035C-14C12	TD37035C-26C24	TD37035C-38C36
3.5	3.81	240	500	TD37035D-14C12	TD37035D-26C24	TD37035D-38C36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Flexible Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Conduit	26" Leads w/ 24" S/S Conduit	38" Leads w/ 36" S/S Conduit
4	4.31	120	125	TD37040A-14C12	TD37040A-26C24	TD37040A-38C36
4	4.31	120	150	TD37040B-14C12	TD37040B-26C24	TD37040B-38C36
4	4.31	240	150	TD37040H-14C12	TD37040H-26C24	TD37040H-38C36
4	4.31	120	250	TD37040C-14C12	TD37040C-26C24	TD37040C-38C36
4	4.31	240	250	TD37040D-14C12	TD37040D-26C24	TD37040D-38C36
4	4.31	120	400	TD37040E-14C12	TD37040E-26C24	TD37040E-38C36
4	4.31	240	400	TD37040F-14C12	TD37040F-26C24	TD37040F-38C36
4	4.31	120	500	TD37040G-14C12	TD37040G-26C24	TD37040G-38C36
4	4.31	240	500	TD37040A-14C12	TD37040A-26C24	TD37040A-38C36
4	4.31	240	600	TD37040B-14C12	TD37040B-26C24	TD37040B-38C36
4.5	4.81	120	125	TD37045A-14C12	TD37045A-26C24	TD37045A-38C36
4.5	4.81	120	300	TD37045B-14C12	TD37045B-26C24	TD37045B-38C36
4.5	4.81	120	500	TD37045C-14C12	TD37045C-26C24	TD37045C-38C36
4.5	4.81	240	500	TD37045A-14C12	TD37045A-26C24	TD37045A-38C36
5	5.31	120	100	TD37050E-14C12	TD37050E-26C24	TD37050E-38C36
5	5.31	120	125	TD37050N-14C12	TD37050N-26C24	TD37050N-38C36
5	5.31	120	150	TD37050B-14C12	TD37050B-26C24	TD37050B-38C36
5	5.31	240	150	TD37050J-14C12	TD37050J-26C24	TD37050J-38C36
5	5.31	120	200	TD37050H-14C12	TD37050H-26C24	TD37050H-38C36
5	5.31	120	250	TD37050C-14C12	TD37050C-26C24	TD37050C-38C36
5	5.31	120	300	TD37050K-14C12	TD37050K-26C24	TD37050K-38C36
5	5.31	240	300	TD37050L-14C12	TD37050L-26C24	TD37050L-38C36
5	5.31	120	400	TD37050D-14C12	TD37050D-26C24	TD37050D-38C36
5	5.31	240	400	TD37050E-14C12	TD37050E-26C24	TD37050E-38C36
5	5.31	120	500	TD37050M-14C12	TD37050M-26C24	TD37050M-38C36
5	5.31	240	500	TD37050N-14C12	TD37050N-26C24	TD37050N-38C36
5	5.31	120	600	TD37050F-14C12	TD37050F-26C24	TD37050F-38C36
5	5.31	240	600	TD37050B-14C12	TD37050B-26C24	TD37050B-38C36
5	5.31	240	800	TD37050H-14C12	TD37050H-26C24	TD37050H-38C36
5	5.31	240	1000	TD37050C-14C12	TD37050C-26C24	TD37050C-38C36
6	6.31	120	100	TD37060E-14C12	TD37060E-26C24	TD37060E-38C36
6	6.31	120	125	TD37060K-14C12	TD37060K-26C24	TD37060K-38C36
6	6.31	120	150	TD37060A-14C12	TD37060A-26C24	TD37060A-38C36
6	6.31	120	200	TD37060B-14C12	TD37060B-26C24	TD37060B-38C36
6	6.31	120	250	TD37060C-14C12	TD37060C-26C24	TD37060C-38C36
6	6.31	240	250	TD37060F-14C12	TD37060F-26C24	TD37060F-38C36
6	6.31	120	300	TD37060G-14C12	TD37060G-26C24	TD37060G-38C36
6	6.31	240	300	TD37060H-14C12	TD37060H-26C24	TD37060H-38C36
6	6.31	120	400	TD37060D-14C12	TD37060D-26C24	TD37060D-38C36
6	6.31	240	400	TD37060E-14C12	TD37060E-26C24	TD37060E-38C36
6	6.31	120	500	TD37060J-14C12	TD37060J-26C24	TD37060J-38C36
6	6.31	240	500	TD37060K-14C12	TD37060K-26C24	TD37060K-38C36
6	6.31	240	600	TD37060A-14C12	TD37060A-26C24	TD37060A-38C36
6	6.31	240	800	TD37060B-14C12	TD37060B-26C24	TD37060B-38C36
6	6.31	240	1000	TD37060C-14C12	TD37060C-26C24	TD37060C-38C36
6.5	6.81	120	500	TD37065A-14C12	TD37065A-26C24	TD37065A-38C36
6.5	6.81	240	500	TD37065B-14C12	TD37065B-26C24	TD37065B-38C36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Stainless Steel Flexible Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" S/S Conduit	26" Leads w/ 24" S/S Conduit	38" Leads w/ 36" S/S Conduit
7	7.31	120	250	TD37070A-14C12	TD37070A-26C24	TD37070A-38C36
7	7.31	120	400	TD37070B-14C12	TD37070B-26C24	TD37070B-38C36
7	7.31	240	400	TD37070C-14C12	TD37070C-26C24	TD37070C-38C36
7	7.31	120	500	TD37070D-14C12	TD37070D-26C24	TD37070D-38C36
7	7.31	240	500	TD37070E-14C12	TD37070E-26C24	TD37070E-38C36
7	7.31	120	600	TD37070F-14C12	TD37070F-26C24	TD37070F-38C36
7	7.31	240	600	TD37070G-14C12	TD37070G-26C24	TD37070G-38C36
7	7.31	240	1000	TD37070A-14C12	TD37070A-26C24	TD37070A-38C36
7.5	7.81	240	500	TD37075A-14C12	TD37075A-26C24	TD37075A-38C36
8	8.31	120	250	TD37080A-14C12	TD37080A-26C24	TD37080A-38C36
8	8.31	120	300	TD37080C-14C12	TD37080C-26C24	TD37080C-38C36
8	8.31	240	300	TD37080D-14C12	TD37080D-26C24	TD37080D-38C36
8	8.31	120	500	TD37080E-14C12	TD37080E-26C24	TD37080E-38C36
8	8.31	240	500	TD37080F-14C12	TD37080F-26C24	TD37080F-38C36
8	8.31	120	600	TD37080H-14C12	TD37080H-26C24	TD37080H-38C36
8	8.31	240	600	TD37080B-14C12	TD37080B-26C24	TD37080B-38C36
8	8.31	240	750	TD37080G-14C12	TD37080G-26C24	TD37080G-38C36
8	8.31	240	1000	TD37080A-14C12	TD37080A-26C24	TD37080A-38C36
9	9.31	120	250	TD37090A-14C12	TD37090A-26C24	TD37090A-38C36
9	9.31	120	400	TD37090B-14C12	TD37090B-26C24	TD37090B-38C36
9	9.31	240	400	TD37090C-14C12	TD37090C-26C24	TD37090C-38C36
9	9.31	240	1000	TD37090A-14C12	TD37090A-26C24	TD37090A-38C36
10	10.31	120	250	TD37100A-14C12	TD37100A-26C24	TD37100A-38C36
10	10.31	120	400	TD37100C-14C12	TD37100C-26C24	TD37100C-38C36
10	10.31	120	600	TD37100D-14C12	TD37100D-26C24	TD37100D-38C36
10	10.31	240	600	TD37100B-14C12	TD37100B-26C24	TD37100B-38C36
10	10.31	240	1000	TD37100A-14C12	TD37100A-26C24	TD37100A-38C36
11	11.31	240	1000	TD37110A-14C12	TD37110A-26C24	TD37110A-38C36
12	12.31	120	250	TD37120A-14C12	TD37120A-26C24	TD37120A-38C36
12	12.31	120	500	TD37120D-14C12	TD37120D-26C24	TD37120D-38C36
12	12.31	240	500	TD37120E-14C12	TD37120E-26C24	TD37120E-38C36
12	12.31	120	600	TD37120F-14C12	TD37120F-26C24	TD37120F-38C36
12	12.31	240	600	TD37120B-14C12	TD37120B-26C24	TD37120B-38C36
12	12.31	240	750	TD37120G-14C12	TD37120G-26C24	TD37120G-38C36
12	12.31	240	1000	TD37120A-14C12	TD37120A-26C24	TD37120A-38C36
12	12.31	240	1500	TD37120C-14C12	TD37120C-26C24	TD37120C-38C36
14	14.31	240	600	TD37140A-14C12	TD37140A-26C24	TD37140A-38C36
14	14.31	240	1000	TD37140B-14C12	TD37140B-26C24	TD37140B-38C36
15	15.31	240	1000	TD37150A-14C12	TD37150A-26C24	TD37150A-38C36
16	16.31	240	1000	TD37160A-14C12	TD37160A-26C24	TD37160A-38C36
21	21.31	240	1000	TD37210A-14C12	TD37210A-26C24	TD37210A-38C36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Flexible Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Conduit	26" Rt. Angle Leads w/ 24" S/S Conduit	38" Rt. Angle Leads w/ 36" S/S Conduit
1	1.31	240	100	TD37010A-14K12	TD37010A-26K24	TD37010A-38K36
1.25	1.56	240	100	TD37012A-14K12	TD37012A-26K24	TD37012A-38K36
1.25	1.56	240	150	TD37012B-14K12	TD37012B-26K24	TD37012B-38K36
1.5	1.81	120	50	TD37015A-14K12	TD37015A-26K24	TD37015A-38K36
1.5	1.81	120	100	TD37015B-14K12	TD37015B-26K24	TD37015B-38K36
1.5	1.81	240	100	TD37015C-14K12	TD37015C-26K24	TD37015C-38K36
1.5	1.81	120	150	TD37015D-14K12	TD37015D-26K24	TD37015D-38K36
1.5	1.81	240	150	TD37015E-14K12	TD37015E-26K24	TD37015E-38K36
1.5	1.81	120	200	TD37015F-14K12	TD37015F-26K24	TD37015F-38K36
1.5	1.81	240	200	TD37015A-14K12	TD37015A-26K24	TD37015A-38K36
1.5	1.81	120	250	TD37015H-14K12	TD37015H-26K24	TD37015H-38K36
1.5	1.81	240	250	TD37015J-14K12	TD37015J-26K24	TD37015J-38K36
1.75	2.06	120	50	TD37017A-14K12	TD37017A-26K24	TD37017A-38K36
1.75	2.06	240	200	TD37017A-14K12	TD37017A-26K24	TD37017A-38K36
2	2.31	120	50	TD37020A-14K12	TD37020A-26K24	TD37020A-38K36
2	2.31	120	75	TD37020B-14K12	TD37020B-26K24	TD37020B-38K36
2	2.31	120	100	TD37020C-14K12	TD37020C-26K24	TD37020C-38K36
2	2.31	240	100	TD37020D-14K12	TD37020D-26K24	TD37020D-38K36
2	2.31	120	150	TD37020E-14K12	TD37020E-26K24	TD37020E-38K36
2	2.31	240	150	TD37020F-14K12	TD37020F-26K24	TD37020F-38K36
2	2.31	120	200	TD37020G-14K12	TD37020G-26K24	TD37020G-38K36
2	2.31	240	200	TD37020A-14K12	TD37020A-26K24	TD37020A-38K36
2	2.31	120	250	TD37020M-14K12	TD37020M-26K24	TD37020M-38K36
2	2.31	240	250	TD37020J-14K12	TD37020J-26K24	TD37020J-38K36
2	2.31	120	300	TD37020K-14K12	TD37020K-26K24	TD37020K-38K36
2	2.31	240	300	TD37020B-14K12	TD37020B-26K24	TD37020B-38K36
2.5	2.81	120	250	TD37025A-14K12	TD37025A-26K24	TD37025A-38K36
2.5	2.81	240	250	TD37025B-14K12	TD37025B-26K24	TD37025B-38K36
3	3.31	120	100	TD37030A-14K12	TD37030A-26K24	TD37030A-38K36
3	3.31	120	125	TD37030B-14K12	TD37030B-26K24	TD37030B-38K36
3	3.31	120	150	TD37030K-14K12	TD37030K-26K24	TD37030K-38K36
3	3.31	240	150	TD37030L-14K12	TD37030L-26K24	TD37030L-38K36
3	3.31	120	200	TD37030C-14K12	TD37030C-26K24	TD37030C-38K36
3	3.31	240	200	TD37030D-14K12	TD37030D-26K24	TD37030D-38K36
3	3.31	120	250	TD37030E-14K12	TD37030E-26K24	TD37030E-38K36
3	3.31	240	250	TD37030F-14K12	TD37030F-26K24	TD37030F-38K36
3	3.31	120	300	TD37030G-14K12	TD37030G-26K24	TD37030G-38K36
3	3.31	240	300	TD37030H-14K12	TD37030H-26K24	TD37030H-38K36
3	3.31	120	400	TD37030J-14K12	TD37030J-26K24	TD37030J-38K36
3	3.31	240	400	TD37030A-14K12	TD37030A-26K24	TD37030A-38K36
3	3.31	120	500	TD37030L-14K12	TD37030L-26K24	TD37030L-38K36
3	3.31	240	500	TD37030B-14K12	TD37030B-26K24	TD37030B-38K36
3.5	3.81	120	75	TD37035A-14K12	TD37035A-26K24	TD37035A-38K36
3.5	3.81	120	125	TD37035D-14K12	TD37035D-26K24	TD37035D-38K36
3.5	3.81	120	300	TD37035B-14K12	TD37035B-26K24	TD37035B-38K36
3.5	3.81	240	300	TD37035A-14K12	TD37035A-26K24	TD37035A-38K36
3.5	3.81	120	500	TD37035C-14K12	TD37035C-26K24	TD37035C-38K36
3.5	3.81	240	500	TD37035D-14K12	TD37035D-26K24	TD37035D-38K36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Flexible Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Conduit	26" Rt. Angle Leads w/ 24" S/S Conduit	38" Rt. Angle Leads w/ 36" S/S Conduit
4	4.31	120	125	TD37040A-14K12	TD37040A-26K24	TD37040A-38K36
4	4.31	120	150	TD37040B-14K12	TD37040B-26K24	TD37040B-38K36
4	4.31	240	150	TD37040H-14K12	TD37040H-26K24	TD37040H-38K36
4	4.31	120	250	TD37040C-14K12	TD37040C-26K24	TD37040C-38K36
4	4.31	240	250	TD37040D-14K12	TD37040D-26K24	TD37040D-38K36
4	4.31	120	400	TD37040E-14K12	TD37040E-26K24	TD37040E-38K36
4	4.31	240	400	TD37040F-14K12	TD37040F-26K24	TD37040F-38K36
4	4.31	120	500	TD37040G-14K12	TD37040G-26K24	TD37040G-38K36
4	4.31	240	500	TD37040A-14K12	TD37040A-26K24	TD37040A-38K36
4	4.31	240	600	TD37040B-14K12	TD37040B-26K24	TD37040B-38K36
4.5	4.81	120	125	TD37045A-14K12	TD37045A-26K24	TD37045A-38K36
4.5	4.81	120	300	TD37045B-14K12	TD37045B-26K24	TD37045B-38K36
4.5	4.81	120	500	TD37045C-14K12	TD37045C-26K24	TD37045C-38K36
4.5	4.81	240	500	TD37045A-14K12	TD37045A-26K24	TD37045A-38K36
5	5.31	120	100	TD37050E-14K12	TD37050E-26K24	TD37050E-38K36
5	5.31	120	125	TD37050N-14K12	TD37050N-26K24	TD37050N-38K36
5	5.31	120	150	TD37050B-14K12	TD37050B-26K24	TD37050B-38K36
5	5.31	240	150	TD37050J-14K12	TD37050J-26K24	TD37050J-38K36
5	5.31	120	200	TD37050H-14K12	TD37050H-26K24	TD37050H-38K36
5	5.31	120	250	TD37050C-14K12	TD37050C-26K24	TD37050C-38K36
5	5.31	120	300	TD37050K-14K12	TD37050K-26K24	TD37050K-38K36
5	5.31	240	300	TD37050L-14K12	TD37050L-26K24	TD37050L-38K36
5	5.31	120	400	TD37050D-14K12	TD37050D-26K24	TD37050D-38K36
5	5.31	240	400	TD37050E-14K12	TD37050E-26K24	TD37050E-38K36
5	5.31	120	500	TD37050M-14K12	TD37050M-26K24	TD37050M-38K36
5	5.31	240	500	TD37050N-14K12	TD37050N-26K24	TD37050N-38K36
5	5.31	120	600	TD37050F-14K12	TD37050F-26K24	TD37050F-38K36
5	5.31	240	600	TD37050B-14K12	TD37050B-26K24	TD37050B-38K36
5	5.31	240	800	TD37050H-14K12	TD37050H-26K24	TD37050H-38K36
5	5.31	240	1000	TD37050C-14K12	TD37050C-26K24	TD37050C-38K36
6	6.31	120	100	TD37060E-14K12	TD37060E-26K24	TD37060E-38K36
6	6.31	120	125	TD37060K-14K12	TD37060K-26K24	TD37060K-38K36
6	6.31	120	150	TD37060A-14K12	TD37060A-26K24	TD37060A-38K36
6	6.31	120	200	TD37060B-14K12	TD37060B-26K24	TD37060B-38K36
6	6.31	120	250	TD37060C-14K12	TD37060C-26K24	TD37060C-38K36
6	6.31	240	250	TD37060F-14K12	TD37060F-26K24	TD37060F-38K36
6	6.31	120	300	TD37060G-14K12	TD37060G-26K24	TD37060G-38K36
6	6.31	240	300	TD37060H-14K12	TD37060H-26K24	TD37060H-38K36
6	6.31	120	400	TD37060D-14K12	TD37060D-26K24	TD37060D-38K36
6	6.31	240	400	TD37060E-14K12	TD37060E-26K24	TD37060E-38K36
6	6.31	120	500	TD37060J-14K12	TD37060J-26K24	TD37060J-38K36
6	6.31	240	500	TD37060K-14K12	TD37060K-26K24	TD37060K-38K36
6	6.31	240	600	TD37060A-14K12	TD37060A-26K24	TD37060A-38K36
6	6.31	240	800	TD37060B-14K12	TD37060B-26K24	TD37060B-38K36
6	6.31	240	1000	TD37060C-14K12	TD37060C-26K24	TD37060C-38K36
6.5	6.81	120	500	TD37065A-14K12	TD37065A-26K24	TD37065A-38K36
6.5	6.81	240	500	TD37065B-14K12	TD37065B-26K24	TD37065B-38K36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Rt. Angle Stainless Steel Flexible Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Conduit	26" Rt. Angle Leads w/ 24" S/S Conduit	38" Rt. Angle Leads w/ 36" S/S Conduit
7	7.31	120	250	TD37070A-14K12	TD37070A-26K24	TD37070A-38K36
7	7.31	120	400	TD37070B-14K12	TD37070B-26K24	TD37070B-38K36
7	7.31	240	400	TD37070C-14K12	TD37070C-26K24	TD37070C-38K36
7	7.31	120	500	TD37070D-14K12	TD37070D-26K24	TD37070D-38K36
7	7.31	240	500	TD37070E-14K12	TD37070E-26K24	TD37070E-38K36
7	7.31	120	600	TD37070F-14K12	TD37070F-26K24	TD37070F-38K36
7	7.31	240	600	TD37070G-14K12	TD37070G-26K24	TD37070G-38K36
7	7.31	240	1000	TD37070A-14K12	TD37070A-26K24	TD37070A-38K36
7.5	7.81	240	500	TD37075A-14K12	TD37075A-26K24	TD37075A-38K36
8	8.31	120	250	TD37080A-14K12	TD37080A-26K24	TD37080A-38K36
8	8.31	120	300	TD37080C-14K12	TD37080C-26K24	TD37080C-38K36
8	8.31	240	300	TD37080D-14K12	TD37080D-26K24	TD37080D-38K36
8	8.31	120	500	TD37080E-14K12	TD37080E-26K24	TD37080E-38K36
8	8.31	240	500	TD37080F-14K12	TD37080F-26K24	TD37080F-38K36
8	8.31	120	600	TD37080H-14K12	TD37080H-26K24	TD37080H-38K36
8	8.31	240	600	TD37080B-14K12	TD37080B-26K24	TD37080B-38K36
8	8.31	240	750	TD37080G-14K12	TD37080G-26K24	TD37080G-38K36
8	8.31	240	1000	TD37080A-14K12	TD37080A-26K24	TD37080A-38K36
9	9.31	120	250	TD37090A-14K12	TD37090A-26K24	TD37090A-38K36
9	9.31	120	400	TD37090B-14K12	TD37090B-26K24	TD37090B-38K36
9	9.31	240	400	TD37090C-14K12	TD37090C-26K24	TD37090C-38K36
9	9.31	240	1000	TD37090A-14K12	TD37090A-26K24	TD37090A-38K36
10	10.31	120	250	TD37100A-14K12	TD37100A-26K24	TD37100A-38K36
10	10.31	120	400	TD37100C-14K12	TD37100C-26K24	TD37100C-38K36
10	10.31	120	600	TD37100D-14K12	TD37100D-26K24	TD37100D-38K36
10	10.31	240	600	TD37100B-14K12	TD37100B-26K24	TD37100B-38K36
10	10.31	240	1000	TD37100A-14K12	TD37100A-26K24	TD37100A-38K36
11	11.31	240	1000	TD37110A-14K12	TD37110A-26K24	TD37110A-38K36
12	12.31	120	250	TD37120A-14K12	TD37120A-26K24	TD37120A-38K36
12	12.31	120	500	TD37120D-14K12	TD37120D-26K24	TD37120D-38K36
12	12.31	240	500	TD37120E-14K12	TD37120E-26K24	TD37120E-38K36
12	12.31	120	600	TD37120F-14K12	TD37120F-26K24	TD37120F-38K36
12	12.31	240	600	TD37120B-14K12	TD37120B-26K24	TD37120B-38K36
12	12.31	240	750	TD37120G-14K12	TD37120G-26K24	TD37120G-38K36
12	12.31	240	1000	TD37120A-14K12	TD37120A-26K24	TD37120A-38K36
12	12.31	240	1500	TD37120C-14K12	TD37120C-26K24	TD37120C-38K36
14	14.31	240	600	TD37140A-14K12	TD37140A-26K24	TD37140A-38K36
14	14.31	240	1000	TD37140B-14K12	TD37140B-26K24	TD37140B-38K36
15	15.31	240	1000	TD37150A-14K12	TD37150A-26K24	TD37150A-38K36
16	16.31	240	1000	TD37160A-14K12	TD37160A-26K24	TD37160A-38K36
21	21.31	240	1000	TD37210A-14K12	TD37210A-26K24	TD37210A-38K36

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" Brass NPT	26" Leads 1/4" Brass NPT	38" Leads 1/4" Brass NPT
1	1.31	240	100	TD37010A-14H	TD37010A-26H	TD37010A-38H
1.25	1.56	240	100	TD37012A-14H	TD37012A-26H	TD37012A-38H
1.25	1.56	240	150	TD37012B-14H	TD37012B-26H	TD37012B-38H
1.5	1.81	120	50	TD37015A-14H	TD37015A-26H	TD37015A-38H
1.5	1.81	120	100	TD37015B-14H	TD37015B-26H	TD37015B-38H
1.5	1.81	240	100	TD37015C-14H	TD37015C-26H	TD37015C-38H
1.5	1.81	120	150	TD37015D-14H	TD37015D-26H	TD37015D-38H
1.5	1.81	240	150	TD37015E-14H	TD37015E-26H	TD37015E-38H
1.5	1.81	120	200	TD37015F-14H	TD37015F-26H	TD37015F-38H
1.5	1.81	240	200	TD37015A-14H	TD37015A-26H	TD37015A-38H
1.5	1.81	120	250	TD37015H-14H	TD37015H-26H	TD37015H-38H
1.5	1.81	240	250	TD37015J-14H	TD37015J-26H	TD37015J-38H
1.75	2.06	120	50	TD37017A-14H	TD37017A-26H	TD37017A-38H
1.75	2.06	240	200	TD37017A-14H	TD37017A-26H	TD37017A-38H
2	2.31	120	50	TD37020A-14H	TD37020A-26H	TD37020A-38H
2	2.31	120	75	TD37020B-14H	TD37020B-26H	TD37020B-38H
2	2.31	120	100	TD37020C-14H	TD37020C-26H	TD37020C-38H
2	2.31	240	100	TD37020D-14H	TD37020D-26H	TD37020D-38H
2	2.31	120	150	TD37020E-14H	TD37020E-26H	TD37020E-38H
2	2.31	240	150	TD37020F-14H	TD37020F-26H	TD37020F-38H
2	2.31	120	200	TD37020G-14H	TD37020G-26H	TD37020G-38H
2	2.31	240	200	TD37020A-14H	TD37020A-26H	TD37020A-38H
2	2.31	120	250	TD37020M-14H	TD37020M-26H	TD37020M-38H
2	2.31	240	250	TD37020J-14H	TD37020J-26H	TD37020J-38H
2	2.31	120	300	TD37020K-14H	TD37020K-26H	TD37020K-38H
2	2.31	240	300	TD37020B-14H	TD37020B-26H	TD37020B-38H
2.5	2.81	120	250	TD37025A-14H	TD37025A-26H	TD37025A-38H
2.5	2.81	240	250	TD37025B-14H	TD37025B-26H	TD37025B-38H
3	3.31	120	100	TD37030A-14H	TD37030A-26H	TD37030A-38H
3	3.31	120	125	TD37030B-14H	TD37030B-26H	TD37030B-38H
3	3.31	120	150	TD37030K-14H	TD37030K-26H	TD37030K-38H
3	3.31	240	150	TD37030L-14H	TD37030L-26H	TD37030L-38H
3	3.31	120	200	TD37030C-14H	TD37030C-26H	TD37030C-38H
3	3.31	240	200	TD37030D-14H	TD37030D-26H	TD37030D-38H
3	3.31	120	250	TD37030E-14H	TD37030E-26H	TD37030E-38H
3	3.31	240	250	TD37030F-14H	TD37030F-26H	TD37030F-38H
3	3.31	120	300	TD37030G-14H	TD37030G-26H	TD37030G-38H
3	3.31	240	300	TD37030H-14H	TD37030H-26H	TD37030H-38H
3	3.31	120	400	TD37030J-14H	TD37030J-26H	TD37030J-38H
3	3.31	240	400	TD37030A-14H	TD37030A-26H	TD37030A-38H
3	3.31	120	500	TD37030L-14H	TD37030L-26H	TD37030L-38H
3	3.31	240	500	TD37030B-14H	TD37030B-26H	TD37030B-38H
3.5	3.81	120	75	TD37035A-14H	TD37035A-26H	TD37035A-38H
3.5	3.81	120	125	TD37035D-14H	TD37035D-26H	TD37035D-38H
3.5	3.81	120	300	TD37035B-14H	TD37035B-26H	TD37035B-38H
3.5	3.81	240	300	TD37035A-14H	TD37035A-26H	TD37035A-38H
3.5	3.81	120	500	TD37035C-14H	TD37035C-26H	TD37035C-38H
3.5	3.81	240	500	TD37035D-14H	TD37035D-26H	TD37035D-38H

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" Brass NPT	26" Leads 1/4" Brass NPT	38" Leads 1/4" Brass NPT
4	4.31	120	125	TD37040A-14H	TD37040A-26H	TD37040A-38H
4	4.31	120	150	TD37040B-14H	TD37040B-26H	TD37040B-38H
4	4.31	240	150	TD37040H-14H	TD37040H-26H	TD37040H-38H
4	4.31	120	250	TD37040C-14H	TD37040C-26H	TD37040C-38H
4	4.31	240	250	TD37040D-14H	TD37040D-26H	TD37040D-38H
4	4.31	120	400	TD37040E-14H	TD37040E-26H	TD37040E-38H
4	4.31	240	400	TD37040F-14H	TD37040F-26H	TD37040F-38H
4	4.31	120	500	TD37040G-14H	TD37040G-26H	TD37040G-38H
4	4.31	240	500	TD37040A-14H	TD37040A-26H	TD37040A-38H
4	4.31	240	600	TD37040B-14H	TD37040B-26H	TD37040B-38H
4.5	4.81	120	125	TD37045A-14H	TD37045A-26H	TD37045A-38H
4.5	4.81	120	300	TD37045B-14H	TD37045B-26H	TD37045B-38H
4.5	4.81	120	500	TD37045C-14H	TD37045C-26H	TD37045C-38H
4.5	4.81	240	500	TD37045A-14H	TD37045A-26H	TD37045A-38H
5	5.31	120	100	TD37050E-14H	TD37050E-26H	TD37050E-38H
5	5.31	120	125	TD37050N-14H	TD37050N-26H	TD37050N-38H
5	5.31	120	150	TD37050B-14H	TD37050B-26H	TD37050B-38H
5	5.31	240	150	TD37050J-14H	TD37050J-26H	TD37050J-38H
5	5.31	120	200	TD37050H-14H	TD37050H-26H	TD37050H-38H
5	5.31	120	250	TD37050C-14H	TD37050C-26H	TD37050C-38H
5	5.31	120	300	TD37050K-14H	TD37050K-26H	TD37050K-38H
5	5.31	240	300	TD37050L-14H	TD37050L-26H	TD37050L-38H
5	5.31	120	400	TD37050D-14H	TD37050D-26H	TD37050D-38H
5	5.31	240	400	TD37050E-14H	TD37050E-26H	TD37050E-38H
5	5.31	120	500	TD37050M-14H	TD37050M-26H	TD37050M-38H
5	5.31	240	500	TD37050N-14H	TD37050N-26H	TD37050N-38H
5	5.31	120	600	TD37050F-14H	TD37050F-26H	TD37050F-38H
5	5.31	240	600	TD37050B-14H	TD37050B-26H	TD37050B-38H
5	5.31	240	800	TD37050H-14H	TD37050H-26H	TD37050H-38H
5	5.31	240	1000	TD37050C-14H	TD37050C-26H	TD37050C-38H
6	6.31	120	100	TD37060E-14H	TD37060E-26H	TD37060E-38H
6	6.31	120	125	TD37060K-14H	TD37060K-26H	TD37060K-38H
6	6.31	120	150	TD37060A-14H	TD37060A-26H	TD37060A-38H
6	6.31	120	200	TD37060B-14H	TD37060B-26H	TD37060B-38H
6	6.31	120	250	TD37060C-14H	TD37060C-26H	TD37060C-38H
6	6.31	240	250	TD37060F-14H	TD37060F-26H	TD37060F-38H
6	6.31	120	300	TD37060G-14H	TD37060G-26H	TD37060G-38H
6	6.31	240	300	TD37060H-14H	TD37060H-26H	TD37060H-38H
6	6.31	120	400	TD37060D-14H	TD37060D-26H	TD37060D-38H
6	6.31	240	400	TD37060E-14H	TD37060E-26H	TD37060E-38H
6	6.31	120	500	TD37060J-14H	TD37060J-26H	TD37060J-38H
6	6.31	240	500	TD37060K-14H	TD37060K-26H	TD37060K-38H
6	6.31	240	600	TD37060A-14H	TD37060A-26H	TD37060A-38H
6	6.31	240	800	TD37060B-14H	TD37060B-26H	TD37060B-38H
6	6.31	240	1000	TD37060C-14H	TD37060C-26H	TD37060C-38H
6.5	6.81	120	500	TD37065A-14H	TD37065A-26H	TD37065A-38H
6.5	6.81	240	500	TD37065B-14H	TD37065B-26H	TD37065B-38H

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" Brass NPT	26" Leads 1/4" Brass NPT	38" Leads 1/4" Brass NPT
7	7.31	120	250	TD37070A-14H	TD37070A-26H	TD37070A-38H
7	7.31	120	400	TD37070B-14H	TD37070B-26H	TD37070B-38H
7	7.31	240	400	TD37070C-14H	TD37070C-26H	TD37070C-38H
7	7.31	120	500	TD37070D-14H	TD37070D-26H	TD37070D-38H
7	7.31	240	500	TD37070E-14H	TD37070E-26H	TD37070E-38H
7	7.31	120	600	TD37070F-14H	TD37070F-26H	TD37070F-38H
7	7.31	240	600	TD37070G-14H	TD37070G-26H	TD37070G-38H
7	7.31	240	1000	TD37070A-14H	TD37070A-26H	TD37070A-38H
7.5	7.81	240	500	TD37075A-14H	TD37075A-26H	TD37075A-38H
8	8.31	120	250	TD37080A-14H	TD37080A-26H	TD37080A-38H
8	8.31	120	300	TD37080C-14H	TD37080C-26H	TD37080C-38H
8	8.31	240	300	TD37080D-14H	TD37080D-26H	TD37080D-38H
8	8.31	120	500	TD37080E-14H	TD37080E-26H	TD37080E-38H
8	8.31	240	500	TD37080F-14H	TD37080F-26H	TD37080F-38H
8	8.31	120	600	TD37080H-14H	TD37080H-26H	TD37080H-38H
8	8.31	240	600	TD37080B-14H	TD37080B-26H	TD37080B-38H
8	8.31	240	750	TD37080G-14H	TD37080G-26H	TD37080G-38H
8	8.31	240	1000	TD37080A-14H	TD37080A-26H	TD37080A-38H
9	9.31	120	250	TD37090A-14H	TD37090A-26H	TD37090A-38H
9	9.31	120	400	TD37090B-14H	TD37090B-26H	TD37090B-38H
9	9.31	240	400	TD37090C-14H	TD37090C-26H	TD37090C-38H
9	9.31	240	1000	TD37090A-14H	TD37090A-26H	TD37090A-38H
10	10.31	120	250	TD37100A-14H	TD37100A-26H	TD37100A-38H
10	10.31	120	400	TD37100C-14H	TD37100C-26H	TD37100C-38H
10	10.31	120	600	TD37100D-14H	TD37100D-26H	TD37100D-38H
10	10.31	240	600	TD37100B-14H	TD37100B-26H	TD37100B-38H
10	10.31	240	1000	TD37100A-14H	TD37100A-26H	TD37100A-38H
11	11.31	240	1000	TD37110A-14H	TD37110A-26H	TD37110A-38H
12	12.31	120	250	TD37120A-14H	TD37120A-26H	TD37120A-38H
12	12.31	120	500	TD37120D-14H	TD37120D-26H	TD37120D-38H
12	12.31	240	500	TD37120E-14H	TD37120E-26H	TD37120E-38H
12	12.31	120	600	TD37120F-14H	TD37120F-26H	TD37120F-38H
12	12.31	240	600	TD37120B-14H	TD37120B-26H	TD37120B-38H
12	12.31	240	750	TD37120G-14H	TD37120G-26H	TD37120G-38H
12	12.31	240	1000	TD37120A-14H	TD37120A-26H	TD37120A-38H
12	12.31	240	1500	TD37120C-14H	TD37120C-26H	TD37120C-38H
14	14.31	240	600	TD37140A-14H	TD37140A-26H	TD37140A-38H
14	14.31	240	1000	TD37140B-14H	TD37140B-26H	TD37140B-38H
15	15.31	240	1000	TD37150A-14H	TD37150A-26H	TD37150A-38H
16	16.31	240	1000	TD37160A-14H	TD37160A-26H	TD37160A-38H
21	21.31	240	1000	TD37210A-14H	TD37210A-26H	TD37210A-38H

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" S/S NPT	26" Leads 1/4" S/S NPT	38" Leads 1/4" S/S NPT
1	1.31	240	100	TD37010A-14Q	TD37010A-26Q	TD37010A-38Q
1.25	1.56	240	100	TD37012A-14Q	TD37012A-26Q	TD37012A-38Q
1.25	1.56	240	150	TD37012B-14Q	TD37012B-26Q	TD37012B-38Q
1.5	1.81	120	50	TD37015A-14Q	TD37015A-26Q	TD37015A-38Q
1.5	1.81	120	100	TD37015B-14Q	TD37015B-26Q	TD37015B-38Q
1.5	1.81	240	100	TD37015C-14Q	TD37015C-26Q	TD37015C-38Q
1.5	1.81	120	150	TD37015D-14Q	TD37015D-26Q	TD37015D-38Q
1.5	1.81	240	150	TD37015E-14Q	TD37015E-26Q	TD37015E-38Q
1.5	1.81	120	200	TD37015F-14Q	TD37015F-26Q	TD37015F-38Q
1.5	1.81	240	200	TD37015A-14Q	TD37015A-26Q	TD37015A-38Q
1.5	1.81	120	250	TD37015H-14Q	TD37015H-26Q	TD37015H-38Q
1.5	1.81	240	250	TD37015J-14Q	TD37015J-26Q	TD37015J-38Q
1.75	2.06	120	50	TD37017A-14Q	TD37017A-26Q	TD37017A-38Q
1.75	2.06	240	200	TD37017A-14Q	TD37017A-26Q	TD37017A-38Q
2	2.31	120	50	TD37020A-14Q	TD37020A-26Q	TD37020A-38Q
2	2.31	120	75	TD37020B-14Q	TD37020B-26Q	TD37020B-38Q
2	2.31	120	100	TD37020C-14Q	TD37020C-26Q	TD37020C-38Q
2	2.31	240	100	TD37020D-14Q	TD37020D-26Q	TD37020D-38Q
2	2.31	120	150	TD37020E-14Q	TD37020E-26Q	TD37020E-38Q
2	2.31	240	150	TD37020F-14Q	TD37020F-26Q	TD37020F-38Q
2	2.31	120	200	TD37020G-14Q	TD37020G-26Q	TD37020G-38Q
2	2.31	240	200	TD37020A-14Q	TD37020A-26Q	TD37020A-38Q
2	2.31	120	250	TD37020M-14Q	TD37020M-26Q	TD37020M-38Q
2	2.31	240	250	TD37020J-14Q	TD37020J-26Q	TD37020J-38Q
2	2.31	120	300	TD37020K-14Q	TD37020K-26Q	TD37020K-38Q
2	2.31	240	300	TD37020B-14Q	TD37020B-26Q	TD37020B-38Q
2.5	2.81	120	250	TD37025A-14Q	TD37025A-26Q	TD37025A-38Q
2.5	2.81	240	250	TD37025B-14Q	TD37025B-26Q	TD37025B-38Q
3	3.31	120	100	TD37030A-14Q	TD37030A-26Q	TD37030A-38Q
3	3.31	120	125	TD37030B-14Q	TD37030B-26Q	TD37030B-38Q
3	3.31	120	150	TD37030K-14Q	TD37030K-26Q	TD37030K-38Q
3	3.31	240	150	TD37030L-14Q	TD37030L-26Q	TD37030L-38Q
3	3.31	120	200	TD37030C-14Q	TD37030C-26Q	TD37030C-38Q
3	3.31	240	200	TD37030D-14Q	TD37030D-26Q	TD37030D-38Q
3	3.31	120	250	TD37030E-14Q	TD37030E-26Q	TD37030E-38Q
3	3.31	240	250	TD37030F-14Q	TD37030F-26Q	TD37030F-38Q
3	3.31	120	300	TD37030G-14Q	TD37030G-26Q	TD37030G-38Q
3	3.31	240	300	TD37030H-14Q	TD37030H-26Q	TD37030H-38Q
3	3.31	120	400	TD37030J-14Q	TD37030J-26Q	TD37030J-38Q
3	3.31	240	400	TD37030A-14Q	TD37030A-26Q	TD37030A-38Q
3	3.31	120	500	TD37030L-14Q	TD37030L-26Q	TD37030L-38Q
3	3.31	240	500	TD37030B-14Q	TD37030B-26Q	TD37030B-38Q
3.5	3.81	120	75	TD37035A-14Q	TD37035A-26Q	TD37035A-38Q
3.5	3.81	120	125	TD37035D-14Q	TD37035D-26Q	TD37035D-38Q
3.5	3.81	120	300	TD37035B-14Q	TD37035B-26Q	TD37035B-38Q
3.5	3.81	240	300	TD37035A-14Q	TD37035A-26Q	TD37035A-38Q
3.5	3.81	120	500	TD37035C-14Q	TD37035C-26Q	TD37035C-38Q
3.5	3.81	240	500	TD37035D-14Q	TD37035D-26Q	TD37035D-38Q

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Stainless Steel NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" S/S NPT	26" Leads 1/4" S/S NPT	38" Leads 1/4" S/S NPT
4	4.31	120	125	TD37040A-14Q	TD37040A-26Q	TD37040A-38Q
4	4.31	120	150	TD37040B-14Q	TD37040B-26Q	TD37040B-38Q
4	4.31	240	150	TD37040H-14Q	TD37040H-26Q	TD37040H-38Q
4	4.31	120	250	TD37040C-14Q	TD37040C-26Q	TD37040C-38Q
4	4.31	240	250	TD37040D-14Q	TD37040D-26Q	TD37040D-38Q
4	4.31	120	400	TD37040E-14Q	TD37040E-26Q	TD37040E-38Q
4	4.31	240	400	TD37040F-14Q	TD37040F-26Q	TD37040F-38Q
4	4.31	120	500	TD37040G-14Q	TD37040G-26Q	TD37040G-38Q
4	4.31	240	500	TD37040A-14Q	TD37040A-26Q	TD37040A-38Q
4	4.31	240	600	TD37040B-14Q	TD37040B-26Q	TD37040B-38Q
4.5	4.81	120	125	TD37045A-14Q	TD37045A-26Q	TD37045A-38Q
4.5	4.81	120	300	TD37045B-14Q	TD37045B-26Q	TD37045B-38Q
4.5	4.81	120	500	TD37045C-14Q	TD37045C-26Q	TD37045C-38Q
4.5	4.81	240	500	TD37045A-14Q	TD37045A-26Q	TD37045A-38Q
5	5.31	120	100	TD37050E-14Q	TD37050E-26Q	TD37050E-38Q
5	5.31	120	125	TD37050N-14Q	TD37050N-26Q	TD37050N-38Q
5	5.31	120	150	TD37050B-14Q	TD37050B-26Q	TD37050B-38Q
5	5.31	240	150	TD37050J-14Q	TD37050J-26Q	TD37050J-38Q
5	5.31	120	200	TD37050H-14Q	TD37050H-26Q	TD37050H-38Q
5	5.31	120	250	TD37050C-14Q	TD37050C-26Q	TD37050C-38Q
5	5.31	120	300	TD37050K-14Q	TD37050K-26Q	TD37050K-38Q
5	5.31	240	300	TD37050L-14Q	TD37050L-26Q	TD37050L-38Q
5	5.31	120	400	TD37050D-14Q	TD37050D-26Q	TD37050D-38Q
5	5.31	240	400	TD37050E-14Q	TD37050E-26Q	TD37050E-38Q
5	5.31	120	500	TD37050M-14Q	TD37050M-26Q	TD37050M-38Q
5	5.31	240	500	TD37050N-14Q	TD37050N-26Q	TD37050N-38Q
5	5.31	120	600	TD37050F-14Q	TD37050F-26Q	TD37050F-38Q
5	5.31	240	600	TD37050B-14Q	TD37050B-26Q	TD37050B-38Q
5	5.31	240	800	TD37050H-14Q	TD37050H-26Q	TD37050H-38Q
5	5.31	240	1000	TD37050C-14Q	TD37050C-26Q	TD37050C-38Q
6	6.31	120	100	TD37060E-14Q	TD37060E-26Q	TD37060E-38Q
6	6.31	120	125	TD37060K-14Q	TD37060K-26Q	TD37060K-38Q
6	6.31	120	150	TD37060A-14Q	TD37060A-26Q	TD37060A-38Q
6	6.31	120	200	TD37060B-14Q	TD37060B-26Q	TD37060B-38Q
6	6.31	120	250	TD37060C-14Q	TD37060C-26Q	TD37060C-38Q
6	6.31	240	250	TD37060F-14Q	TD37060F-26Q	TD37060F-38Q
6	6.31	120	300	TD37060G-14Q	TD37060G-26Q	TD37060G-38Q
6	6.31	240	300	TD37060H-14Q	TD37060H-26Q	TD37060H-38Q
6	6.31	120	400	TD37060D-14Q	TD37060D-26Q	TD37060D-38Q
6	6.31	240	400	TD37060E-14Q	TD37060E-26Q	TD37060E-38Q
6	6.31	120	500	TD37060J-14Q	TD37060J-26Q	TD37060J-38Q
6	6.31	240	500	TD37060K-14Q	TD37060K-26Q	TD37060K-38Q
6	6.31	240	600	TD37060A-14Q	TD37060A-26Q	TD37060A-38Q
6	6.31	240	800	TD37060B-14Q	TD37060B-26Q	TD37060B-38Q
6	6.31	240	1000	TD37060C-14Q	TD37060C-26Q	TD37060C-38Q
6.5	6.81	120	500	TD37065A-14Q	TD37065A-26Q	TD37065A-38Q
6.5	6.81	240	500	TD37065B-14Q	TD37065B-26Q	TD37065B-38Q

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard 1/4" Stainless Steel NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads 1/4" S/S NPT	26" Leads 1/4" S/S NPT	38" Leads 1/4" S/S NPT
7	7.31	120	250	TD37070A-14Q	TD37070A-26Q	TD37070A-38Q
7	7.31	120	400	TD37070B-14Q	TD37070B-26Q	TD37070B-38Q
7	7.31	240	400	TD37070C-14Q	TD37070C-26Q	TD37070C-38Q
7	7.31	120	500	TD37070D-14Q	TD37070D-26Q	TD37070D-38Q
7	7.31	240	500	TD37070E-14Q	TD37070E-26Q	TD37070E-38Q
7	7.31	120	600	TD37070F-14Q	TD37070F-26Q	TD37070F-38Q
7	7.31	240	600	TD37070G-14Q	TD37070G-26Q	TD37070G-38Q
7	7.31	240	1000	TD37070A-14Q	TD37070A-26Q	TD37070A-38Q
7.5	7.81	240	500	TD37075A-14Q	TD37075A-26Q	TD37075A-38Q
8	8.31	120	250	TD37080A-14Q	TD37080A-26Q	TD37080A-38Q
8	8.31	120	300	TD37080C-14Q	TD37080C-26Q	TD37080C-38Q
8	8.31	240	300	TD37080D-14Q	TD37080D-26Q	TD37080D-38Q
8	8.31	120	500	TD37080E-14Q	TD37080E-26Q	TD37080E-38Q
8	8.31	240	500	TD37080F-14Q	TD37080F-26Q	TD37080F-38Q
8	8.31	120	600	TD37080H-14Q	TD37080H-26Q	TD37080H-38Q
8	8.31	240	600	TD37080B-14Q	TD37080B-26Q	TD37080B-38Q
8	8.31	240	750	TD37080G-14Q	TD37080G-26Q	TD37080G-38Q
8	8.31	240	1000	TD37080A-14Q	TD37080A-26Q	TD37080A-38Q
9	9.31	120	250	TD37090A-14Q	TD37090A-26Q	TD37090A-38Q
9	9.31	120	400	TD37090B-14Q	TD37090B-26Q	TD37090B-38Q
9	9.31	240	400	TD37090C-14Q	TD37090C-26Q	TD37090C-38Q
9	9.31	240	1000	TD37090A-14Q	TD37090A-26Q	TD37090A-38Q
10	10.31	120	250	TD37100A-14Q	TD37100A-26Q	TD37100A-38Q
10	10.31	120	400	TD37100C-14Q	TD37100C-26Q	TD37100C-38Q
10	10.31	120	600	TD37100D-14Q	TD37100D-26Q	TD37100D-38Q
10	10.31	240	600	TD37100B-14Q	TD37100B-26Q	TD37100B-38Q
10	10.31	240	1000	TD37100A-14Q	TD37100A-26Q	TD37100A-38Q
11	11.31	240	1000	TD37110A-14Q	TD37110A-26Q	TD37110A-38Q
12	12.31	120	250	TD37120A-14Q	TD37120A-26Q	TD37120A-38Q
12	12.31	120	500	TD37120D-14Q	TD37120D-26Q	TD37120D-38Q
12	12.31	240	500	TD37120E-14Q	TD37120E-26Q	TD37120E-38Q
12	12.31	120	600	TD37120F-14Q	TD37120F-26Q	TD37120F-38Q
12	12.31	240	600	TD37120B-14Q	TD37120B-26Q	TD37120B-38Q
12	12.31	240	750	TD37120G-14Q	TD37120G-26Q	TD37120G-38Q
12	12.31	240	1000	TD37120A-14Q	TD37120A-26Q	TD37120A-38Q
12	12.31	240	1500	TD37120C-14Q	TD37120C-26Q	TD37120C-38Q
14	14.31	240	600	TD37140A-14Q	TD37140A-26Q	TD37140A-38Q
14	14.31	240	1000	TD37140B-14Q	TD37140B-26Q	TD37140B-38Q
15	15.31	240	1000	TD37150A-14Q	TD37150A-26Q	TD37150A-38Q
16	16.31	240	1000	TD37160A-14Q	TD37160A-26Q	TD37160A-38Q
21	21.31	240	1000	TD37210A-14Q	TD37210A-26Q	TD37210A-38Q

Marathon Stock Today Heaters

3/8" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	26" Leads with Epoxy Potting	38" Leads with Epoxy Potting
1	1.31	240	100	TD37010A-14E	TD37010A-26E	TD37010A-38E
1.25	1.56	240	100	TD37012A-14E	TD37012A-26E	TD37012A-38E
1.25	1.56	240	150	TD37012B-14E	TD37012B-26E	TD37012B-38E
1.5	1.81	120	50	TD37015A-14E	TD37015A-26E	TD37015A-38E
1.5	1.81	120	100	TD37015B-14E	TD37015B-26E	TD37015B-38E
1.5	1.81	240	100	TD37015C-14E	TD37015C-26E	TD37015C-38E
1.5	1.81	120	150	TD37015D-14E	TD37015D-26E	TD37015D-38E
1.5	1.81	240	150	TD37015E-14E	TD37015E-26E	TD37015E-38E
1.5	1.81	120	200	TD37015F-14E	TD37015F-26E	TD37015F-38E
1.5	1.81	240	200	TD37015A-14E	TD37015A-26E	TD37015A-38E
1.5	1.81	120	250	TD37015H-14E	TD37015H-26E	TD37015H-38E
1.5	1.81	240	250	TD37015J-14E	TD37015J-26E	TD37015J-38E
1.75	2.06	120	50	TD37017A-14E	TD37017A-26E	TD37017A-38E
1.75	2.06	240	200	TD37017A-14E	TD37017A-26E	TD37017A-38E
2	2.31	120	50	TD37020A-14E	TD37020A-26E	TD37020A-38E
2	2.31	120	75	TD37020B-14E	TD37020B-26E	TD37020B-38E
2	2.31	120	100	TD37020C-14E	TD37020C-26E	TD37020C-38E
2	2.31	240	100	TD37020D-14E	TD37020D-26E	TD37020D-38E
2	2.31	120	150	TD37020E-14E	TD37020E-26E	TD37020E-38E
2	2.31	240	150	TD37020F-14E	TD37020F-26E	TD37020F-38E
2	2.31	120	200	TD37020G-14E	TD37020G-26E	TD37020G-38E
2	2.31	240	200	TD37020A-14E	TD37020A-26E	TD37020A-38E
2	2.31	120	250	TD37020M-14E	TD37020M-26E	TD37020M-38E
2	2.31	240	250	TD37020J-14E	TD37020J-26E	TD37020J-38E
2	2.31	120	300	TD37020K-14E	TD37020K-26E	TD37020K-38E
2	2.31	240	300	TD37020B-14E	TD37020B-26E	TD37020B-38E
2.5	2.81	120	250	TD37025A-14E	TD37025A-26E	TD37025A-38E
2.5	2.81	240	250	TD37025B-14E	TD37025B-26E	TD37025B-38E
3	3.31	120	100	TD37030A-14E	TD37030A-26E	TD37030A-38E
3	3.31	120	125	TD37030B-14E	TD37030B-26E	TD37030B-38E
3	3.31	120	150	TD37030K-14E	TD37030K-26E	TD37030K-38E
3	3.31	240	150	TD37030L-14E	TD37030L-26E	TD37030L-38E
3	3.31	120	200	TD37030C-14E	TD37030C-26E	TD37030C-38E
3	3.31	240	200	TD37030D-14E	TD37030D-26E	TD37030D-38E
3	3.31	120	250	TD37030E-14E	TD37030E-26E	TD37030E-38E
3	3.31	240	250	TD37030F-14E	TD37030F-26E	TD37030F-38E
3	3.31	120	300	TD37030G-14E	TD37030G-26E	TD37030G-38E
3	3.31	240	300	TD37030H-14E	TD37030H-26E	TD37030H-38E
3	3.31	120	400	TD37030J-14E	TD37030J-26E	TD37030J-38E
3	3.31	240	400	TD37030A-14E	TD37030A-26E	TD37030A-38E
3	3.31	120	500	TD37030L-14E	TD37030L-26E	TD37030L-38E
3	3.31	240	500	TD37030B-14E	TD37030B-26E	TD37030B-38E
3.5	3.81	120	75	TD37035A-14E	TD37035A-26E	TD37035A-38E
3.5	3.81	120	125	TD37035D-14E	TD37035D-26E	TD37035D-38E
3.5	3.81	120	300	TD37035B-14E	TD37035B-26E	TD37035B-38E
3.5	3.81	240	300	TD37035A-14E	TD37035A-26E	TD37035A-38E
3.5	3.81	120	500	TD37035C-14E	TD37035C-26E	TD37035C-38E
3.5	3.81	240	500	TD37035D-14E	TD37035D-26E	TD37035D-38E

Marathon Stock Today Heaters

3/8" Diameter Heaters with Epoxy Potting (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	26" Leads with Epoxy Potting	38" Leads with Epoxy Potting
4	4.31	120	125	TD37040A-14E	TD37040A-26E	TD37040A-38E
4	4.31	120	150	TD37040B-14E	TD37040B-26E	TD37040B-38E
4	4.31	240	150	TD37040H-14E	TD37040H-26E	TD37040H-38E
4	4.31	120	250	TD37040C-14E	TD37040C-26E	TD37040C-38E
4	4.31	240	250	TD37040D-14E	TD37040D-26E	TD37040D-38E
4	4.31	120	400	TD37040E-14E	TD37040E-26E	TD37040E-38E
4	4.31	240	400	TD37040F-14E	TD37040F-26E	TD37040F-38E
4	4.31	120	500	TD37040G-14E	TD37040G-26E	TD37040G-38E
4	4.31	240	500	TD37040A-14E	TD37040A-26E	TD37040A-38E
4	4.31	240	600	TD37040B-14E	TD37040B-26E	TD37040B-38E
4.5	4.81	120	125	TD37045A-14E	TD37045A-26E	TD37045A-38E
4.5	4.81	120	300	TD37045B-14E	TD37045B-26E	TD37045B-38E
4.5	4.81	120	500	TD37045C-14E	TD37045C-26E	TD37045C-38E
4.5	4.81	240	500	TD37045A-14E	TD37045A-26E	TD37045A-38E
5	5.31	120	100	TD37050E-14E	TD37050E-26E	TD37050E-38E
5	5.31	120	125	TD37050N-14E	TD37050N-26E	TD37050N-38E
5	5.31	120	150	TD37050B-14E	TD37050B-26E	TD37050B-38E
5	5.31	240	150	TD37050J-14E	TD37050J-26E	TD37050J-38E
5	5.31	120	200	TD37050H-14E	TD37050H-26E	TD37050H-38E
5	5.31	120	250	TD37050C-14E	TD37050C-26E	TD37050C-38E
5	5.31	120	300	TD37050K-14E	TD37050K-26E	TD37050K-38E
5	5.31	240	300	TD37050L-14E	TD37050L-26E	TD37050L-38E
5	5.31	120	400	TD37050D-14E	TD37050D-26E	TD37050D-38E
5	5.31	240	400	TD37050E-14E	TD37050E-26E	TD37050E-38E
5	5.31	120	500	TD37050M-14E	TD37050M-26E	TD37050M-38E
5	5.31	240	500	TD37050N-14E	TD37050N-26E	TD37050N-38E
5	5.31	120	600	TD37050F-14E	TD37050F-26E	TD37050F-38E
5	5.31	240	600	TD37050B-14E	TD37050B-26E	TD37050B-38E
5	5.31	240	800	TD37050H-14E	TD37050H-26E	TD37050H-38E
5	5.31	240	1000	TD37050C-14E	TD37050C-26E	TD37050C-38E
6	6.31	120	100	TD37060E-14E	TD37060E-26E	TD37060E-38E
6	6.31	120	125	TD37060K-14E	TD37060K-26E	TD37060K-38E
6	6.31	120	150	TD37060A-14E	TD37060A-26E	TD37060A-38E
6	6.31	120	200	TD37060B-14E	TD37060B-26E	TD37060B-38E
6	6.31	120	250	TD37060C-14E	TD37060C-26E	TD37060C-38E
6	6.31	240	250	TD37060F-14E	TD37060F-26E	TD37060F-38E
6	6.31	120	300	TD37060G-14E	TD37060G-26E	TD37060G-38E
6	6.31	240	300	TD37060H-14E	TD37060H-26E	TD37060H-38E
6	6.31	120	400	TD37060D-14E	TD37060D-26E	TD37060D-38E
6	6.31	240	400	TD37060E-14E	TD37060E-26E	TD37060E-38E
6	6.31	120	500	TD37060J-14E	TD37060J-26E	TD37060J-38E
6	6.31	240	500	TD37060K-14E	TD37060K-26E	TD37060K-38E
6	6.31	240	600	TD37060A-14E	TD37060A-26E	TD37060A-38E
6	6.31	240	800	TD37060B-14E	TD37060B-26E	TD37060B-38E
6	6.31	240	1000	TD37060C-14E	TD37060C-26E	TD37060C-38E
6.5	6.81	120	500	TD37065A-14E	TD37065A-26E	TD37065A-38E
6.5	6.81	240	500	TD37065B-14E	TD37065B-26E	TD37065B-38E

Marathon Stock Today Heaters

3/8" Diameter Heaters with Epoxy Potting (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	26" Leads with Epoxy Potting	38" Leads with Epoxy Potting
7	7.31	120	250	TD37070A-14E	TD37070A-26E	TD37070A-38E
7	7.31	120	400	TD37070B-14E	TD37070B-26E	TD37070B-38E
7	7.31	240	400	TD37070C-14E	TD37070C-26E	TD37070C-38E
7	7.31	120	500	TD37070D-14E	TD37070D-26E	TD37070D-38E
7	7.31	240	500	TD37070E-14E	TD37070E-26E	TD37070E-38E
7	7.31	120	600	TD37070F-14E	TD37070F-26E	TD37070F-38E
7	7.31	240	600	TD37070G-14E	TD37070G-26E	TD37070G-38E
7	7.31	240	1000	TD37070A-14E	TD37070A-26E	TD37070A-38E
7.5	7.81	240	500	TD37075A-14E	TD37075A-26E	TD37075A-38E
8	8.31	120	250	TD37080A-14E	TD37080A-26E	TD37080A-38E
8	8.31	120	300	TD37080C-14E	TD37080C-26E	TD37080C-38E
8	8.31	240	300	TD37080D-14E	TD37080D-26E	TD37080D-38E
8	8.31	120	500	TD37080E-14E	TD37080E-26E	TD37080E-38E
8	8.31	240	500	TD37080F-14E	TD37080F-26E	TD37080F-38E
8	8.31	120	600	TD37080H-14E	TD37080H-26E	TD37080H-38E
8	8.31	240	600	TD37080B-14E	TD37080B-26E	TD37080B-38E
8	8.31	240	750	TD37080G-14E	TD37080G-26E	TD37080G-38E
8	8.31	240	1000	TD37080A-14E	TD37080A-26E	TD37080A-38E
9	9.31	120	250	TD37090A-14E	TD37090A-26E	TD37090A-38E
9	9.31	120	400	TD37090B-14E	TD37090B-26E	TD37090B-38E
9	9.31	240	400	TD37090C-14E	TD37090C-26E	TD37090C-38E
9	9.31	240	1000	TD37090A-14E	TD37090A-26E	TD37090A-38E
10	10.31	120	250	TD37100A-14E	TD37100A-26E	TD37100A-38E
10	10.31	120	400	TD37100C-14E	TD37100C-26E	TD37100C-38E
10	10.31	120	600	TD37100D-14E	TD37100D-26E	TD37100D-38E
10	10.31	240	600	TD37100B-14E	TD37100B-26E	TD37100B-38E
10	10.31	240	1000	TD37100A-14E	TD37100A-26E	TD37100A-38E
11	11.31	240	1000	TD37110A-14E	TD37110A-26E	TD37110A-38E
12	12.31	120	250	TD37120A-14E	TD37120A-26E	TD37120A-38E
12	12.31	120	500	TD37120D-14E	TD37120D-26E	TD37120D-38E
12	12.31	240	500	TD37120E-14E	TD37120E-26E	TD37120E-38E
12	12.31	120	600	TD37120F-14E	TD37120F-26E	TD37120F-38E
12	12.31	240	600	TD37120B-14E	TD37120B-26E	TD37120B-38E
12	12.31	240	750	TD37120G-14E	TD37120G-26E	TD37120G-38E
12	12.31	240	1000	TD37120A-14E	TD37120A-26E	TD37120A-38E
12	12.31	240	1500	TD37120C-14E	TD37120C-26E	TD37120C-38E
14	14.31	240	600	TD37140A-14E	TD37140A-26E	TD37140A-38E
14	14.31	240	1000	TD37140B-14E	TD37140B-26E	TD37140B-38E
15	15.31	240	1000	TD37150A-14E	TD37150A-26E	TD37150A-38E
16	16.31	240	1000	TD37160A-14E	TD37160A-26E	TD37160A-38E
21	21.31	240	1000	TD37210A-14E	TD37210A-26E	TD37210A-38E

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" leads with Standard Flange	26" leads with Standard Flange	38" leads with Standard Flange
1	1.31	240	100	TD37010A-14F	TD37010A-26F	TD37010A-38F
1.25	1.56	240	100	TD37012A-14F	TD37012A-26F	TD37012A-38F
1.25	1.56	240	150	TD37012B-14F	TD37012B-26F	TD37012B-38F
1.5	1.81	120	50	TD37015A-14F	TD37015A-26F	TD37015A-38F
1.5	1.81	120	100	TD37015B-14F	TD37015B-26F	TD37015B-38F
1.5	1.81	240	100	TD37015C-14F	TD37015C-26F	TD37015C-38F
1.5	1.81	120	150	TD37015D-14F	TD37015D-26F	TD37015D-38F
1.5	1.81	240	150	TD37015E-14F	TD37015E-26F	TD37015E-38F
1.5	1.81	120	200	TD37015F-14F	TD37015F-26F	TD37015F-38F
1.5	1.81	240	200	TD37015A-14F	TD37015A-26F	TD37015A-38F
1.5	1.81	120	250	TD37015H-14F	TD37015H-26F	TD37015H-38F
1.5	1.81	240	250	TD37015J-14F	TD37015J-26F	TD37015J-38F
1.75	2.06	120	50	TD37017A-14F	TD37017A-26F	TD37017A-38F
1.75	2.06	240	200	TD37017A-14F	TD37017A-26F	TD37017A-38F
2	2.31	120	50	TD37020A-14F	TD37020A-26F	TD37020A-38F
2	2.31	120	75	TD37020B-14F	TD37020B-26F	TD37020B-38F
2	2.31	120	100	TD37020C-14F	TD37020C-26F	TD37020C-38F
2	2.31	240	100	TD37020D-14F	TD37020D-26F	TD37020D-38F
2	2.31	120	150	TD37020E-14F	TD37020E-26F	TD37020E-38F
2	2.31	240	150	TD37020F-14F	TD37020F-26F	TD37020F-38F
2	2.31	120	200	TD37020G-14F	TD37020G-26F	TD37020G-38F
2	2.31	240	200	TD37020A-14F	TD37020A-26F	TD37020A-38F
2	2.31	120	250	TD37020M-14F	TD37020M-26F	TD37020M-38F
2	2.31	240	250	TD37020J-14F	TD37020J-26F	TD37020J-38F
2	2.31	120	300	TD37020K-14F	TD37020K-26F	TD37020K-38F
2	2.31	240	300	TD37020B-14F	TD37020B-26F	TD37020B-38F
2.5	2.81	120	250	TD37025A-14F	TD37025A-26F	TD37025A-38F
2.5	2.81	240	250	TD37025B-14F	TD37025B-26F	TD37025B-38F
3	3.31	120	100	TD37030A-14F	TD37030A-26F	TD37030A-38F
3	3.31	120	125	TD37030B-14F	TD37030B-26F	TD37030B-38F
3	3.31	120	150	TD37030K-14F	TD37030K-26F	TD37030K-38F
3	3.31	240	150	TD37030L-14F	TD37030L-26F	TD37030L-38F
3	3.31	120	200	TD37030C-14F	TD37030C-26F	TD37030C-38F
3	3.31	240	200	TD37030D-14F	TD37030D-26F	TD37030D-38F
3	3.31	120	250	TD37030E-14F	TD37030E-26F	TD37030E-38F
3	3.31	240	250	TD37030F-14F	TD37030F-26F	TD37030F-38F
3	3.31	120	300	TD37030G-14F	TD37030G-26F	TD37030G-38F
3	3.31	240	300	TD37030H-14F	TD37030H-26F	TD37030H-38F
3	3.31	120	400	TD37030J-14F	TD37030J-26F	TD37030J-38F
3	3.31	240	400	TD37030A-14F	TD37030A-26F	TD37030A-38F
3	3.31	120	500	TD37030L-14F	TD37030L-26F	TD37030L-38F
3	3.31	240	500	TD37030B-14F	TD37030B-26F	TD37030B-38F
3.5	3.81	120	75	TD37035A-14F	TD37035A-26F	TD37035A-38F
3.5	3.81	120	125	TD37035D-14F	TD37035D-26F	TD37035D-38F
3.5	3.81	120	300	TD37035B-14F	TD37035B-26F	TD37035B-38F
3.5	3.81	240	300	TD37035A-14F	TD37035A-26F	TD37035A-38F
3.5	3.81	120	500	TD37035C-14F	TD37035C-26F	TD37035C-38F
3.5	3.81	240	500	TD37035D-14F	TD37035D-26F	TD37035D-38F

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard Flange (continued)

Insertion Length	O.A.L.	Volts	Watts	14" leads with Standard Flange	26" leads with Standard Flange	38" leads with Standard Flange
4	4.31	120	125	TD37040A-14F	TD37040A-26F	TD37040A-38F
4	4.31	120	150	TD37040B-14F	TD37040B-26F	TD37040B-38F
4	4.31	240	150	TD37040H-14F	TD37040H-26F	TD37040H-38F
4	4.31	120	250	TD37040C-14F	TD37040C-26F	TD37040C-38F
4	4.31	240	250	TD37040D-14F	TD37040D-26F	TD37040D-38F
4	4.31	120	400	TD37040E-14F	TD37040E-26F	TD37040E-38F
4	4.31	240	400	TD37040F-14F	TD37040F-26F	TD37040F-38F
4	4.31	120	500	TD37040G-14F	TD37040G-26F	TD37040G-38F
4	4.31	240	500	TD37040A-14F	TD37040A-26F	TD37040A-38F
4	4.31	240	600	TD37040B-14F	TD37040B-26F	TD37040B-38F
4.5	4.81	120	125	TD37045A-14F	TD37045A-26F	TD37045A-38F
4.5	4.81	120	300	TD37045B-14F	TD37045B-26F	TD37045B-38F
4.5	4.81	120	500	TD37045C-14F	TD37045C-26F	TD37045C-38F
4.5	4.81	240	500	TD37045A-14F	TD37045A-26F	TD37045A-38F
5	5.31	120	100	TD37050E-14F	TD37050E-26F	TD37050E-38F
5	5.31	120	125	TD37050N-14F	TD37050N-26F	TD37050N-38F
5	5.31	120	150	TD37050B-14F	TD37050B-26F	TD37050B-38F
5	5.31	240	150	TD37050J-14F	TD37050J-26F	TD37050J-38F
5	5.31	120	200	TD37050H-14F	TD37050H-26F	TD37050H-38F
5	5.31	120	250	TD37050C-14F	TD37050C-26F	TD37050C-38F
5	5.31	120	300	TD37050K-14F	TD37050K-26F	TD37050K-38F
5	5.31	240	300	TD37050L-14F	TD37050L-26F	TD37050L-38F
5	5.31	120	400	TD37050D-14F	TD37050D-26F	TD37050D-38F
5	5.31	240	400	TD37050E-14F	TD37050E-26F	TD37050E-38F
5	5.31	120	500	TD37050M-14F	TD37050M-26F	TD37050M-38F
5	5.31	240	500	TD37050N-14F	TD37050N-26F	TD37050N-38F
5	5.31	120	600	TD37050F-14F	TD37050F-26F	TD37050F-38F
5	5.31	240	600	TD37050B-14F	TD37050B-26F	TD37050B-38F
5	5.31	240	800	TD37050H-14F	TD37050H-26F	TD37050H-38F
5	5.31	240	1000	TD37050C-14F	TD37050C-26F	TD37050C-38F
6	6.31	120	100	TD37060E-14F	TD37060E-26F	TD37060E-38F
6	6.31	120	125	TD37060K-14F	TD37060K-26F	TD37060K-38F
6	6.31	120	150	TD37060A-14F	TD37060A-26F	TD37060A-38F
6	6.31	120	200	TD37060B-14F	TD37060B-26F	TD37060B-38F
6	6.31	120	250	TD37060C-14F	TD37060C-26F	TD37060C-38F
6	6.31	240	250	TD37060F-14F	TD37060F-26F	TD37060F-38F
6	6.31	120	300	TD37060G-14F	TD37060G-26F	TD37060G-38F
6	6.31	240	300	TD37060H-14F	TD37060H-26F	TD37060H-38F
6	6.31	120	400	TD37060D-14F	TD37060D-26F	TD37060D-38F
6	6.31	240	400	TD37060E-14F	TD37060E-26F	TD37060E-38F
6	6.31	120	500	TD37060J-14F	TD37060J-26F	TD37060J-38F
6	6.31	240	500	TD37060K-14F	TD37060K-26F	TD37060K-38F
6	6.31	240	600	TD37060A-14F	TD37060A-26F	TD37060A-38F
6	6.31	240	800	TD37060B-14F	TD37060B-26F	TD37060B-38F
6	6.31	240	1000	TD37060C-14F	TD37060C-26F	TD37060C-38F
6.5	6.81	120	500	TD37065A-14F	TD37065A-26F	TD37065A-38F
6.5	6.81	240	500	TD37065B-14F	TD37065B-26F	TD37065B-38F

Marathon Stock Today Heaters

3/8" Diameter Heaters with Standard Flange (continued)

Insertion Length	O.A.L.	Volts	Watts	14" leads with Standard Flange	26" leads with Standard Flange	38" leads with Standard Flange
7	7.31	120	250	TD37070A-14F	TD37070A-26F	TD37070A-38F
7	7.31	120	400	TD37070B-14F	TD37070B-26F	TD37070B-38F
7	7.31	240	400	TD37070C-14F	TD37070C-26F	TD37070C-38F
7	7.31	120	500	TD37070D-14F	TD37070D-26F	TD37070D-38F
7	7.31	240	500	TD37070E-14F	TD37070E-26F	TD37070E-38F
7	7.31	120	600	TD37070F-14F	TD37070F-26F	TD37070F-38F
7	7.31	240	600	TD37070G-14F	TD37070G-26F	TD37070G-38F
7	7.31	240	1000	TD37070A-14F	TD37070A-26F	TD37070A-38F
7.5	7.81	240	500	TD37075A-14F	TD37075A-26F	TD37075A-38F
8	8.31	120	250	TD37080A-14F	TD37080A-26F	TD37080A-38F
8	8.31	120	300	TD37080C-14F	TD37080C-26F	TD37080C-38F
8	8.31	240	300	TD37080D-14F	TD37080D-26F	TD37080D-38F
8	8.31	120	500	TD37080E-14F	TD37080E-26F	TD37080E-38F
8	8.31	240	500	TD37080F-14F	TD37080F-26F	TD37080F-38F
8	8.31	120	600	TD37080H-14F	TD37080H-26F	TD37080H-38F
8	8.31	240	600	TD37080B-14F	TD37080B-26F	TD37080B-38F
8	8.31	240	750	TD37080G-14F	TD37080G-26F	TD37080G-38F
8	8.31	240	1000	TD37080A-14F	TD37080A-26F	TD37080A-38F
9	9.31	120	250	TD37090A-14F	TD37090A-26F	TD37090A-38F
9	9.31	120	400	TD37090B-14F	TD37090B-26F	TD37090B-38F
9	9.31	240	400	TD37090C-14F	TD37090C-26F	TD37090C-38F
9	9.31	240	1000	TD37090A-14F	TD37090A-26F	TD37090A-38F
10	10.31	120	250	TD37100A-14F	TD37100A-26F	TD37100A-38F
10	10.31	120	400	TD37100C-14F	TD37100C-26F	TD37100C-38F
10	10.31	120	600	TD37100D-14F	TD37100D-26F	TD37100D-38F
10	10.31	240	600	TD37100B-14F	TD37100B-26F	TD37100B-38F
10	10.31	240	1000	TD37100A-14F	TD37100A-26F	TD37100A-38F
11	11.31	240	1000	TD37110A-14F	TD37110A-26F	TD37110A-38F
12	12.31	120	250	TD37120A-14F	TD37120A-26F	TD37120A-38F
12	12.31	120	500	TD37120D-14F	TD37120D-26F	TD37120D-38F
12	12.31	240	500	TD37120E-14F	TD37120E-26F	TD37120E-38F
12	12.31	120	600	TD37120F-14F	TD37120F-26F	TD37120F-38F
12	12.31	240	600	TD37120B-14F	TD37120B-26F	TD37120B-38F
12	12.31	240	750	TD37120G-14F	TD37120G-26F	TD37120G-38F
12	12.31	240	1000	TD37120A-14F	TD37120A-26F	TD37120A-38F
12	12.31	240	1500	TD37120C-14F	TD37120C-26F	TD37120C-38F
14	14.31	240	600	TD37140A-14F	TD37140A-26F	TD37140A-38F
14	14.31	240	1000	TD37140B-14F	TD37140B-26F	TD37140B-38F
15	15.31	240	1000	TD37150A-14F	TD37150A-26F	TD37150A-38F
16	16.31	240	1000	TD37160A-14F	TD37160A-26F	TD37160A-38F
21	21.31	240	1000	TD37210A-14F	TD37210A-26F	TD37210A-38F

Marathon Stock Today Heaters

1/2" Diameter Heaters with Trimmed Cavity

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	1.5	120	50	TD50015A-14S	TD50015A-26S	TD50015A-38S
	1.5	120	200	TD50015B-14S	TD50015B-26S	TD50015B-38S
	1.5	240	200	TD50015A-14S	TD50015A-26S	TD50015A-38S
	2	120	75	TD50020A-14S	TD50020A-26S	TD50020A-38S
	2	120	100	TD50020B-14S	TD50020B-26S	TD50020A-38S
	2	240	200	TD50020C-14S	TD50020C-26S	TD50020C-38S
	2	240	300	TD50020A-14S	TD50020A-26S	TD50020A-38S
	2	240	400	TD50020B-14S	TD50020B-26S	TD50020B-38S
	2.5	120	75	TD50025A-14S	TD50025A-26S	TD50025A-38S
	2.5	120	100	TD50025B-14S	TD50025B-26S	TD50025B-38S
	2.5	120	125	TD50025C-14S	TD50025C-26S	TD50025C-38S
	2.5	240	300	TD50025A-14S	TD50025A-26S	TD50025A-38S
	2.5	240	400	TD50025B-14S	TD50025B-26S	TD50025B-38S
	2.5	240	500	TD50025C-14S	TD50025C-26S	TD50025C-38S
	3	120	100	TD50030F-14S	TD50030F-26S	TD50030F-38S
	3	120	125	TD50030G-14S	TD50030G-26S	TD50030G-38S
	3	240	125	TD50030A-14S	TD50030A-26S	TD50030A-38S
	3	120	250	TD50030B-14S	TD50030B-26S	TD50030B-38S
	3	240	250	TD50030C-14S	TD50030C-26S	TD50030C-38S
	3	120	300	TD50030H-14S	TD50030H-26S	TD50030H-38S
	3	240	300	TD50030D-14S	TD50030D-26S	TD50030D-38S
	3	120	400	TD50030E-14S	TD50030E-26S	TD50030E-38S
	3	240	400	TD50030F-14S	TD50030F-26S	TD50030F-38S
	3	120	500	TD50030J-14S	TD50030J-26S	TD50030J-38S
	3	240	500	TD50030A-14S	TD50030A-26S	TD50030A-38S
	3.5	120	125	TD50035A-14S	TD50035A-26S	TD50035A-38S
	3.5	240	250	TD50035B-14S	TD50035B-26S	TD50035B-38S
	3.5	240	400	TD50035C-14S	TD50035C-26S	TD50035C-38S
	3.5	240	500	TD50035A-14S	TD50035A-26S	TD50035A-38S
	3.5	240	750	TD50035D-14S	TD50035D-26S	TD50035D-38S
	4	240	125	TD50040A-14S	TD50040A-26S	TD50040A-38S
	4	120	150	TD50040M-14S	TD50040M-26S	TD50040M-38S
	4	120	200	TD50040J-14S	TD50040J-26S	TD50040J-38S
	4	120	250	TD50040K-14S	TD50040K-26S	TD50040K-38S
	4	240	250	TD50040B-14S	TD50040B-26S	TD50040B-38S
	4	120	300	TD50040C-14S	TD50040C-26S	TD50040C-38S
	4	240	300	TD50040D-14S	TD50040D-26S	TD50040D-38S
	4	120	400	TD50040E-14S	TD50040E-26S	TD50040E-38S
	4	240	400	TD50040F-14S	TD50040F-26S	TD50040F-38S
	4	120	500	TD50040L-14S	TD50040L-26S	TD50040L-38S
	4	240	500	TD50040G-14S	TD50040G-26S	TD50040G-38S
	4	240	600	TD50040M-14S	TD50040M-26S	TD50040M-38S
	4	240	750	TD50040H-14S	TD50040H-26S	TD50040H-38S
	4	240	800	TD50040J-14S	TD50040J-26S	TD50040J-38S
	4	240	1000	TD50040K-14S	TD50040K-26S	TD50040K-38S
	4.5	120	125	TD50045C-14S	TD50045C-26S	TD50045C-38S
	4.5	120	175	TD50045B-14S	TD50045B-26S	TD50045B-38S
	4.5	240	250	TD50045A-14S	TD50045A-26S	TD50045A-38S
	4.5	240	500	TD50045C-14S	TD50045C-26S	TD50045C-38S
	4.5	240	750	TD50045B-14S	TD50045B-26S	TD50045B-38S

Marathon Stock Today Heaters

1/2" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	5	120	200	TD50050A-14S	TD50050A-26S	TD50050A-38S
	5	120	250	TD50050B-14S	TD50050B-26S	TD50050B-38S
	5	240	250	TD50050F-14S	TD50050F-26S	TD50050F-38S
	5	240	300	TD50050C-14S	TD50050C-26S	TD50050C-38S
	5	120	500	TD50050D-14S	TD50050D-26S	TD50050D-38S
	5	240	500	TD50050E-14S	TD50050E-26S	TD50050E-38S
	5	240	800	TD50050A-14S	TD50050A-26S	TD50050A-38S
	5	240	1000	TD50050B-14S	TD50050B-26S	TD50050B-38S
	5.5	240	500	TD50055B-14S	TD50055B-26S	TD50055B-38S
	5.5	240	750	TD50055A-14S	TD50055A-26S	TD50055A-38S
	6	120	250	TD50060D-14S	TD50060D-26S	TD50060D-38S
	6	240	250	TD50060E-14S	TD50060E-26S	TD50060E-38S
	6	120	300	TD50060G-14S	TD50060G-26S	TD50060G-38S
	6	240	300	TD50060H-14S	TD50060H-26S	TD50060H-38S
	6	120	375	TD50060A-14S	TD50060A-26S	TD50060A-38S
	6	240	400	TD50060J-14S	TD50060J-26S	TD50060J-38S
	6	120	500	TD50060K-14S	TD50060K-26S	TD50060K-38S
	6	240	500	TD50060B-14S	TD50060B-26S	TD50060B-38S
	6	240	750	TD50060C-14S	TD50060C-26S	TD50060C-38S
	6	120	1000	TD50060F-14S	TD50060F-26S	TD50060F-38S
	6	240	1000	TD50060D-14S	TD50060D-26S	TD50060D-38S
	6	240	1200	TD50060G-14S	TD50060G-26S	TD50060G-38S
	6	240	1500	TD50060A-14S	TD50060A-26S	TD50060A-38S
	6.5	120	250	TD50065A-14S	TD50065A-26S	TD50065A-38S
	6.5	240	500	TD50065B-14S	TD50065B-26S	TD50065B-38S
	6.5	240	1000	TD50065A-14S	TD50065A-26S	TD50065A-38S
	7	120	250	TD50070A-14S	TD50070A-26S	TD50070A-38S
	7	240	300	TD50070D-14S	TD50070D-26S	TD50070D-38S
	7	120	500	TD50070E-14S	TD50070E-26S	TD50070E-38S
	7	240	500	TD50070F-14S	TD50070F-26S	TD50070F-38S
	7	120	600	TD50070B-14S	TD50070B-26S	TD50070B-38S
	7	240	600	TD50070C-14S	TD50070C-26S	TD50070C-38S
	7	240	750	TD50070G-14S	TD50070G-26S	TD50070G-38S
	7	240	1000	TD50070A-14S	TD50070A-26S	TD50070A-38S
	7.5	240	1000	TD50075A-14S	TD50075A-26S	TD50075A-38S
	8	120	250	TD50080G-14S	TD50080G-26S	TD50080G-38S
	8	240	250	TD50080K-14S	TD50080K-26S	TD50080K-38S
	8	120	300	TD50080H-14S	TD50080H-26S	TD50080H-38S
	8	120	375	TD50080A-14S	TD50080A-26S	TD50080A-38S
	8	240	400	TD50080B-14S	TD50080B-26S	TD50080B-38S
	8	120	500	TD50080J-14S	TD50080J-26S	TD50080J-38S
	8	240	500	TD50080C-14S	TD50080C-26S	TD50080C-38S
	8	120	750	TD50080D-14S	TD50080D-26S	TD50080D-38S
	8	240	750	TD50080E-14S	TD50080E-26S	TD50080E-38S
	8	120	1000	TD50080F-14S	TD50080F-26S	TD50080F-38S
	8	240	1000	TD50080G-14S	TD50080G-26S	TD50080G-38S
	8	480	1000	TD50080K-14S	TD50080K-26S	TD50080K-38S
	8	240	1200	TD50080H-14S	TD50080H-26S	TD50080H-38S
	8	240	1500	TD50080A-14S	TD50080A-26S	TD50080A-38S
	8	240	2000	TD50080J-14S	TD50080J-26S	TD50080J-38S
	8.5	240	500	TD50085A-14S	TD50085A-26S	TD50085A-38S
	8.5	240	1000	TD50085B-14S	TD50085B-26S	TD50085B-38S

Marathon Stock Today Heaters

1/2" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	9	240	500	TD50090A-14S	TD50090A-26S	TD50090A-38S
	9	240	1000	TD50090B-14S	TD50090B-26S	TD50090B-38S
	9.5	240	1000	TD50095A-14S	TD50095A-26S	TD50095A-38S
	10	120	500	TD50100A-14S	TD50100A-26S	TD50100A-38S
	10	240	500	TD50100B-14S	TD50100B-26S	TD50100B-38S
	10	240	600	TD50100F-14S	TD50100F-26S	TD50100F-38S
	10	120	1000	TD50100C-14S	TD50100C-26S	TD50100C-38S
	10	240	1000	TD50100D-14S	TD50100D-26S	TD50100D-38S
	10	480	1000	TD50100G-14S	TD50100G-26S	TD50100G-38S
	10	240	1500	TD50100E-14S	TD50100E-26S	TD50100E-38S
	10	240	2000	TD50100A-14S	TD50100A-26S	TD50100A-38S
	10	480	2000	TD50100H-14S	TD50100H-26S	TD50100H-38S
	11	240	1000	TD50110A-14S	TD50110A-26S	TD50110A-38S
	11	240	1600	TD50110B-14S	TD50110B-26S	TD50110B-38S
	12	120	500	TD50120A-14S	TD50120A-26S	TD50120A-38S
	12	240	500	TD50120E-14S	TD50120E-26S	TD50120E-38S
	12	120	600	TD50120F-14S	TD50120F-26S	TD50120F-38S
	12	240	600	TD50120B-14S	TD50120B-26S	TD50120B-38S
	12	240	800	TD50120G-14S	TD50120G-26S	TD50120G-38S
	12	120	1000	TD50120H-14S	TD50120H-26S	TD50120H-38S
	12	240	1000	TD50120C-14S	TD50120C-26S	TD50120C-38S
	12	480	1200	TD50120J-14S	TD50120J-26S	TD50120J-38S
	12	240	1500	TD50120D-14S	TD50120D-26S	TD50120D-38S
	12	240	2000	TD50120A-14S	TD50120A-26S	TD50120A-38S
	12	240	2400	TD50120F-14S	TD50120F-26S	TD50120F-38S
	12.5	240	1000	TD50125A-14S	TD50125A-26S	TD50125A-38S
	13	240	1000	TD50130A-14S	TD50130A-26S	TD50130A-38S
	14	120	1000	TD50140A-14S	TD50140A-26S	TD50140A-38S
	14	240	1000	TD50140B-14S	TD50140B-26S	TD50140B-38S
	14	240	2300	TD50140C-14S	TD50140C-26S	TD50140C-38S
	15	240	1000	TD50150A-14S	TD50150A-26S	TD50150A-38S
	15	240	1500	TD50150B-14S	TD50150B-26S	TD50150B-38S
	15	240	2000	TD50150C-14S	TD50150C-26S	TD50150C-38S
	16	120	800	TD50160A-14S	TD50160A-26S	TD50160A-38S
	16	240	800	TD50160B-14S	TD50160B-26S	TD50160B-38S
	16	240	1000	TD50160C-14S	TD50160C-26S	TD50160C-38S
	16	240	1500	TD50160D-14S	TD50160D-26S	TD50160D-38S
	16	240	2000	TD50160E-14S	TD50160E-26S	TD50160E-38S
	18	240	1000	TD50180A-14S	TD50180A-26S	TD50180A-38S
	18	240	1500	TD50180C-14S	TD50180C-26S	TD50180C-38S
	18	480	1500	TD50180B-14S	TD50180B-26S	TD50180B-38S
	20	240	1000	TD50200A-14S	TD50200A-26S	TD50200A-38S
	20	240	1500	TD50200B-14S	TD50200B-26S	TD50200B-38S
	24	240	1000	TD50240A-14S	TD50240A-26S	TD50240A-38S
	24	240	2000	TD50240B-14S	TD50240B-26S	TD50240B-38S

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
1.5	1.87	120	50	TD50015A-14R	TD50015A-26R	TD50015A-38R
1.5	1.87	120	200	TD50015B-14R	TD50015B-26R	TD50015B-38R
1.5	1.87	240	200	TD50015A-14R	TD50015A-26R	TD50015A-38R
2	2.37	120	75	TD50020A-14R	TD50020A-26R	TD50020A-38R
2	2.37	120	100	TD50020B-14R	TD50020B-26R	TD50020A-38R
2	2.37	240	200	TD50020C-14R	TD50020C-26R	TD50020C-38R
2	2.37	240	300	TD50020A-14R	TD50020A-26R	TD50020A-38R
2	2.37	240	400	TD50020B-14R	TD50020B-26R	TD50020B-38R
2.5	2.87	120	75	TD50025A-14R	TD50025A-26R	TD50025A-38R
2.5	2.87	120	100	TD50025B-14R	TD50025B-26R	TD50025B-38R
2.5	2.87	120	125	TD50025C-14R	TD50025C-26R	TD50025C-38R
2.5	2.87	240	300	TD50025A-14R	TD50025A-26R	TD50025A-38R
2.5	2.87	240	400	TD50025B-14R	TD50025B-26R	TD50025B-38R
2.5	2.87	240	500	TD50025C-14R	TD50025C-26R	TD50025C-38R
3	3.37	120	100	TD50030F-14R	TD50030F-26R	TD50030F-38R
3	3.37	120	125	TD50030G-14R	TD50030G-26R	TD50030G-38R
3	3.37	240	125	TD50030A-14R	TD50030A-26R	TD50030A-38R
3	3.37	120	250	TD50030B-14R	TD50030B-26R	TD50030B-38R
3	3.37	240	250	TD50030C-14R	TD50030C-26R	TD50030C-38R
3	3.37	120	300	TD50030H-14R	TD50030H-26R	TD50030H-38R
3	3.37	240	300	TD50030D-14R	TD50030D-26R	TD50030D-38R
3	3.37	120	400	TD50030E-14R	TD50030E-26R	TD50030E-38R
3	3.37	240	400	TD50030F-14R	TD50030F-26R	TD50030F-38R
3	3.37	120	500	TD50030J-14R	TD50030J-26R	TD50030J-38R
3	3.37	240	500	TD50030A-14R	TD50030A-26R	TD50030A-38R
3.5	3.87	120	125	TD50035A-14R	TD50035A-26R	TD50035A-38R
3.5	3.87	240	250	TD50035B-14R	TD50035B-26R	TD50035B-38R
3.5	3.87	240	400	TD50035C-14R	TD50035C-26R	TD50035C-38R
3.5	3.87	240	500	TD50035A-14R	TD50035A-26R	TD50035A-38R
3.5	3.87	240	750	TD50035D-14R	TD50035D-26R	TD50035D-38R
4	4.37	240	125	TD50040A-14R	TD50040A-26R	TD50040A-38R
4	4.37	120	150	TD50040M-14R	TD50040M-26R	TD50040M-38R
4	4.37	120	200	TD50040J-14R	TD50040J-26R	TD50040J-38R
4	4.37	120	250	TD50040K-14R	TD50040K-26R	TD50040K-38R
4	4.37	240	250	TD50040B-14R	TD50040B-26R	TD50040B-38R
4	4.37	120	300	TD50040C-14R	TD50040C-26R	TD50040C-38R
4	4.37	240	300	TD50040D-14R	TD50040D-26R	TD50040D-38R
4	4.37	120	400	TD50040E-14R	TD50040E-26R	TD50040E-38R
4	4.37	240	400	TD50040F-14R	TD50040F-26R	TD50040F-38R
4	4.37	120	500	TD50040L-14R	TD50040L-26R	TD50040L-38R
4	4.37	240	500	TD50040G-14R	TD50040G-26R	TD50040G-38R
4	4.37	240	600	TD50040M-14R	TD50040M-26R	TD50040M-38R
4	4.37	240	750	TD50040H-14R	TD50040H-26R	TD50040H-38R
4	4.37	240	800	TD50040J-14R	TD50040J-26R	TD50040J-38R
4	4.37	240	1000	TD50040K-14R	TD50040K-26R	TD50040K-38R
4.5	4.87	120	125	TD50045C-14R	TD50045C-26R	TD50045C-38R
4.5	4.87	120	175	TD50045B-14R	TD50045B-26R	TD50045B-38R
4.5	4.87	240	250	TD50045A-14R	TD50045A-26R	TD50045A-38R
4.5	4.87	240	500	TD50045C-14R	TD50045C-26R	TD50045C-38R
4.5	4.87	240	750	TD50045B-14R	TD50045B-26R	TD50045B-38R

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
5	5.37	120	200	TD50050A-14R	TD50050A-26R	TD50050A-38R
5	5.37	120	250	TD50050B-14R	TD50050B-26R	TD50050B-38R
5	5.37	240	250	TD50050F-14R	TD50050F-26R	TD50050F-38R
5	5.37	240	300	TD50050C-14R	TD50050C-26R	TD50050C-38R
5	5.37	120	500	TD50050D-14R	TD50050D-26R	TD50050D-38R
5	5.37	240	500	TD50050E-14R	TD50050E-26R	TD50050E-38R
5	5.37	240	800	TD50050A-14R	TD50050A-26R	TD50050A-38R
5	5.37	240	1000	TD50050B-14R	TD50050B-26R	TD50050B-38R
5.5	5.87	240	500	TD50055B-14R	TD50055B-26R	TD50055B-38R
5.5	5.87	240	750	TD50055A-14R	TD50055A-26R	TD50055A-38R
6	6.37	120	250	TD50060D-14R	TD50060D-26R	TD50060D-38R
6	6.37	240	250	TD50060E-14R	TD50060E-26R	TD50060E-38R
6	6.37	120	300	TD50060G-14R	TD50060G-26R	TD50060G-38R
6	6.37	240	300	TD50060H-14R	TD50060H-26R	TD50060H-38R
6	6.37	120	375	TD50060A-14R	TD50060A-26R	TD50060A-38R
6	6.37	240	400	TD50060J-14R	TD50060J-26R	TD50060J-38R
6	6.37	120	500	TD50060K-14R	TD50060K-26R	TD50060K-38R
6	6.37	240	500	TD50060B-14R	TD50060B-26R	TD50060B-38R
6	6.37	240	750	TD50060C-14R	TD50060C-26R	TD50060C-38R
6	6.37	120	1000	TD50060F-14R	TD50060F-26R	TD50060F-38R
6	6.37	240	1000	TD50060D-14R	TD50060D-26R	TD50060D-38R
6	6.37	240	1200	TD50060G-14R	TD50060G-26R	TD50060G-38R
6	6.37	240	1500	TD50060A-14R	TD50060A-26R	TD50060A-38R
6.5	6.87	120	250	TD50065A-14R	TD50065A-26R	TD50065A-38R
6.5	6.87	240	500	TD50065B-14R	TD50065B-26R	TD50065B-38R
6.5	6.87	240	1000	TD50065A-14R	TD50065A-26R	TD50065A-38R
7	7.37	120	250	TD50070A-14R	TD50070A-26R	TD50070A-38R
7	7.37	240	300	TD50070D-14R	TD50070D-26R	TD50070D-38R
7	7.37	120	500	TD50070E-14R	TD50070E-26R	TD50070E-38R
7	7.37	240	500	TD50070F-14R	TD50070F-26R	TD50070F-38R
7	7.37	120	600	TD50070B-14R	TD50070B-26R	TD50070B-38R
7	7.37	240	600	TD50070C-14R	TD50070C-26R	TD50070C-38R
7	7.37	240	750	TD50070G-14R	TD50070G-26R	TD50070G-38R
7	7.37	240	1000	TD50070A-14R	TD50070A-26R	TD50070A-38R
7.5	7.87	240	1000	TD50075A-14R	TD50075A-26R	TD50075A-38R
8	8.37	120	250	TD50080G-14R	TD50080G-26R	TD50080G-38R
8	8.37	240	250	TD50080K-14R	TD50080K-26R	TD50080K-38R
8	8.37	120	300	TD50080H-14R	TD50080H-26R	TD50080H-38R
8	8.37	120	375	TD50080A-14R	TD50080A-26R	TD50080A-38R
8	8.37	240	400	TD50080B-14R	TD50080B-26R	TD50080B-38R
8	8.37	120	500	TD50080J-14R	TD50080J-26R	TD50080J-38R
8	8.37	240	500	TD50080C-14R	TD50080C-26R	TD50080C-38R
8	8.37	120	750	TD50080D-14R	TD50080D-26R	TD50080D-38R
8	8.37	240	750	TD50080E-14R	TD50080E-26R	TD50080E-38R
8	8.37	120	1000	TD50080F-14R	TD50080F-26R	TD50080F-38R
8	8.37	240	1000	TD50080G-14R	TD50080G-26R	TD50080G-38R
8	8.37	480	1000	TD50080K-14R	TD50080K-26R	TD50080K-38R
8	8.37	240	1200	TD50080H-14R	TD50080H-26R	TD50080H-38R
8	8.37	240	1500	TD50080A-14R	TD50080A-26R	TD50080A-38R
8	8.37	240	2000	TD50080J-14R	TD50080J-26R	TD50080J-38R
8.5	8.87	240	500	TD50085A-14R	TD50085A-26R	TD50085A-38R
8.5	8.87	240	1000	TD50085B-14R	TD50085B-26R	TD50085B-38R

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
9	9.37	240	500	TD50090A-14R	TD50090A-26R	TD50090A-38R
9	9.37	240	1000	TD50090B-14R	TD50090B-26R	TD50090B-38R
9.5	9.87	240	1000	TD50095A-14R	TD50095A-26R	TD50095A-38R
10	10.37	120	500	TD50100A-14R	TD50100A-26R	TD50100A-38R
10	10.37	240	500	TD50100B-14R	TD50100B-26R	TD50100B-38R
10	10.37	240	600	TD50100F-14R	TD50100F-26R	TD50100F-38R
10	10.37	120	1000	TD50100C-14R	TD50100C-26R	TD50100C-38R
10	10.37	240	1000	TD50100D-14R	TD50100D-26R	TD50100D-38R
10	10.37	480	1000	TD50100G-14R	TD50100G-26R	TD50100G-38R
10	10.37	240	1500	TD50100E-14R	TD50100E-26R	TD50100E-38R
10	10.37	240	2000	TD50100A-14R	TD50100A-26R	TD50100A-38R
10	10.37	480	2000	TD50100H-14R	TD50100H-26R	TD50100H-38R
11	11.37	240	1000	TD50110A-14R	TD50110A-26R	TD50110A-38R
11	11.37	240	1600	TD50110B-14R	TD50110B-26R	TD50110B-38R
12	12.37	120	500	TD50120A-14R	TD50120A-26R	TD50120A-38R
12	12.37	240	500	TD50120E-14R	TD50120E-26R	TD50120E-38R
12	12.37	120	600	TD50120F-14R	TD50120F-26R	TD50120F-38R
12	12.37	240	600	TD50120B-14R	TD50120B-26R	TD50120B-38R
12	12.37	240	800	TD50120G-14R	TD50120G-26R	TD50120G-38R
12	12.37	120	1000	TD50120H-14R	TD50120H-26R	TD50120H-38R
12	12.37	240	1000	TD50120C-14R	TD50120C-26R	TD50120C-38R
12	12.37	480	1200	TD50120J-14R	TD50120J-26R	TD50120J-38R
12	12.37	240	1500	TD50120D-14R	TD50120D-26R	TD50120D-38R
12	12.37	240	2000	TD50120A-14R	TD50120A-26R	TD50120A-38R
12	12.37	240	2400	TD50120F-14R	TD50120F-26R	TD50120F-38R
12.5	12.87	240	1000	TD50125A-14R	TD50125A-26R	TD50125A-38R
13	13.37	240	1000	TD50130A-14R	TD50130A-26R	TD50130A-38R
14	14.37	120	1000	TD50140A-14R	TD50140A-26R	TD50140A-38R
14	14.37	240	1000	TD50140B-14R	TD50140B-26R	TD50140B-38R
14	14.37	240	2300	TD50140C-14R	TD50140C-26R	TD50140C-38R
15	15.37	240	1000	TD50150A-14R	TD50150A-26R	TD50150A-38R
15	15.37	240	1500	TD50150B-14R	TD50150B-26R	TD50150B-38R
15	15.37	240	2000	TD50150C-14R	TD50150C-26R	TD50150C-38R
16	16.37	120	800	TD50160A-14R	TD50160A-26R	TD50160A-38R
16	16.37	240	800	TD50160B-14R	TD50160B-26R	TD50160B-38R
16	16.37	240	1000	TD50160C-14R	TD50160C-26R	TD50160C-38R
16	16.37	240	1500	TD50160D-14R	TD50160D-26R	TD50160D-38R
16	16.37	240	2000	TD50160E-14R	TD50160E-26R	TD50160E-38R
18	18.37	240	1000	TD50180A-14R	TD50180A-26R	TD50180A-38R
18	18.37	240	1500	TD50180C-14R	TD50180C-26R	TD50180C-38R
18	18.37	480	1500	TD50180B-14R	TD50180B-26R	TD50180B-38R
20	20.37	240	1000	TD50200A-14R	TD50200A-26R	TD50200A-38R
20	20.37	240	1500	TD50200B-14R	TD50200B-26R	TD50200B-38R
24	24.37	240	1000	TD50240A-14R	TD50240A-26R	TD50240A-38R
24	24.37	240	2000	TD50240B-14R	TD50240B-26R	TD50240B-38R

Marathon Stock Today Heaters

1/2" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
1.5	1.87	120	50	TD50015A-14B12	TD50015A-26B24	TD50015A-38B36
1.5	1.87	120	200	TD50015B-14B12	TD50015B-26B24	TD50015B-38B36
1.5	1.87	240	200	TD50015A-14B12	TD50015A-26B24	TD50015A-38B36
2	2.37	120	75	TD50020A-14B12	TD50020A-26B24	TD50020A-38B36
2	2.37	120	100	TD50020B-14B12	TD50020B-26B24	TD50020A-38B36
2	2.37	240	200	TD50020C-14B12	TD50020C-26B24	TD50020C-38B36
2	2.37	240	300	TD50020A-14B12	TD50020A-26B24	TD50020A-38B36
2	2.37	240	400	TD50020B-14B12	TD50020B-26B24	TD50020B-38B36
2.5	2.87	120	75	TD50025A-14B12	TD50025A-26B24	TD50025A-38B36
2.5	2.87	120	100	TD50025B-14B12	TD50025B-26B24	TD50025B-38B36
2.5	2.87	120	125	TD50025C-14B12	TD50025C-26B24	TD50025C-38B36
2.5	2.87	240	300	TD50025A-14B12	TD50025A-26B24	TD50025A-38B36
2.5	2.87	240	400	TD50025B-14B12	TD50025B-26B24	TD50025B-38B36
2.5	2.87	240	500	TD50025C-14B12	TD50025C-26B24	TD50025C-38B36
3	3.37	120	100	TD50030F-14B12	TD50030F-26B24	TD50030F-38B36
3	3.37	120	125	TD50030G-14B12	TD50030G-26B24	TD50030G-38B36
3	3.37	240	125	TD50030A-14B12	TD50030A-26B24	TD50030A-38B36
3	3.37	120	250	TD50030B-14B12	TD50030B-26B24	TD50030B-38B36
3	3.37	240	250	TD50030C-14B12	TD50030C-26B24	TD50030C-38B36
3	3.37	120	300	TD50030H-14B12	TD50030H-26B24	TD50030H-38B36
3	3.37	240	300	TD50030D-14B12	TD50030D-26B24	TD50030D-38B36
3	3.37	120	400	TD50030E-14B12	TD50030E-26B24	TD50030E-38B36
3	3.37	240	400	TD50030F-14B12	TD50030F-26B24	TD50030F-38B36
3	3.37	120	500	TD50030J-14B12	TD50030J-26B24	TD50030J-38B36
3	3.37	240	500	TD50030A-14B12	TD50030A-26B24	TD50030A-38B36
3.5	3.87	120	125	TD50035A-14B12	TD50035A-26B24	TD50035A-38B36
3.5	3.87	240	250	TD50035B-14B12	TD50035B-26B24	TD50035B-38B36
3.5	3.87	240	400	TD50035C-14B12	TD50035C-26B24	TD50035C-38B36
3.5	3.87	240	500	TD50035A-14B12	TD50035A-26B24	TD50035A-38B36
3.5	3.87	240	750	TD50035D-14B12	TD50035D-26B24	TD50035D-38B36
4	4.37	240	125	TD50040A-14B12	TD50040A-26B24	TD50040A-38B36
4	4.37	120	150	TD50040M-14B12	TD50040M-26B24	TD50040M-38B36
4	4.37	120	200	TD50040J-14B12	TD50040J-26B24	TD50040J-38B36
4	4.37	120	250	TD50040K-14B12	TD50040K-26B24	TD50040K-38B36
4	4.37	240	250	TD50040B-14B12	TD50040B-26B24	TD50040B-38B36
4	4.37	120	300	TD50040C-14B12	TD50040C-26B24	TD50040C-38B36
4	4.37	240	300	TD50040D-14B12	TD50040D-26B24	TD50040D-38B36
4	4.37	120	400	TD50040E-14B12	TD50040E-26B24	TD50040E-38B36
4	4.37	240	400	TD50040F-14B12	TD50040F-26B24	TD50040F-38B36
4	4.37	120	500	TD50040L-14B12	TD50040L-26B24	TD50040L-38B36
4	4.37	240	500	TD50040G-14B12	TD50040G-26B24	TD50040G-38B36
4	4.37	240	600	TD50040M-14B12	TD50040M-26B24	TD50040M-38B36
4	4.37	240	750	TD50040H-14B12	TD50040H-26B24	TD50040H-38B36
4	4.37	240	800	TD50040J-14B12	TD50040J-26B24	TD50040J-38B36
4	4.37	240	1000	TD50040K-14B12	TD50040K-26B24	TD50040K-38B36
4.5	4.87	120	125	TD50045C-14B12	TD50045C-26B24	TD50045C-38B36
4.5	4.87	120	175	TD50045B-14B12	TD50045B-26B24	TD50045B-38B36
4.5	4.87	240	250	TD50045A-14B12	TD50045A-26B24	TD50045A-38B36
4.5	4.87	240	500	TD50045C-14B12	TD50045C-26B24	TD50045C-38B36
4.5	4.87	240	750	TD50045B-14B12	TD50045B-26B24	TD50045B-38B36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
5	5.37	120	200	TD50050A-14B12	TD50050A-26B24	TD50050A-38B36
5	5.37	120	250	TD50050B-14B12	TD50050B-26B24	TD50050B-38B36
5	5.37	240	250	TD50050F-14B12	TD50050F-26B24	TD50050F-38B36
5	5.37	240	300	TD50050C-14B12	TD50050C-26B24	TD50050C-38B36
5	5.37	120	500	TD50050D-14B12	TD50050D-26B24	TD50050D-38B36
5	5.37	240	500	TD50050E-14B12	TD50050E-26B24	TD50050E-38B36
5	5.37	240	800	TD50050A-14B12	TD50050A-26B24	TD50050A-38B36
5	5.37	240	1000	TD50050B-14B12	TD50050B-26B24	TD50050B-38B36
5.5	5.87	240	500	TD50055B-14B12	TD50055B-26B24	TD50055B-38B36
5.5	5.87	240	750	TD50055A-14B12	TD50055A-26B24	TD50055A-38B36
6	6.37	120	250	TD50060D-14B12	TD50060D-26B24	TD50060D-38B36
6	6.37	240	250	TD50060E-14B12	TD50060E-26B24	TD50060E-38B36
6	6.37	120	300	TD50060G-14B12	TD50060G-26B24	TD50060G-38B36
6	6.37	240	300	TD50060H-14B12	TD50060H-26B24	TD50060H-38B36
6	6.37	120	375	TD50060A-14B12	TD50060A-26B24	TD50060A-38B36
6	6.37	240	400	TD50060J-14B12	TD50060J-26B24	TD50060J-38B36
6	6.37	120	500	TD50060K-14B12	TD50060K-26B24	TD50060K-38B36
6	6.37	240	500	TD50060B-14B12	TD50060B-26B24	TD50060B-38B36
6	6.37	240	750	TD50060C-14B12	TD50060C-26B24	TD50060C-38B36
6	6.37	120	1000	TD50060F-14B12	TD50060F-26B24	TD50060F-38B36
6	6.37	240	1000	TD50060D-14B12	TD50060D-26B24	TD50060D-38B36
6	6.37	240	1200	TD50060G-14B12	TD50060G-26B24	TD50060G-38B36
6	6.37	240	1500	TD50060A-14B12	TD50060A-26B24	TD50060A-38B36
6.5	6.87	120	250	TD50065A-14B12	TD50065A-26B24	TD50065A-38B36
6.5	6.87	240	500	TD50065B-14B12	TD50065B-26B24	TD50065B-38B36
6.5	6.87	240	1000	TD50065A-14B12	TD50065A-26B24	TD50065A-38B36
7	7.37	120	250	TD50070A-14B12	TD50070A-26B24	TD50070A-38B36
7	7.37	240	300	TD50070D-14B12	TD50070D-26B24	TD50070D-38B36
7	7.37	120	500	TD50070E-14B12	TD50070E-26B24	TD50070E-38B36
7	7.37	240	500	TD50070F-14B12	TD50070F-26B24	TD50070F-38B36
7	7.37	120	600	TD50070B-14B12	TD50070B-26B24	TD50070B-38B36
7	7.37	240	600	TD50070C-14B12	TD50070C-26B24	TD50070C-38B36
7	7.37	240	750	TD50070G-14B12	TD50070G-26B24	TD50070G-38B36
7	7.37	240	1000	TD50070A-14B12	TD50070A-26B24	TD50070A-38B36
7.5	7.87	240	1000	TD50075A-14B12	TD50075A-26B24	TD50075A-38B36
8	8.37	120	250	TD50080G-14B12	TD50080G-26B24	TD50080G-38B36
8	8.37	240	250	TD50080K-14B12	TD50080K-26B24	TD50080K-38B36
8	8.37	120	300	TD50080H-14B12	TD50080H-26B24	TD50080H-38B36
8	8.37	120	375	TD50080A-14B12	TD50080A-26B24	TD50080A-38B36
8	8.37	240	400	TD50080B-14B12	TD50080B-26B24	TD50080B-38B36
8	8.37	120	500	TD50080J-14B12	TD50080J-26B24	TD50080J-38B36
8	8.37	240	500	TD50080C-14B12	TD50080C-26B24	TD50080C-38B36
8	8.37	120	750	TD50080D-14B12	TD50080D-26B24	TD50080D-38B36
8	8.37	240	750	TD50080E-14B12	TD50080E-26B24	TD50080E-38B36
8	8.37	120	1000	TD50080F-14B12	TD50080F-26B24	TD50080F-38B36
8	8.37	240	1000	TD50080G-14B12	TD50080G-26B24	TD50080G-38B36
8	8.37	480	1000	TD50080K-14B12	TD50080K-26B24	TD50080K-38B36
8	8.37	240	1200	TD50080H-14B12	TD50080H-26B24	TD50080H-38B36
8	8.37	240	1500	TD50080A-14B12	TD50080A-26B24	TD50080A-38B36
8	8.37	240	2000	TD50080J-14B12	TD50080J-26B24	TD50080J-38B36
8.5	8.87	240	500	TD50085A-14B12	TD50085A-26B24	TD50085A-38B36
8.5	8.87	240	1000	TD50085B-14B12	TD50085B-26B24	TD50085B-38B36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
9	9.37	240	500	TD50090A-14B12	TD50090A-26B24	TD50090A-38B36
9	9.37	240	1000	TD50090B-14B12	TD50090B-26B24	TD50090B-38B36
9.5	9.87	240	1000	TD50095A-14B12	TD50095A-26B24	TD50095A-38B36
10	10.37	120	500	TD50100A-14B12	TD50100A-26B24	TD50100A-38B36
10	10.37	240	500	TD50100B-14B12	TD50100B-26B24	TD50100B-38B36
10	10.37	240	600	TD50100F-14B12	TD50100F-26B24	TD50100F-38B36
10	10.37	120	1000	TD50100C-14B12	TD50100C-26B24	TD50100C-38B36
10	10.37	240	1000	TD50100D-14B12	TD50100D-26B24	TD50100D-38B36
10	10.37	480	1000	TD50100G-14B12	TD50100G-26B24	TD50100G-38B36
10	10.37	240	1500	TD50100E-14B12	TD50100E-26B24	TD50100E-38B36
10	10.37	240	2000	TD50100A-14B12	TD50100A-26B24	TD50100A-38B36
10	10.37	480	2000	TD50100H-14B12	TD50100H-26B24	TD50100H-38B36
11	11.37	240	1000	TD50110A-14B12	TD50110A-26B24	TD50110A-38B36
11	11.37	240	1600	TD50110B-14B12	TD50110B-26B24	TD50110B-38B36
12	12.37	120	500	TD50120A-14B12	TD50120A-26B24	TD50120A-38B36
12	12.37	240	500	TD50120E-14B12	TD50120E-26B24	TD50120E-38B36
12	12.37	120	600	TD50120F-14B12	TD50120F-26B24	TD50120F-38B36
12	12.37	240	600	TD50120B-14B12	TD50120B-26B24	TD50120B-38B36
12	12.37	240	800	TD50120G-14B12	TD50120G-26B24	TD50120G-38B36
12	12.37	120	1000	TD50120H-14B12	TD50120H-26B24	TD50120H-38B36
12	12.37	240	1000	TD50120C-14B12	TD50120C-26B24	TD50120C-38B36
12	12.37	480	1200	TD50120J-14B12	TD50120J-26B24	TD50120J-38B36
12	12.37	240	1500	TD50120D-14B12	TD50120D-26B24	TD50120D-38B36
12	12.37	240	2000	TD50120A-14B12	TD50120A-26B24	TD50120A-38B36
12	12.37	240	2400	TD50120F-14B12	TD50120F-26B24	TD50120F-38B36
12.5	12.87	240	1000	TD50125A-14B12	TD50125A-26B24	TD50125A-38B36
13	13.37	240	1000	TD50130A-14B12	TD50130A-26B24	TD50130A-38B36
14	14.37	120	1000	TD50140A-14B12	TD50140A-26B24	TD50140A-38B36
14	14.37	240	1000	TD50140B-14B12	TD50140B-26B24	TD50140B-38B36
14	14.37	240	2300	TD50140C-14B12	TD50140C-26B24	TD50140C-38B36
15	15.37	240	1000	TD50150A-14B12	TD50150A-26B24	TD50150A-38B36
15	15.37	240	1500	TD50150B-14B12	TD50150B-26B24	TD50150B-38B36
15	15.37	240	2000	TD50150C-14B12	TD50150C-26B24	TD50150C-38B36
16	16.37	120	800	TD50160A-14B12	TD50160A-26B24	TD50160A-38B36
16	16.37	240	800	TD50160B-14B12	TD50160B-26B24	TD50160B-38B36
16	16.37	240	1000	TD50160C-14B12	TD50160C-26B24	TD50160C-38B36
16	16.37	240	1500	TD50160D-14B12	TD50160D-26B24	TD50160D-38B36
16	16.37	240	2000	TD50160E-14B12	TD50160E-26B24	TD50160E-38B36
18	18.37	240	1000	TD50180A-14B12	TD50180A-26B24	TD50180A-38B36
18	18.37	240	1500	TD50180C-14B12	TD50180C-26B24	TD50180C-38B36
18	18.37	480	1500	TD50180B-14B12	TD50180B-26B24	TD50180B-38B36
20	20.37	240	1000	TD50200A-14B12	TD50200A-26B24	TD50200A-38B36
20	20.37	240	1500	TD50200B-14B12	TD50200B-26B24	TD50200B-38B36
24	24.37	240	1000	TD50240A-14B12	TD50240A-26B24	TD50240A-38B36
24	24.37	240	2000	TD50240B-14B12	TD50240B-26B24	TD50240B-38B36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle leads w/ 24" S/S braid	38" Rt. Angle leads w/ 36" S/S braid
1.5	1.87	120	50	TD50015A-14A12	TD50015A-26A24	TD50015A-38A36
1.5	1.87	120	200	TD50015B-14A12	TD50015B-26A24	TD50015B-38A36
1.5	1.87	240	200	TD50015A-14A12	TD50015A-26A24	TD50015A-38A36
2	2.37	120	75	TD50020A-14A12	TD50020A-26A24	TD50020A-38A36
2	2.37	120	100	TD50020B-14A12	TD50020B-26A24	TD50020A-38A36
2	2.37	240	200	TD50020C-14A12	TD50020C-26A24	TD50020C-38A36
2	2.37	240	300	TD50020A-14A12	TD50020A-26A24	TD50020A-38A36
2	2.37	240	400	TD50020B-14A12	TD50020B-26A24	TD50020B-38A36
2.5	2.87	120	75	TD50025A-14A12	TD50025A-26A24	TD50025A-38A36
2.5	2.87	120	100	TD50025B-14A12	TD50025B-26A24	TD50025B-38A36
2.5	2.87	120	125	TD50025C-14A12	TD50025C-26A24	TD50025C-38A36
2.5	2.87	240	300	TD50025A-14A12	TD50025A-26A24	TD50025A-38A36
2.5	2.87	240	400	TD50025B-14A12	TD50025B-26A24	TD50025B-38A36
2.5	2.87	240	500	TD50025C-14A12	TD50025C-26A24	TD50025C-38A36
3	3.37	120	100	TD50030F-14A12	TD50030F-26A24	TD50030F-38A36
3	3.37	120	125	TD50030G-14A12	TD50030G-26A24	TD50030G-38A36
3	3.37	240	125	TD50030A-14A12	TD50030A-26A24	TD50030A-38A36
3	3.37	120	250	TD50030B-14A12	TD50030B-26A24	TD50030B-38A36
3	3.37	240	250	TD50030C-14A12	TD50030C-26A24	TD50030C-38A36
3	3.37	120	300	TD50030H-14A12	TD50030H-26A24	TD50030H-38A36
3	3.37	240	300	TD50030D-14A12	TD50030D-26A24	TD50030D-38A36
3	3.37	120	400	TD50030E-14A12	TD50030E-26A24	TD50030E-38A36
3	3.37	240	400	TD50030F-14A12	TD50030F-26A24	TD50030F-38A36
3	3.37	120	500	TD50030J-14A12	TD50030J-26A24	TD50030J-38A36
3	3.37	240	500	TD50030A-14A12	TD50030A-26A24	TD50030A-38A36
3.5	3.87	120	125	TD50035A-14A12	TD50035A-26A24	TD50035A-38A36
3.5	3.87	240	250	TD50035B-14A12	TD50035B-26A24	TD50035B-38A36
3.5	3.87	240	400	TD50035C-14A12	TD50035C-26A24	TD50035C-38A36
3.5	3.87	240	500	TD50035A-14A12	TD50035A-26A24	TD50035A-38A36
3.5	3.87	240	750	TD50035D-14A12	TD50035D-26A24	TD50035D-38A36
4	4.37	240	125	TD50040A-14A12	TD50040A-26A24	TD50040A-38A36
4	4.37	120	150	TD50040M-14A12	TD50040M-26A24	TD50040M-38A36
4	4.37	120	200	TD50040J-14A12	TD50040J-26A24	TD50040J-38A36
4	4.37	120	250	TD50040K-14A12	TD50040K-26A24	TD50040K-38A36
4	4.37	240	250	TD50040B-14A12	TD50040B-26A24	TD50040B-38A36
4	4.37	120	300	TD50040C-14A12	TD50040C-26A24	TD50040C-38A36
4	4.37	240	300	TD50040D-14A12	TD50040D-26A24	TD50040D-38A36
4	4.37	120	400	TD50040E-14A12	TD50040E-26A24	TD50040E-38A36
4	4.37	240	400	TD50040F-14A12	TD50040F-26A24	TD50040F-38A36
4	4.37	120	500	TD50040L-14A12	TD50040L-26A24	TD50040L-38A36
4	4.37	240	500	TD50040G-14A12	TD50040G-26A24	TD50040G-38A36
4	4.37	240	600	TD50040M-14A12	TD50040M-26A24	TD50040M-38A36
4	4.37	240	750	TD50040H-14A12	TD50040H-26A24	TD50040H-38A36
4	4.37	240	800	TD50040J-14A12	TD50040J-26A24	TD50040J-38A36
4	4.37	240	1000	TD50040K-14A12	TD50040K-26A24	TD50040K-38A36
4.5	4.87	120	125	TD50045C-14A12	TD50045C-26A24	TD50045C-38A36
4.5	4.87	120	175	TD50045B-14A12	TD50045B-26A24	TD50045B-38A36
4.5	4.87	240	250	TD50045A-14A12	TD50045A-26A24	TD50045A-38A36
4.5	4.87	240	500	TD50045C-14A12	TD50045C-26A24	TD50045C-38A36
4.5	4.87	240	750	TD50045B-14A12	TD50045B-26A24	TD50045B-38A36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
5	5.37	120	200	TD50050A-14A12	TD50050A-26A24	TD50050A-38A36
5	5.37	120	250	TD50050B-14A12	TD50050B-26A24	TD50050B-38A36
5	5.37	240	250	TD50050F-14A12	TD50050F-26A24	TD50050F-38A36
5	5.37	240	300	TD50050C-14A12	TD50050C-26A24	TD50050C-38A36
5	5.37	120	500	TD50050D-14A12	TD50050D-26A24	TD50050D-38A36
5	5.37	240	500	TD50050E-14A12	TD50050E-26A24	TD50050E-38A36
5	5.37	240	800	TD50050A-14A12	TD50050A-26A24	TD50050A-38A36
5	5.37	240	1000	TD50050B-14A12	TD50050B-26A24	TD50050B-38A36
5.5	5.87	240	500	TD50055B-14A12	TD50055B-26A24	TD50055B-38A36
5.5	5.87	240	750	TD50055A-14A12	TD50055A-26A24	TD50055A-38A36
6	6.37	120	250	TD50060D-14A12	TD50060D-26A24	TD50060D-38A36
6	6.37	240	250	TD50060E-14A12	TD50060E-26A24	TD50060E-38A36
6	6.37	120	300	TD50060G-14A12	TD50060G-26A24	TD50060G-38A36
6	6.37	240	300	TD50060H-14A12	TD50060H-26A24	TD50060H-38A36
6	6.37	120	375	TD50060A-14A12	TD50060A-26A24	TD50060A-38A36
6	6.37	240	400	TD50060J-14A12	TD50060J-26A24	TD50060J-38A36
6	6.37	120	500	TD50060K-14A12	TD50060K-26A24	TD50060K-38A36
6	6.37	240	500	TD50060B-14A12	TD50060B-26A24	TD50060B-38A36
6	6.37	240	750	TD50060C-14A12	TD50060C-26A24	TD50060C-38A36
6	6.37	120	1000	TD50060F-14A12	TD50060F-26A24	TD50060F-38A36
6	6.37	240	1000	TD50060D-14A12	TD50060D-26A24	TD50060D-38A36
6	6.37	240	1200	TD50060G-14A12	TD50060G-26A24	TD50060G-38A36
6	6.37	240	1500	TD50060A-14A12	TD50060A-26A24	TD50060A-38A36
6.5	6.87	120	250	TD50065A-14A12	TD50065A-26A24	TD50065A-38A36
6.5	6.87	240	500	TD50065B-14A12	TD50065B-26A24	TD50065B-38A36
6.5	6.87	240	1000	TD50065A-14A12	TD50065A-26A24	TD50065A-38A36
7	7.37	120	250	TD50070A-14A12	TD50070A-26A24	TD50070A-38A36
7	7.37	240	300	TD50070D-14A12	TD50070D-26A24	TD50070D-38A36
7	7.37	120	500	TD50070E-14A12	TD50070E-26A24	TD50070E-38A36
7	7.37	240	500	TD50070F-14A12	TD50070F-26A24	TD50070F-38A36
7	7.37	120	600	TD50070B-14A12	TD50070B-26A24	TD50070B-38A36
7	7.37	240	600	TD50070C-14A12	TD50070C-26A24	TD50070C-38A36
7	7.37	240	750	TD50070G-14A12	TD50070G-26A24	TD50070G-38A36
7	7.37	240	1000	TD50070A-14A12	TD50070A-26A24	TD50070A-38A36
7.5	7.87	240	1000	TD50075A-14A12	TD50075A-26A24	TD50075A-38A36
8	8.37	120	250	TD50080G-14A12	TD50080G-26A24	TD50080G-38A36
8	8.37	240	250	TD50080K-14A12	TD50080K-26A24	TD50080K-38A36
8	8.37	120	300	TD50080H-14A12	TD50080H-26A24	TD50080H-38A36
8	8.37	120	375	TD50080A-14A12	TD50080A-26A24	TD50080A-38A36
8	8.37	240	400	TD50080B-14A12	TD50080B-26A24	TD50080B-38A36
8	8.37	120	500	TD50080J-14A12	TD50080J-26A24	TD50080J-38A36
8	8.37	240	500	TD50080C-14A12	TD50080C-26A24	TD50080C-38A36
8	8.37	120	750	TD50080D-14A12	TD50080D-26A24	TD50080D-38A36
8	8.37	240	750	TD50080E-14A12	TD50080E-26A24	TD50080E-38A36
8	8.37	120	1000	TD50080F-14A12	TD50080F-26A24	TD50080F-38A36
8	8.37	240	1000	TD50080G-14A12	TD50080G-26A24	TD50080G-38A36
8	8.37	480	1000	TD50080K-14A12	TD50080K-26A24	TD50080K-38A36
8	8.37	240	1200	TD50080H-14A12	TD50080H-26A24	TD50080H-38A36
8	8.37	240	1500	TD50080A-14A12	TD50080A-26A24	TD50080A-38A36
8	8.37	240	2000	TD50080J-14A12	TD50080J-26A24	TD50080J-38A36
8.5	8.87	240	500	TD50085A-14A12	TD50085A-26A24	TD50085A-38A36
8.5	8.87	240	1000	TD50085B-14A12	TD50085B-26A24	TD50085B-38A36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" S/S Braid	26" Rt. Angle Leads w/ 24" S/S Braid	38" Rt. Angle Leads w/ 36" S/S Braid
9	9.37	240	500	TD50090A-14A12	TD50090A-26A24	TD50090A-38A36
9	9.37	240	1000	TD50090B-14A12	TD50090B-26A24	TD50090B-38A36
9.5	9.87	240	1000	TD50095A-14A12	TD50095A-26A24	TD50095A-38A36
10	10.37	120	500	TD50100A-14A12	TD50100A-26A24	TD50100A-38A36
10	10.37	240	500	TD50100B-14A12	TD50100B-26A24	TD50100B-38A36
10	10.37	240	600	TD50100F-14A12	TD50100F-26A24	TD50100F-38A36
10	10.37	120	1000	TD50100C-14A12	TD50100C-26A24	TD50100C-38A36
10	10.37	240	1000	TD50100D-14A12	TD50100D-26A24	TD50100D-38A36
10	10.37	480	1000	TD50100G-14A12	TD50100G-26A24	TD50100G-38A36
10	10.37	240	1500	TD50100E-14A12	TD50100E-26A24	TD50100E-38A36
10	10.37	240	2000	TD50100A-14A12	TD50100A-26A24	TD50100A-38A36
10	10.37	480	2000	TD50100H-14A12	TD50100H-26A24	TD50100H-38A36
11	11.37	240	1000	TD50110A-14A12	TD50110A-26A24	TD50110A-38A36
11	11.37	240	1600	TD50110B-14A12	TD50110B-26A24	TD50110B-38A36
12	12.37	120	500	TD50120A-14A12	TD50120A-26A24	TD50120A-38A36
12	12.37	240	500	TD50120E-14A12	TD50120E-26A24	TD50120E-38A36
12	12.37	120	600	TD50120F-14A12	TD50120F-26A24	TD50120F-38A36
12	12.37	240	600	TD50120B-14A12	TD50120B-26A24	TD50120B-38A36
12	12.37	240	800	TD50120G-14A12	TD50120G-26A24	TD50120G-38A36
12	12.37	120	1000	TD50120H-14A12	TD50120H-26A24	TD50120H-38A36
12	12.37	240	1000	TD50120C-14A12	TD50120C-26A24	TD50120C-38A36
12	12.37	480	1200	TD50120J-14A12	TD50120J-26A24	TD50120J-38A36
12	12.37	240	1500	TD50120D-14A12	TD50120D-26A24	TD50120D-38A36
12	12.37	240	2000	TD50120A-14A12	TD50120A-26A24	TD50120A-38A36
12	12.37	240	2400	TD50120F-14A12	TD50120F-26A24	TD50120F-38A36
12.5	12.87	240	1000	TD50125A-14A12	TD50125A-26A24	TD50125A-38A36
13	13.37	240	1000	TD50130A-14A12	TD50130A-26A24	TD50130A-38A36
14	14.37	120	1000	TD50140A-14A12	TD50140A-26A24	TD50140A-38A36
14	14.37	240	1000	TD50140B-14A12	TD50140B-26A24	TD50140B-38A36
14	14.37	240	2300	TD50140C-14A12	TD50140C-26A24	TD50140C-38A36
15	15.37	240	1000	TD50150A-14A12	TD50150A-26A24	TD50150A-38A36
15	15.37	240	1500	TD50150B-14A12	TD50150B-26A24	TD50150B-38A36
15	15.37	240	2000	TD50150C-14A12	TD50150C-26A24	TD50150C-38A36
16	16.37	120	800	TD50160A-14A12	TD50160A-26A24	TD50160A-38A36
16	16.37	240	800	TD50160B-14A12	TD50160B-26A24	TD50160B-38A36
16	16.37	240	1000	TD50160C-14A12	TD50160C-26A24	TD50160C-38A36
16	16.37	240	1500	TD50160D-14A12	TD50160D-26A24	TD50160D-38A36
16	16.37	240	2000	TD50160E-14A12	TD50160E-26A24	TD50160E-38A36
18	18.37	240	1000	TD50180A-14A12	TD50180A-26A24	TD50180A-38A36
18	18.37	240	1500	TD50180C-14A12	TD50180C-26A24	TD50180C-38A36
18	18.37	480	1500	TD50180B-14A12	TD50180B-26A24	TD50180B-38A36
20	20.37	240	1000	TD50200A-14A12	TD50200A-26A24	TD50200A-38A36
20	20.37	240	1500	TD50200B-14A12	TD50200B-26A24	TD50200B-38A36
24	24.37	240	1000	TD50240A-14A12	TD50240A-26A24	TD50240A-38A36
24	24.37	240	2000	TD50240B-14A12	TD50240B-26A24	TD50240B-38A36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
1.5	1.87	120	50	TD50015A-14C12	TD50015A-26C24	TD50015A-38C36
1.5	1.87	120	200	TD50015B-14C12	TD50015B-26C24	TD50015B-38C36
1.5	1.87	240	200	TD50015A-14C12	TD50015A-26C24	TD50015A-38C36
2	2.37	120	75	TD50020A-14C12	TD50020A-26C24	TD50020A-38C36
2	2.37	120	100	TD50020B-14C12	TD50020B-26C24	TD50020A-38C36
2	2.37	240	200	TD50020C-14C12	TD50020C-26C24	TD50020C-38C36
2	2.37	240	300	TD50020A-14C12	TD50020A-26C24	TD50020A-38C36
2	2.37	240	400	TD50020B-14C12	TD50020B-26C24	TD50020B-38C36
2.5	2.87	120	75	TD50025A-14C12	TD50025A-26C24	TD50025A-38C36
2.5	2.87	120	100	TD50025B-14C12	TD50025B-26C24	TD50025B-38C36
2.5	2.87	120	125	TD50025C-14C12	TD50025C-26C24	TD50025C-38C36
2.5	2.87	240	300	TD50025A-14C12	TD50025A-26C24	TD50025A-38C36
2.5	2.87	240	400	TD50025B-14C12	TD50025B-26C24	TD50025B-38C36
2.5	2.87	240	500	TD50025C-14C12	TD50025C-26C24	TD50025C-38C36
3	3.37	120	100	TD50030F-14C12	TD50030F-26C24	TD50030F-38C36
3	3.37	120	125	TD50030G-14C12	TD50030G-26C24	TD50030G-38C36
3	3.37	240	125	TD50030A-14C12	TD50030A-26C24	TD50030A-38C36
3	3.37	120	250	TD50030B-14C12	TD50030B-26C24	TD50030B-38C36
3	3.37	240	250	TD50030C-14C12	TD50030C-26C24	TD50030C-38C36
3	3.37	120	300	TD50030H-14C12	TD50030H-26C24	TD50030H-38C36
3	3.37	240	300	TD50030D-14C12	TD50030D-26C24	TD50030D-38C36
3	3.37	120	400	TD50030E-14C12	TD50030E-26C24	TD50030E-38C36
3	3.37	240	400	TD50030F-14C12	TD50030F-26C24	TD50030F-38C36
3	3.37	120	500	TD50030J-14C12	TD50030J-26C24	TD50030J-38C36
3	3.37	240	500	TD50030A-14C12	TD50030A-26C24	TD50030A-38C36
3.5	3.87	120	125	TD50035A-14C12	TD50035A-26C24	TD50035A-38C36
3.5	3.87	240	250	TD50035B-14C12	TD50035B-26C24	TD50035B-38C36
3.5	3.87	240	400	TD50035C-14C12	TD50035C-26C24	TD50035C-38C36
3.5	3.87	240	500	TD50035A-14C12	TD50035A-26C24	TD50035A-38C36
3.5	3.87	240	750	TD50035D-14C12	TD50035D-26C24	TD50035D-38C36
4	4.37	240	125	TD50040A-14C12	TD50040A-26C24	TD50040A-38C36
4	4.37	120	150	TD50040M-14C12	TD50040M-26C24	TD50040M-38C36
4	4.37	120	200	TD50040J-14C12	TD50040J-26C24	TD50040J-38C36
4	4.37	120	250	TD50040K-14C12	TD50040K-26C24	TD50040K-38C36
4	4.37	240	250	TD50040B-14C12	TD50040B-26C24	TD50040B-38C36
4	4.37	120	300	TD50040C-14C12	TD50040C-26C24	TD50040C-38C36
4	4.37	240	300	TD50040D-14C12	TD50040D-26C24	TD50040D-38C36
4	4.37	120	400	TD50040E-14C12	TD50040E-26C24	TD50040E-38C36
4	4.37	240	400	TD50040F-14C12	TD50040F-26C24	TD50040F-38C36
4	4.37	120	500	TD50040L-14C12	TD50040L-26C24	TD50040L-38C36
4	4.37	240	500	TD50040G-14C12	TD50040G-26C24	TD50040G-38C36
4	4.37	240	600	TD50040M-14C12	TD50040M-26C24	TD50040M-38C36
4	4.37	240	750	TD50040H-14C12	TD50040H-26C24	TD50040H-38C36
4	4.37	240	800	TD50040J-14C12	TD50040J-26C24	TD50040J-38C36
4	4.37	240	1000	TD50040K-14C12	TD50040K-26C24	TD50040K-38C36
4.5	4.87	120	125	TD50045C-14C12	TD50045C-26C24	TD50045C-38C36
4.5	4.87	120	175	TD50045B-14C12	TD50045B-26C24	TD50045B-38C36
4.5	4.87	240	250	TD50045A-14C12	TD50045A-26C24	TD50045A-38C36
4.5	4.87	240	500	TD50045C-14C12	TD50045C-26C24	TD50045C-38C36
4.5	4.87	240	750	TD50045B-14C12	TD50045B-26C24	TD50045B-38C36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
5	5.37	120	200	TD50050A-14C12	TD50050A-26C24	TD50050A-38C36
5	5.37	120	250	TD50050B-14C12	TD50050B-26C24	TD50050B-38C36
5	5.37	240	250	TD50050F-14C12	TD50050F-26C24	TD50050F-38C36
5	5.37	240	300	TD50050C-14C12	TD50050C-26C24	TD50050C-38C36
5	5.37	120	500	TD50050D-14C12	TD50050D-26C24	TD50050D-38C36
5	5.37	240	500	TD50050E-14C12	TD50050E-26C24	TD50050E-38C36
5	5.37	240	800	TD50050A-14C12	TD50050A-26C24	TD50050A-38C36
5	5.37	240	1000	TD50050B-14C12	TD50050B-26C24	TD50050B-38C36
5.5	5.87	240	500	TD50055B-14C12	TD50055B-26C24	TD50055B-38C36
5.5	5.87	240	750	TD50055A-14C12	TD50055A-26C24	TD50055A-38C36
6	6.37	120	250	TD50060D-14C12	TD50060D-26C24	TD50060D-38C36
6	6.37	240	250	TD50060E-14C12	TD50060E-26C24	TD50060E-38C36
6	6.37	120	300	TD50060G-14C12	TD50060G-26C24	TD50060G-38C36
6	6.37	240	300	TD50060H-14C12	TD50060H-26C24	TD50060H-38C36
6	6.37	120	375	TD50060A-14C12	TD50060A-26C24	TD50060A-38C36
6	6.37	240	400	TD50060J-14C12	TD50060J-26C24	TD50060J-38C36
6	6.37	120	500	TD50060K-14C12	TD50060K-26C24	TD50060K-38C36
6	6.37	240	500	TD50060B-14C12	TD50060B-26C24	TD50060B-38C36
6	6.37	240	750	TD50060C-14C12	TD50060C-26C24	TD50060C-38C36
6	6.37	120	1000	TD50060F-14C12	TD50060F-26C24	TD50060F-38C36
6	6.37	240	1000	TD50060D-14C12	TD50060D-26C24	TD50060D-38C36
6	6.37	240	1200	TD50060G-14C12	TD50060G-26C24	TD50060G-38C36
6	6.37	240	1500	TD50060A-14C12	TD50060A-26C24	TD50060A-38C36
6.5	6.87	120	250	TD50065A-14C12	TD50065A-26C24	TD50065A-38C36
6.5	6.87	240	500	TD50065B-14C12	TD50065B-26C24	TD50065B-38C36
6.5	6.87	240	1000	TD50065A-14C12	TD50065A-26C24	TD50065A-38C36
7	7.37	120	250	TD50070A-14C12	TD50070A-26C24	TD50070A-38C36
7	7.37	240	300	TD50070D-14C12	TD50070D-26C24	TD50070D-38C36
7	7.37	120	500	TD50070E-14C12	TD50070E-26C24	TD50070E-38C36
7	7.37	240	500	TD50070F-14C12	TD50070F-26C24	TD50070F-38C36
7	7.37	120	600	TD50070B-14C12	TD50070B-26C24	TD50070B-38C36
7	7.37	240	600	TD50070C-14C12	TD50070C-26C24	TD50070C-38C36
7	7.37	240	750	TD50070G-14C12	TD50070G-26C24	TD50070G-38C36
7	7.37	240	1000	TD50070A-14C12	TD50070A-26C24	TD50070A-38C36
7.5	7.87	240	1000	TD50075A-14C12	TD50075A-26C24	TD50075A-38C36
8	8.37	120	250	TD50080G-14C12	TD50080G-26C24	TD50080G-38C36
8	8.37	240	250	TD50080K-14C12	TD50080K-26C24	TD50080K-38C36
8	8.37	120	300	TD50080H-14C12	TD50080H-26C24	TD50080H-38C36
8	8.37	120	375	TD50080A-14C12	TD50080A-26C24	TD50080A-38C36
8	8.37	240	400	TD50080B-14C12	TD50080B-26C24	TD50080B-38C36
8	8.37	120	500	TD50080J-14C12	TD50080J-26C24	TD50080J-38C36
8	8.37	240	500	TD50080C-14C12	TD50080C-26C24	TD50080C-38C36
8	8.37	120	750	TD50080D-14C12	TD50080D-26C24	TD50080D-38C36
8	8.37	240	750	TD50080E-14C12	TD50080E-26C24	TD50080E-38C36
8	8.37	120	1000	TD50080F-14C12	TD50080F-26C24	TD50080F-38C36
8	8.37	240	1000	TD50080G-14C12	TD50080G-26C24	TD50080G-38C36
8	8.37	480	1000	TD50080K-14C12	TD50080K-26C24	TD50080K-38C36
8	8.37	240	1200	TD50080H-14C12	TD50080H-26C24	TD50080H-38C36
8	8.37	240	1500	TD50080A-14C12	TD50080A-26C24	TD50080A-38C36
8	8.37	240	2000	TD50080J-14C12	TD50080J-26C24	TD50080J-38C36
8.5	8.87	240	500	TD50085A-14C12	TD50085A-26C24	TD50085A-38C36
8.5	8.87	240	1000	TD50085B-14C12	TD50085B-26C24	TD50085B-38C36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
9	9.37	240	500	TD50090A-14C12	TD50090A-26C24	TD50090A-38C36
9	9.37	240	1000	TD50090B-14C12	TD50090B-26C24	TD50090B-38C36
9.5	9.87	240	1000	TD50095A-14C12	TD50095A-26C24	TD50095A-38C36
10	10.37	120	500	TD50100A-14C12	TD50100A-26C24	TD50100A-38C36
10	10.37	240	500	TD50100B-14C12	TD50100B-26C24	TD50100B-38C36
10	10.37	240	600	TD50100F-14C12	TD50100F-26C24	TD50100F-38C36
10	10.37	120	1000	TD50100C-14C12	TD50100C-26C24	TD50100C-38C36
10	10.37	240	1000	TD50100D-14C12	TD50100D-26C24	TD50100D-38C36
10	10.37	480	1000	TD50100G-14C12	TD50100G-26C24	TD50100G-38C36
10	10.37	240	1500	TD50100E-14C12	TD50100E-26C24	TD50100E-38C36
10	10.37	240	2000	TD50100A-14C12	TD50100A-26C24	TD50100A-38C36
10	10.37	480	2000	TD50100H-14C12	TD50100H-26C24	TD50100H-38C36
11	11.37	240	1000	TD50110A-14C12	TD50110A-26C24	TD50110A-38C36
11	11.37	240	1600	TD50110B-14C12	TD50110B-26C24	TD50110B-38C36
12	12.37	120	500	TD50120A-14C12	TD50120A-26C24	TD50120A-38C36
12	12.37	240	500	TD50120E-14C12	TD50120E-26C24	TD50120E-38C36
12	12.37	120	600	TD50120F-14C12	TD50120F-26C24	TD50120F-38C36
12	12.37	240	600	TD50120B-14C12	TD50120B-26C24	TD50120B-38C36
12	12.37	240	800	TD50120G-14C12	TD50120G-26C24	TD50120G-38C36
12	12.37	120	1000	TD50120H-14C12	TD50120H-26C24	TD50120H-38C36
12	12.37	240	1000	TD50120C-14C12	TD50120C-26C24	TD50120C-38C36
12	12.37	480	1200	TD50120J-14C12	TD50120J-26C24	TD50120J-38C36
12	12.37	240	1500	TD50120D-14C12	TD50120D-26C24	TD50120D-38C36
12	12.37	240	2000	TD50120A-14C12	TD50120A-26C24	TD50120A-38C36
12	12.37	240	2400	TD50120F-14C12	TD50120F-26C24	TD50120F-38C36
12.5	12.87	240	1000	TD50125A-14C12	TD50125A-26C24	TD50125A-38C36
13	13.37	240	1000	TD50130A-14C12	TD50130A-26C24	TD50130A-38C36
14	14.37	120	1000	TD50140A-14C12	TD50140A-26C24	TD50140A-38C36
14	14.37	240	1000	TD50140B-14C12	TD50140B-26C24	TD50140B-38C36
14	14.37	240	2300	TD50140C-14C12	TD50140C-26C24	TD50140C-38C36
15	15.37	240	1000	TD50150A-14C12	TD50150A-26C24	TD50150A-38C36
15	15.37	240	1500	TD50150B-14C12	TD50150B-26C24	TD50150B-38C36
15	15.37	240	2000	TD50150C-14C12	TD50150C-26C24	TD50150C-38C36
16	16.37	120	800	TD50160A-14C12	TD50160A-26C24	TD50160A-38C36
16	16.37	240	800	TD50160B-14C12	TD50160B-26C24	TD50160B-38C36
16	16.37	240	1000	TD50160C-14C12	TD50160C-26C24	TD50160C-38C36
16	16.37	240	1500	TD50160D-14C12	TD50160D-26C24	TD50160D-38C36
16	16.37	240	2000	TD50160E-14C12	TD50160E-26C24	TD50160E-38C36
18	18.37	240	1000	TD50180A-14C12	TD50180A-26C24	TD50180A-38C36
18	18.37	240	1500	TD50180C-14C12	TD50180C-26C24	TD50180C-38C36
18	18.37	480	1500	TD50180B-14C12	TD50180B-26C24	TD50180B-38C36
20	20.37	240	1000	TD50200A-14C12	TD50200A-26C24	TD50200A-38C36
20	20.37	240	1500	TD50200B-14C12	TD50200B-26C24	TD50200B-38C36
24	24.37	240	1000	TD50240A-14C12	TD50240A-26C24	TD50240A-38C36
24	24.37	240	2000	TD50240B-14C12	TD50240B-26C24	TD50240B-38C36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
1.5	1.87	120	50	TD50015A-14K12	TD50015A-26K24	TD50015A-38K36
1.5	1.87	120	200	TD50015B-14K12	TD50015B-26K24	TD50015B-38K36
1.5	1.87	240	200	TD50015A-14K12	TD50015A-26K24	TD50015A-38K36
2	2.37	120	75	TD50020A-14K12	TD50020A-26K24	TD50020A-38K36
2	2.37	120	100	TD50020B-14K12	TD50020B-26K24	TD50020A-38K36
2	2.37	240	200	TD50020C-14K12	TD50020C-26K24	TD50020C-38K36
2	2.37	240	300	TD50020A-14K12	TD50020A-26K24	TD50020A-38K36
2	2.37	240	400	TD50020B-14K12	TD50020B-26K24	TD50020B-38K36
2.5	2.87	120	75	TD50025A-14K12	TD50025A-26K24	TD50025A-38K36
2.5	2.87	120	100	TD50025B-14K12	TD50025B-26K24	TD50025B-38K36
2.5	2.87	120	125	TD50025C-14K12	TD50025C-26K24	TD50025C-38K36
2.5	2.87	240	300	TD50025A-14K12	TD50025A-26K24	TD50025A-38K36
2.5	2.87	240	400	TD50025B-14K12	TD50025B-26K24	TD50025B-38K36
2.5	2.87	240	500	TD50025C-14K12	TD50025C-26K24	TD50025C-38K36
3	3.37	120	100	TD50030F-14K12	TD50030F-26K24	TD50030F-38K36
3	3.37	120	125	TD50030G-14K12	TD50030G-26K24	TD50030G-38K36
3	3.37	240	125	TD50030A-14K12	TD50030A-26K24	TD50030A-38K36
3	3.37	120	250	TD50030B-14K12	TD50030B-26K24	TD50030B-38K36
3	3.37	240	250	TD50030C-14K12	TD50030C-26K24	TD50030C-38K36
3	3.37	120	300	TD50030H-14K12	TD50030H-26K24	TD50030H-38K36
3	3.37	240	300	TD50030D-14K12	TD50030D-26K24	TD50030D-38K36
3	3.37	120	400	TD50030E-14K12	TD50030E-26K24	TD50030E-38K36
3	3.37	240	400	TD50030F-14K12	TD50030F-26K24	TD50030F-38K36
3	3.37	120	500	TD50030J-14K12	TD50030J-26K24	TD50030J-38K36
3	3.37	240	500	TD50030A-14K12	TD50030A-26K24	TD50030A-38K36
3.5	3.87	120	125	TD50035A-14K12	TD50035A-26K24	TD50035A-38K36
3.5	3.87	240	250	TD50035B-14K12	TD50035B-26K24	TD50035B-38K36
3.5	3.87	240	400	TD50035C-14K12	TD50035C-26K24	TD50035C-38K36
3.5	3.87	240	500	TD50035A-14K12	TD50035A-26K24	TD50035A-38K36
3.5	3.87	240	750	TD50035D-14K12	TD50035D-26K24	TD50035D-38K36
4	4.37	240	125	TD50040A-14K12	TD50040A-26K24	TD50040A-38K36
4	4.37	120	150	TD50040M-14K12	TD50040M-26K24	TD50040M-38K36
4	4.37	120	200	TD50040J-14K12	TD50040J-26K24	TD50040J-38K36
4	4.37	120	250	TD50040K-14K12	TD50040K-26K24	TD50040K-38K36
4	4.37	240	250	TD50040B-14K12	TD50040B-26K24	TD50040B-38K36
4	4.37	120	300	TD50040C-14K12	TD50040C-26K24	TD50040C-38K36
4	4.37	240	300	TD50040D-14K12	TD50040D-26K24	TD50040D-38K36
4	4.37	120	400	TD50040E-14K12	TD50040E-26K24	TD50040E-38K36
4	4.37	240	400	TD50040F-14K12	TD50040F-26K24	TD50040F-38K36
4	4.37	120	500	TD50040L-14K12	TD50040L-26K24	TD50040L-38K36
4	4.37	240	500	TD50040G-14K12	TD50040G-26K24	TD50040G-38K36
4	4.37	240	600	TD50040M-14K12	TD50040M-26K24	TD50040M-38K36
4	4.37	240	750	TD50040H-14K12	TD50040H-26K24	TD50040H-38K36
4	4.37	240	800	TD50040J-14K12	TD50040J-26K24	TD50040J-38K36
4	4.37	240	1000	TD50040K-14K12	TD50040K-26K24	TD50040K-38K36
4.5	4.87	120	125	TD50045C-14K12	TD50045C-26K24	TD50045C-38K36
4.5	4.87	120	175	TD50045B-14K12	TD50045B-26K24	TD50045B-38K36
4.5	4.87	240	250	TD50045A-14K12	TD50045A-26K24	TD50045A-38K36
4.5	4.87	240	500	TD50045C-14K12	TD50045C-26K24	TD50045C-38K36
4.5	4.87	240	750	TD50045B-14K12	TD50045B-26K24	TD50045B-38K36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
5	5.37	120	200	TD50050A-14K12	TD50050A-26K24	TD50050A-38K36
5	5.37	120	250	TD50050B-14K12	TD50050B-26K24	TD50050B-38K36
5	5.37	240	250	TD50050F-14K12	TD50050F-26K24	TD50050F-38K36
5	5.37	240	300	TD50050C-14K12	TD50050C-26K24	TD50050C-38K36
5	5.37	120	500	TD50050D-14K12	TD50050D-26K24	TD50050D-38K36
5	5.37	240	500	TD50050E-14K12	TD50050E-26K24	TD50050E-38K36
5	5.37	240	800	TD50050A-14K12	TD50050A-26K24	TD50050A-38K36
5	5.37	240	1000	TD50050B-14K12	TD50050B-26K24	TD50050B-38K36
5.5	5.87	240	500	TD50055B-14K12	TD50055B-26K24	TD50055B-38K36
5.5	5.87	240	750	TD50055A-14K12	TD50055A-26K24	TD50055A-38K36
6	6.37	120	250	TD50060D-14K12	TD50060D-26K24	TD50060D-38K36
6	6.37	240	250	TD50060E-14K12	TD50060E-26K24	TD50060E-38K36
6	6.37	120	300	TD50060G-14K12	TD50060G-26K24	TD50060G-38K36
6	6.37	240	300	TD50060H-14K12	TD50060H-26K24	TD50060H-38K36
6	6.37	120	375	TD50060A-14K12	TD50060A-26K24	TD50060A-38K36
6	6.37	240	400	TD50060J-14K12	TD50060J-26K24	TD50060J-38K36
6	6.37	120	500	TD50060K-14K12	TD50060K-26K24	TD50060K-38K36
6	6.37	240	500	TD50060B-14K12	TD50060B-26K24	TD50060B-38K36
6	6.37	240	750	TD50060C-14K12	TD50060C-26K24	TD50060C-38K36
6	6.37	120	1000	TD50060F-14K12	TD50060F-26K24	TD50060F-38K36
6	6.37	240	1000	TD50060D-14K12	TD50060D-26K24	TD50060D-38K36
6	6.37	240	1200	TD50060G-14K12	TD50060G-26K24	TD50060G-38K36
6	6.37	240	1500	TD50060A-14K12	TD50060A-26K24	TD50060A-38K36
6.5	6.87	120	250	TD50065A-14K12	TD50065A-26K24	TD50065A-38K36
6.5	6.87	240	500	TD50065B-14K12	TD50065B-26K24	TD50065B-38K36
6.5	6.87	240	1000	TD50065A-14K12	TD50065A-26K24	TD50065A-38K36
7	7.37	120	250	TD50070A-14K12	TD50070A-26K24	TD50070A-38K36
7	7.37	240	300	TD50070D-14K12	TD50070D-26K24	TD50070D-38K36
7	7.37	120	500	TD50070E-14K12	TD50070E-26K24	TD50070E-38K36
7	7.37	240	500	TD50070F-14K12	TD50070F-26K24	TD50070F-38K36
7	7.37	120	600	TD50070B-14K12	TD50070B-26K24	TD50070B-38K36
7	7.37	240	600	TD50070C-14K12	TD50070C-26K24	TD50070C-38K36
7	7.37	240	750	TD50070G-14K12	TD50070G-26K24	TD50070G-38K36
7	7.37	240	1000	TD50070A-14K12	TD50070A-26K24	TD50070A-38K36
7.5	7.87	240	1000	TD50075A-14K12	TD50075A-26K24	TD50075A-38K36
8	8.37	120	250	TD50080G-14K12	TD50080G-26K24	TD50080G-38K36
8	8.37	240	250	TD50080K-14K12	TD50080K-26K24	TD50080K-38K36
8	8.37	120	300	TD50080H-14K12	TD50080H-26K24	TD50080H-38K36
8	8.37	120	375	TD50080A-14K12	TD50080A-26K24	TD50080A-38K36
8	8.37	240	400	TD50080B-14K12	TD50080B-26K24	TD50080B-38K36
8	8.37	120	500	TD50080J-14K12	TD50080J-26K24	TD50080J-38K36
8	8.37	240	500	TD50080C-14K12	TD50080C-26K24	TD50080C-38K36
8	8.37	120	750	TD50080D-14K12	TD50080D-26K24	TD50080D-38K36
8	8.37	240	750	TD50080E-14K12	TD50080E-26K24	TD50080E-38K36
8	8.37	120	1000	TD50080F-14K12	TD50080F-26K24	TD50080F-38K36
8	8.37	240	1000	TD50080G-14K12	TD50080G-26K24	TD50080G-38K36
8	8.37	480	1000	TD50080K-14K12	TD50080K-26K24	TD50080K-38K36
8	8.37	240	1200	TD50080H-14K12	TD50080H-26K24	TD50080H-38K36
8	8.37	240	1500	TD50080A-14K12	TD50080A-26K24	TD50080A-38K36
8	8.37	240	2000	TD50080J-14K12	TD50080J-26K24	TD50080J-38K36
8.5	8.87	240	500	TD50085A-14K12	TD50085A-26K24	TD50085A-38K36
8.5	8.87	240	1000	TD50085B-14K12	TD50085B-26K24	TD50085B-38K36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
9	9.37	240	500	TD50090A-14K12	TD50090A-26K24	TD50090A-38K36
9	9.37	240	1000	TD50090B-14K12	TD50090B-26K24	TD50090B-38K36
9.5	9.87	240	1000	TD50095A-14K12	TD50095A-26K24	TD50095A-38K36
10	10.37	120	500	TD50100A-14K12	TD50100A-26K24	TD50100A-38K36
10	10.37	240	500	TD50100B-14K12	TD50100B-26K24	TD50100B-38K36
10	10.37	240	600	TD50100F-14K12	TD50100F-26K24	TD50100F-38K36
10	10.37	120	1000	TD50100C-14K12	TD50100C-26K24	TD50100C-38K36
10	10.37	240	1000	TD50100D-14K12	TD50100D-26K24	TD50100D-38K36
10	10.37	480	1000	TD50100G-14K12	TD50100G-26K24	TD50100G-38K36
10	10.37	240	1500	TD50100E-14K12	TD50100E-26K24	TD50100E-38K36
10	10.37	240	2000	TD50100A-14K12	TD50100A-26K24	TD50100A-38K36
10	10.37	480	2000	TD50100H-14K12	TD50100H-26K24	TD50100H-38K36
11	11.37	240	1000	TD50110A-14K12	TD50110A-26K24	TD50110A-38K36
11	11.37	240	1600	TD50110B-14K12	TD50110B-26K24	TD50110B-38K36
12	12.37	120	500	TD50120A-14K12	TD50120A-26K24	TD50120A-38K36
12	12.37	240	500	TD50120E-14K12	TD50120E-26K24	TD50120E-38K36
12	12.37	120	600	TD50120F-14K12	TD50120F-26K24	TD50120F-38K36
12	12.37	240	600	TD50120B-14K12	TD50120B-26K24	TD50120B-38K36
12	12.37	240	800	TD50120G-14K12	TD50120G-26K24	TD50120G-38K36
12	12.37	120	1000	TD50120H-14K12	TD50120H-26K24	TD50120H-38K36
12	12.37	240	1000	TD50120C-14K12	TD50120C-26K24	TD50120C-38K36
12	12.37	480	1200	TD50120J-14K12	TD50120J-26K24	TD50120J-38K36
12	12.37	240	1500	TD50120D-14K12	TD50120D-26K24	TD50120D-38K36
12	12.37	240	2000	TD50120A-14K12	TD50120A-26K24	TD50120A-38K36
12	12.37	240	2400	TD50120F-14K12	TD50120F-26K24	TD50120F-38K36
12.5	12.87	240	1000	TD50125A-14K12	TD50125A-26K24	TD50125A-38K36
13	13.37	240	1000	TD50130A-14K12	TD50130A-26K24	TD50130A-38K36
14	14.37	120	1000	TD50140A-14K12	TD50140A-26K24	TD50140A-38K36
14	14.37	240	1000	TD50140B-14K12	TD50140B-26K24	TD50140B-38K36
14	14.37	240	2300	TD50140C-14K12	TD50140C-26K24	TD50140C-38K36
15	15.37	240	1000	TD50150A-14K12	TD50150A-26K24	TD50150A-38K36
15	15.37	240	1500	TD50150B-14K12	TD50150B-26K24	TD50150B-38K36
15	15.37	240	2000	TD50150C-14K12	TD50150C-26K24	TD50150C-38K36
16	16.37	120	800	TD50160A-14K12	TD50160A-26K24	TD50160A-38K36
16	16.37	240	800	TD50160B-14K12	TD50160B-26K24	TD50160B-38K36
16	16.37	240	1000	TD50160C-14K12	TD50160C-26K24	TD50160C-38K36
16	16.37	240	1500	TD50160D-14K12	TD50160D-26K24	TD50160D-38K36
16	16.37	240	2000	TD50160E-14K12	TD50160E-26K24	TD50160E-38K36
18	18.37	240	1000	TD50180A-14K12	TD50180A-26K24	TD50180A-38K36
18	18.37	240	1500	TD50180C-14K12	TD50180C-26K24	TD50180C-38K36
18	18.37	480	1500	TD50180B-14K12	TD50180B-26K24	TD50180B-38K36
20	20.37	240	1000	TD50200A-14K12	TD50200A-26K24	TD50200A-38K36
20	20.37	240	1500	TD50200B-14K12	TD50200B-26K24	TD50200B-38K36
24	24.37	240	1000	TD50240A-14K12	TD50240A-26K24	TD50240A-38K36
24	24.37	240	2000	TD50240B-14K12	TD50240B-26K24	TD50240B-38K36

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Brass NPT	26" Leads with Brass NPT	38" Leads with Brass NPT
1.5	1.87	120	50	TD50015A-14H	TD50015A-26H	TD50015A-38H
1.5	1.87	120	200	TD50015B-14H	TD50015B-26H	TD50015B-38H
1.5	1.87	240	200	TD50015A-14H	TD50015A-26H	TD50015A-38H
2	2.37	120	75	TD50020A-14H	TD50020A-26H	TD50020A-38H
2	2.37	120	100	TD50020B-14H	TD50020B-26H	TD50020A-38H
2	2.37	240	200	TD50020C-14H	TD50020C-26H	TD50020C-38H
2	2.37	240	300	TD50020A-14H	TD50020A-26H	TD50020A-38H
2	2.37	240	400	TD50020B-14H	TD50020B-26H	TD50020B-38H
2.5	2.87	120	75	TD50025A-14H	TD50025A-26H	TD50025A-38H
2.5	2.87	120	100	TD50025B-14H	TD50025B-26H	TD50025B-38H
2.5	2.87	120	125	TD50025C-14H	TD50025C-26H	TD50025C-38H
2.5	2.87	240	300	TD50025A-14H	TD50025A-26H	TD50025A-38H
2.5	2.87	240	400	TD50025B-14H	TD50025B-26H	TD50025B-38H
2.5	2.87	240	500	TD50025C-14H	TD50025C-26H	TD50025C-38H
3	3.37	120	100	TD50030F-14H	TD50030F-26H	TD50030F-38H
3	3.37	120	125	TD50030G-14H	TD50030G-26H	TD50030G-38H
3	3.37	240	125	TD50030A-14H	TD50030A-26H	TD50030A-38H
3	3.37	120	250	TD50030B-14H	TD50030B-26H	TD50030B-38H
3	3.37	240	250	TD50030C-14H	TD50030C-26H	TD50030C-38H
3	3.37	120	300	TD50030H-14H	TD50030H-26H	TD50030H-38H
3	3.37	240	300	TD50030D-14H	TD50030D-26H	TD50030D-38H
3	3.37	120	400	TD50030E-14H	TD50030E-26H	TD50030E-38H
3	3.37	240	400	TD50030F-14H	TD50030F-26H	TD50030F-38H
3	3.37	120	500	TD50030J-14H	TD50030J-26H	TD50030J-38H
3	3.37	240	500	TD50030A-14H	TD50030A-26H	TD50030A-38H
3.5	3.87	120	125	TD50035A-14H	TD50035A-26H	TD50035A-38H
3.5	3.87	240	250	TD50035B-14H	TD50035B-26H	TD50035B-38H
3.5	3.87	240	400	TD50035C-14H	TD50035C-26H	TD50035C-38H
3.5	3.87	240	500	TD50035A-14H	TD50035A-26H	TD50035A-38H
3.5	3.87	240	750	TD50035D-14H	TD50035D-26H	TD50035D-38H
4	4.37	240	125	TD50040A-14H	TD50040A-26H	TD50040A-38H
4	4.37	120	150	TD50040M-14H	TD50040M-26H	TD50040M-38H
4	4.37	120	200	TD50040J-14H	TD50040J-26H	TD50040J-38H
4	4.37	120	250	TD50040K-14H	TD50040K-26H	TD50040K-38H
4	4.37	240	250	TD50040B-14H	TD50040B-26H	TD50040B-38H
4	4.37	120	300	TD50040C-14H	TD50040C-26H	TD50040C-38H
4	4.37	240	300	TD50040D-14H	TD50040D-26H	TD50040D-38H
4	4.37	120	400	TD50040E-14H	TD50040E-26H	TD50040E-38H
4	4.37	240	400	TD50040F-14H	TD50040F-26H	TD50040F-38H
4	4.37	120	500	TD50040L-14H	TD50040L-26H	TD50040L-38H
4	4.37	240	500	TD50040G-14H	TD50040G-26H	TD50040G-38H
4	4.37	240	600	TD50040M-14H	TD50040M-26H	TD50040M-38H
4	4.37	240	750	TD50040H-14H	TD50040H-26H	TD50040H-38H
4	4.37	240	800	TD50040J-14H	TD50040J-26H	TD50040J-38H
4	4.37	240	1000	TD50040K-14H	TD50040K-26H	TD50040K-38H
4.5	4.87	120	125	TD50045C-14H	TD50045C-26H	TD50045C-38H
4.5	4.87	120	175	TD50045B-14H	TD50045B-26H	TD50045B-38H
4.5	4.87	240	250	TD50045A-14H	TD50045A-26H	TD50045A-38H
4.5	4.87	240	500	TD50045C-14H	TD50045C-26H	TD50045C-38H
4.5	4.87	240	750	TD50045B-14H	TD50045B-26H	TD50045B-38H

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Brass NPT	26" Leads with Brass NPT	38" Leads with Brass NPT
5	5.37	120	200	TD50050A-14H	TD50050A-26H	TD50050A-38H
5	5.37	120	250	TD50050B-14H	TD50050B-26H	TD50050B-38H
5	5.37	240	250	TD50050F-14H	TD50050F-26H	TD50050F-38H
5	5.37	240	300	TD50050C-14H	TD50050C-26H	TD50050C-38H
5	5.37	120	500	TD50050D-14H	TD50050D-26H	TD50050D-38H
5	5.37	240	500	TD50050E-14H	TD50050E-26H	TD50050E-38H
5	5.37	240	800	TD50050A-14H	TD50050A-26H	TD50050A-38H
5	5.37	240	1000	TD50050B-14H	TD50050B-26H	TD50050B-38H
5.5	5.87	240	500	TD50055B-14H	TD50055B-26H	TD50055B-38H
5.5	5.87	240	750	TD50055A-14H	TD50055A-26H	TD50055A-38H
6	6.37	120	250	TD50060D-14H	TD50060D-26H	TD50060D-38H
6	6.37	240	250	TD50060E-14H	TD50060E-26H	TD50060E-38H
6	6.37	120	300	TD50060G-14H	TD50060G-26H	TD50060G-38H
6	6.37	240	300	TD50060H-14H	TD50060H-26H	TD50060H-38H
6	6.37	120	375	TD50060A-14H	TD50060A-26H	TD50060A-38H
6	6.37	240	400	TD50060J-14H	TD50060J-26H	TD50060J-38H
6	6.37	120	500	TD50060K-14H	TD50060K-26H	TD50060K-38H
6	6.37	240	500	TD50060B-14H	TD50060B-26H	TD50060B-38H
6	6.37	240	750	TD50060C-14H	TD50060C-26H	TD50060C-38H
6	6.37	120	1000	TD50060F-14H	TD50060F-26H	TD50060F-38H
6	6.37	240	1000	TD50060D-14H	TD50060D-26H	TD50060D-38H
6	6.37	240	1200	TD50060G-14H	TD50060G-26H	TD50060G-38H
6	6.37	240	1500	TD50060A-14H	TD50060A-26H	TD50060A-38H
6.5	6.87	120	250	TD50065A-14H	TD50065A-26H	TD50065A-38H
6.5	6.87	240	500	TD50065B-14H	TD50065B-26H	TD50065B-38H
6.5	6.87	240	1000	TD50065A-14H	TD50065A-26H	TD50065A-38H
7	7.37	120	250	TD50070A-14H	TD50070A-26H	TD50070A-38H
7	7.37	240	300	TD50070D-14H	TD50070D-26H	TD50070D-38H
7	7.37	120	500	TD50070E-14H	TD50070E-26H	TD50070E-38H
7	7.37	240	500	TD50070F-14H	TD50070F-26H	TD50070F-38H
7	7.37	120	600	TD50070B-14H	TD50070B-26H	TD50070B-38H
7	7.37	240	600	TD50070C-14H	TD50070C-26H	TD50070C-38H
7	7.37	240	750	TD50070G-14H	TD50070G-26H	TD50070G-38H
7	7.37	240	1000	TD50070A-14H	TD50070A-26H	TD50070A-38H
7.5	7.87	240	1000	TD50075A-14H	TD50075A-26H	TD50075A-38H
8	8.37	120	250	TD50080G-14H	TD50080G-26H	TD50080G-38H
8	8.37	240	250	TD50080K-14H	TD50080K-26H	TD50080K-38H
8	8.37	120	300	TD50080H-14H	TD50080H-26H	TD50080H-38H
8	8.37	120	375	TD50080A-14H	TD50080A-26H	TD50080A-38H
8	8.37	240	400	TD50080B-14H	TD50080B-26H	TD50080B-38H
8	8.37	120	500	TD50080J-14H	TD50080J-26H	TD50080J-38H
8	8.37	240	500	TD50080C-14H	TD50080C-26H	TD50080C-38H
8	8.37	120	750	TD50080D-14H	TD50080D-26H	TD50080D-38H
8	8.37	240	750	TD50080E-14H	TD50080E-26H	TD50080E-38H
8	8.37	120	1000	TD50080F-14H	TD50080F-26H	TD50080F-38H
8	8.37	240	1000	TD50080G-14H	TD50080G-26H	TD50080G-38H
8	8.37	480	1000	TD50080K-14H	TD50080K-26H	TD50080K-38H
8	8.37	240	1200	TD50080H-14H	TD50080H-26H	TD50080H-38H
8	8.37	240	1500	TD50080A-14H	TD50080A-26H	TD50080A-38H
8	8.37	240	2000	TD50080J-14H	TD50080J-26H	TD50080J-38H
8.5	8.87	240	500	TD50085A-14H	TD50085A-26H	TD50085A-38H
8.5	8.87	240	1000	TD50085B-14H	TD50085B-26H	TD50085B-38H

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Brass NPT	26" Leads with Brass NPT	38" Leads with Brass NPT
9	9.37	240	500	TD50090A-14H	TD50090A-26H	TD50090A-38H
9	9.37	240	1000	TD50090B-14H	TD50090B-26H	TD50090B-38H
9.5	9.87	240	1000	TD50095A-14H	TD50095A-26H	TD50095A-38H
10	10.37	120	500	TD50100A-14H	TD50100A-26H	TD50100A-38H
10	10.37	240	500	TD50100B-14H	TD50100B-26H	TD50100B-38H
10	10.37	240	600	TD50100F-14H	TD50100F-26H	TD50100F-38H
10	10.37	120	1000	TD50100C-14H	TD50100C-26H	TD50100C-38H
10	10.37	240	1000	TD50100D-14H	TD50100D-26H	TD50100D-38H
10	10.37	480	1000	TD50100G-14H	TD50100G-26H	TD50100G-38H
10	10.37	240	1500	TD50100E-14H	TD50100E-26H	TD50100E-38H
10	10.37	240	2000	TD50100A-14H	TD50100A-26H	TD50100A-38H
10	10.37	480	2000	TD50100H-14H	TD50100H-26H	TD50100H-38H
11	11.37	240	1000	TD50110A-14H	TD50110A-26H	TD50110A-38H
11	11.37	240	1600	TD50110B-14H	TD50110B-26H	TD50110B-38H
12	12.37	120	500	TD50120A-14H	TD50120A-26H	TD50120A-38H
12	12.37	240	500	TD50120E-14H	TD50120E-26H	TD50120E-38H
12	12.37	120	600	TD50120F-14H	TD50120F-26H	TD50120F-38H
12	12.37	240	600	TD50120B-14H	TD50120B-26H	TD50120B-38H
12	12.37	240	800	TD50120G-14H	TD50120G-26H	TD50120G-38H
12	12.37	120	1000	TD50120H-14H	TD50120H-26H	TD50120H-38H
12	12.37	240	1000	TD50120C-14H	TD50120C-26H	TD50120C-38H
12	12.37	480	1200	TD50120J-14H	TD50120J-26H	TD50120J-38H
12	12.37	240	1500	TD50120D-14H	TD50120D-26H	TD50120D-38H
12	12.37	240	2000	TD50120A-14H	TD50120A-26H	TD50120A-38H
12	12.37	240	2400	TD50120F-14H	TD50120F-26H	TD50120F-38H
12.5	12.87	240	1000	TD50125A-14H	TD50125A-26H	TD50125A-38H
13	13.37	240	1000	TD50130A-14H	TD50130A-26H	TD50130A-38H
14	14.37	120	1000	TD50140A-14H	TD50140A-26H	TD50140A-38H
14	14.37	240	1000	TD50140B-14H	TD50140B-26H	TD50140B-38H
14	14.37	240	2300	TD50140C-14H	TD50140C-26H	TD50140C-38H
15	15.37	240	1000	TD50150A-14H	TD50150A-26H	TD50150A-38H
15	15.37	240	1500	TD50150B-14H	TD50150B-26H	TD50150B-38H
15	15.37	240	2000	TD50150C-14H	TD50150C-26H	TD50150C-38H
16	16.37	120	800	TD50160A-14H	TD50160A-26H	TD50160A-38H
16	16.37	240	800	TD50160B-14H	TD50160B-26H	TD50160B-38H
16	16.37	240	1000	TD50160C-14H	TD50160C-26H	TD50160C-38H
16	16.37	240	1500	TD50160D-14H	TD50160D-26H	TD50160D-38H
16	16.37	240	2000	TD50160E-14H	TD50160E-26H	TD50160E-38H
18	18.37	240	1000	TD50180A-14H	TD50180A-26H	TD50180A-38H
18	18.37	240	1500	TD50180C-14H	TD50180C-26H	TD50180C-38H
18	18.37	480	1500	TD50180B-14H	TD50180B-26H	TD50180B-38H
20	20.37	240	1000	TD50200A-14H	TD50200A-26H	TD50200A-38H
20	20.37	240	1500	TD50200B-14H	TD50200B-26H	TD50200B-38H
24	24.37	240	1000	TD50240A-14H	TD50240A-26H	TD50240A-38H
24	24.37	240	2000	TD50240B-14H	TD50240B-26H	TD50240B-38H

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
1.5	1.87	120	50	TD50015A-14Q	TD50015A-26Q	TD50015A-38Q
1.5	1.87	120	200	TD50015B-14Q	TD50015B-26Q	TD50015B-38Q
1.5	1.87	240	200	TD50015A-14Q	TD50015A-26Q	TD50015A-38Q
2	2.37	120	75	TD50020A-14Q	TD50020A-26Q	TD50020A-38Q
2	2.37	120	100	TD50020B-14Q	TD50020B-26Q	TD50020A-38Q
2	2.37	240	200	TD50020C-14Q	TD50020C-26Q	TD50020C-38Q
2	2.37	240	300	TD50020A-14Q	TD50020A-26Q	TD50020A-38Q
2	2.37	240	400	TD50020B-14Q	TD50020B-26Q	TD50020B-38Q
2.5	2.87	120	75	TD50025A-14Q	TD50025A-26Q	TD50025A-38Q
2.5	2.87	120	100	TD50025B-14Q	TD50025B-26Q	TD50025B-38Q
2.5	2.87	120	125	TD50025C-14Q	TD50025C-26Q	TD50025C-38Q
2.5	2.87	240	300	TD50025A-14Q	TD50025A-26Q	TD50025A-38Q
2.5	2.87	240	400	TD50025B-14Q	TD50025B-26Q	TD50025B-38Q
2.5	2.87	240	500	TD50025C-14Q	TD50025C-26Q	TD50025C-38Q
3	3.37	120	100	TD50030F-14Q	TD50030F-26Q	TD50030F-38Q
3	3.37	120	125	TD50030G-14Q	TD50030G-26Q	TD50030G-38Q
3	3.37	240	125	TD50030A-14Q	TD50030A-26Q	TD50030A-38Q
3	3.37	120	250	TD50030B-14Q	TD50030B-26Q	TD50030B-38Q
3	3.37	240	250	TD50030C-14Q	TD50030C-26Q	TD50030C-38Q
3	3.37	120	300	TD50030H-14Q	TD50030H-26Q	TD50030H-38Q
3	3.37	240	300	TD50030D-14Q	TD50030D-26Q	TD50030D-38Q
3	3.37	120	400	TD50030E-14Q	TD50030E-26Q	TD50030E-38Q
3	3.37	240	400	TD50030F-14Q	TD50030F-26Q	TD50030F-38Q
3	3.37	120	500	TD50030J-14Q	TD50030J-26Q	TD50030J-38Q
3	3.37	240	500	TD50030A-14Q	TD50030A-26Q	TD50030A-38Q
3.5	3.87	120	125	TD50035A-14Q	TD50035A-26Q	TD50035A-38Q
3.5	3.87	240	250	TD50035B-14Q	TD50035B-26Q	TD50035B-38Q
3.5	3.87	240	400	TD50035C-14Q	TD50035C-26Q	TD50035C-38Q
3.5	3.87	240	500	TD50035A-14Q	TD50035A-26Q	TD50035A-38Q
3.5	3.87	240	750	TD50035D-14Q	TD50035D-26Q	TD50035D-38Q
4	4.37	240	125	TD50040A-14Q	TD50040A-26Q	TD50040A-38Q
4	4.37	120	150	TD50040M-14Q	TD50040M-26Q	TD50040M-38Q
4	4.37	120	200	TD50040J-14Q	TD50040J-26Q	TD50040J-38Q
4	4.37	120	250	TD50040K-14Q	TD50040K-26Q	TD50040K-38Q
4	4.37	240	250	TD50040B-14Q	TD50040B-26Q	TD50040B-38Q
4	4.37	120	300	TD50040C-14Q	TD50040C-26Q	TD50040C-38Q
4	4.37	240	300	TD50040D-14Q	TD50040D-26Q	TD50040D-38Q
4	4.37	120	400	TD50040E-14Q	TD50040E-26Q	TD50040E-38Q
4	4.37	240	400	TD50040F-14Q	TD50040F-26Q	TD50040F-38Q
4	4.37	120	500	TD50040L-14Q	TD50040L-26Q	TD50040L-38Q
4	4.37	240	500	TD50040G-14Q	TD50040G-26Q	TD50040G-38Q
4	4.37	240	600	TD50040M-14Q	TD50040M-26Q	TD50040M-38Q
4	4.37	240	750	TD50040H-14Q	TD50040H-26Q	TD50040H-38Q
4	4.37	240	800	TD50040J-14Q	TD50040J-26Q	TD50040J-38Q
4	4.37	240	1000	TD50040K-14Q	TD50040K-26Q	TD50040K-38Q
4.5	4.87	120	125	TD50045C-14Q	TD50045C-26Q	TD50045C-38Q
4.5	4.87	120	175	TD50045B-14Q	TD50045B-26Q	TD50045B-38Q
4.5	4.87	240	250	TD50045A-14Q	TD50045A-26Q	TD50045A-38Q
4.5	4.87	240	500	TD50045C-14Q	TD50045C-26Q	TD50045C-38Q
4.5	4.87	240	750	TD50045B-14Q	TD50045B-26Q	TD50045B-38Q

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Stainless Steel NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
5	5.37	120	200	TD50050A-14Q	TD50050A-26Q	TD50050A-38Q
5	5.37	120	250	TD50050B-14Q	TD50050B-26Q	TD50050B-38Q
5	5.37	240	250	TD50050F-14Q	TD50050F-26Q	TD50050F-38Q
5	5.37	240	300	TD50050C-14Q	TD50050C-26Q	TD50050C-38Q
5	5.37	120	500	TD50050D-14Q	TD50050D-26Q	TD50050D-38Q
5	5.37	240	500	TD50050E-14Q	TD50050E-26Q	TD50050E-38Q
5	5.37	240	800	TD50050A-14Q	TD50050A-26Q	TD50050A-38Q
5	5.37	240	1000	TD50050B-14Q	TD50050B-26Q	TD50050B-38Q
5.5	5.87	240	500	TD50055B-14Q	TD50055B-26Q	TD50055B-38Q
5.5	5.87	240	750	TD50055A-14Q	TD50055A-26Q	TD50055A-38Q
6	6.37	120	250	TD50060D-14Q	TD50060D-26Q	TD50060D-38Q
6	6.37	240	250	TD50060E-14Q	TD50060E-26Q	TD50060E-38Q
6	6.37	120	300	TD50060G-14Q	TD50060G-26Q	TD50060G-38Q
6	6.37	240	300	TD50060H-14Q	TD50060H-26Q	TD50060H-38Q
6	6.37	120	375	TD50060A-14Q	TD50060A-26Q	TD50060A-38Q
6	6.37	240	400	TD50060J-14Q	TD50060J-26Q	TD50060J-38Q
6	6.37	120	500	TD50060K-14Q	TD50060K-26Q	TD50060K-38Q
6	6.37	240	500	TD50060B-14Q	TD50060B-26Q	TD50060B-38Q
6	6.37	240	750	TD50060C-14Q	TD50060C-26Q	TD50060C-38Q
6	6.37	120	1000	TD50060F-14Q	TD50060F-26Q	TD50060F-38Q
6	6.37	240	1000	TD50060D-14Q	TD50060D-26Q	TD50060D-38Q
6	6.37	240	1200	TD50060G-14Q	TD50060G-26Q	TD50060G-38Q
6	6.37	240	1500	TD50060A-14Q	TD50060A-26Q	TD50060A-38Q
6.5	6.87	120	250	TD50065A-14Q	TD50065A-26Q	TD50065A-38Q
6.5	6.87	240	500	TD50065B-14Q	TD50065B-26Q	TD50065B-38Q
6.5	6.87	240	1000	TD50065A-14Q	TD50065A-26Q	TD50065A-38Q
7	7.37	120	250	TD50070A-14Q	TD50070A-26Q	TD50070A-38Q
7	7.37	240	300	TD50070D-14Q	TD50070D-26Q	TD50070D-38Q
7	7.37	120	500	TD50070E-14Q	TD50070E-26Q	TD50070E-38Q
7	7.37	240	500	TD50070F-14Q	TD50070F-26Q	TD50070F-38Q
7	7.37	120	600	TD50070B-14Q	TD50070B-26Q	TD50070B-38Q
7	7.37	240	600	TD50070C-14Q	TD50070C-26Q	TD50070C-38Q
7	7.37	240	750	TD50070G-14Q	TD50070G-26Q	TD50070G-38Q
7	7.37	240	1000	TD50070A-14Q	TD50070A-26Q	TD50070A-38Q
7.5	7.87	240	1000	TD50075A-14Q	TD50075A-26Q	TD50075A-38Q
8	8.37	120	250	TD50080G-14Q	TD50080G-26Q	TD50080G-38Q
8	8.37	240	250	TD50080K-14Q	TD50080K-26Q	TD50080K-38Q
8	8.37	120	300	TD50080H-14Q	TD50080H-26Q	TD50080H-38Q
8	8.37	120	375	TD50080A-14Q	TD50080A-26Q	TD50080A-38Q
8	8.37	240	400	TD50080B-14Q	TD50080B-26Q	TD50080B-38Q
8	8.37	120	500	TD50080J-14Q	TD50080J-26Q	TD50080J-38Q
8	8.37	240	500	TD50080C-14Q	TD50080C-26Q	TD50080C-38Q
8	8.37	120	750	TD50080D-14Q	TD50080D-26Q	TD50080D-38Q
8	8.37	240	750	TD50080E-14Q	TD50080E-26Q	TD50080E-38Q
8	8.37	120	1000	TD50080F-14Q	TD50080F-26Q	TD50080F-38Q
8	8.37	240	1000	TD50080G-14Q	TD50080G-26Q	TD50080G-38Q
8	8.37	480	1000	TD50080K-14Q	TD50080K-26Q	TD50080K-38Q
8	8.37	240	1200	TD50080H-14Q	TD50080H-26Q	TD50080H-38Q
8	8.37	240	1500	TD50080A-14Q	TD50080A-26Q	TD50080A-38Q
8	8.37	240	2000	TD50080J-14Q	TD50080J-26Q	TD50080J-38Q
8.5	8.87	240	500	TD50085A-14Q	TD50085A-26Q	TD50085A-38Q
8.5	8.87	240	1000	TD50085B-14Q	TD50085B-26Q	TD50085B-38Q

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Stainless Steel NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
9	9.37	240	500	TD50090A-14Q	TD50090A-26Q	TD50090A-38Q
9	9.37	240	1000	TD50090B-14Q	TD50090B-26Q	TD50090B-38Q
9.5	9.87	240	1000	TD50095A-14Q	TD50095A-26Q	TD50095A-38Q
10	10.37	120	500	TD50100A-14Q	TD50100A-26Q	TD50100A-38Q
10	10.37	240	500	TD50100B-14Q	TD50100B-26Q	TD50100B-38Q
10	10.37	240	600	TD50100F-14Q	TD50100F-26Q	TD50100F-38Q
10	10.37	120	1000	TD50100C-14Q	TD50100C-26Q	TD50100C-38Q
10	10.37	240	1000	TD50100D-14Q	TD50100D-26Q	TD50100D-38Q
10	10.37	480	1000	TD50100G-14Q	TD50100G-26Q	TD50100G-38Q
10	10.37	240	1500	TD50100E-14Q	TD50100E-26Q	TD50100E-38Q
10	10.37	240	2000	TD50100A-14Q	TD50100A-26Q	TD50100A-38Q
10	10.37	480	2000	TD50100H-14Q	TD50100H-26Q	TD50100H-38Q
11	11.37	240	1000	TD50110A-14Q	TD50110A-26Q	TD50110A-38Q
11	11.37	240	1600	TD50110B-14Q	TD50110B-26Q	TD50110B-38Q
12	12.37	120	500	TD50120A-14Q	TD50120A-26Q	TD50120A-38Q
12	12.37	240	500	TD50120E-14Q	TD50120E-26Q	TD50120E-38Q
12	12.37	120	600	TD50120F-14Q	TD50120F-26Q	TD50120F-38Q
12	12.37	240	600	TD50120B-14Q	TD50120B-26Q	TD50120B-38Q
12	12.37	240	800	TD50120G-14Q	TD50120G-26Q	TD50120G-38Q
12	12.37	120	1000	TD50120H-14Q	TD50120H-26Q	TD50120H-38Q
12	12.37	240	1000	TD50120C-14Q	TD50120C-26Q	TD50120C-38Q
12	12.37	480	1200	TD50120J-14Q	TD50120J-26Q	TD50120J-38Q
12	12.37	240	1500	TD50120D-14Q	TD50120D-26Q	TD50120D-38Q
12	12.37	240	2000	TD50120A-14Q	TD50120A-26Q	TD50120A-38Q
12	12.37	240	2400	TD50120F-14Q	TD50120F-26Q	TD50120F-38Q
12.5	12.87	240	1000	TD50125A-14Q	TD50125A-26Q	TD50125A-38Q
13	13.37	240	1000	TD50130A-14Q	TD50130A-26Q	TD50130A-38Q
14	14.37	120	1000	TD50140A-14Q	TD50140A-26Q	TD50140A-38Q
14	14.37	240	1000	TD50140B-14Q	TD50140B-26Q	TD50140B-38Q
14	14.37	240	2300	TD50140C-14Q	TD50140C-26Q	TD50140C-38Q
15	15.37	240	1000	TD50150A-14Q	TD50150A-26Q	TD50150A-38Q
15	15.37	240	1500	TD50150B-14Q	TD50150B-26Q	TD50150B-38Q
15	15.37	240	2000	TD50150C-14Q	TD50150C-26Q	TD50150C-38Q
16	16.37	120	800	TD50160A-14Q	TD50160A-26Q	TD50160A-38Q
16	16.37	240	800	TD50160B-14Q	TD50160B-26Q	TD50160B-38Q
16	16.37	240	1000	TD50160C-14Q	TD50160C-26Q	TD50160C-38Q
16	16.37	240	1500	TD50160D-14Q	TD50160D-26Q	TD50160D-38Q
16	16.37	240	2000	TD50160E-14Q	TD50160E-26Q	TD50160E-38Q
18	18.37	240	1000	TD50180A-14Q	TD50180A-26Q	TD50180A-38Q
18	18.37	240	1500	TD50180C-14Q	TD50180C-26Q	TD50180C-38Q
18	18.37	480	1500	TD50180B-14Q	TD50180B-26Q	TD50180B-38Q
20	20.37	240	1000	TD50200A-14Q	TD50200A-26Q	TD50200A-38Q
20	20.37	240	1500	TD50200B-14Q	TD50200B-26Q	TD50200B-38Q
24	24.37	240	1000	TD50240A-14Q	TD50240A-26Q	TD50240A-38Q
24	24.37	240	2000	TD50240B-14Q	TD50240B-26Q	TD50240B-38Q

Marathon Stock Today Heaters

1/2" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting
1.5	1.87	120	50	TD50015A-14E	Epoxy Potting	Epoxy Potting
1.5	1.87	120	200	TD50015B-14E	TD50015B-26E	TD50015B-38E
1.5	1.87	240	200	TD50015A-14E	TD50015A-26E	TD50015A-38E
2	2.37	120	75	TD50020A-14E	TD50020A-26E	TD50020A-38E
2	2.37	120	100	TD50020B-14E	TD50020B-26E	TD50020A-38E
2	2.37	240	200	TD50020C-14E	TD50020C-26E	TD50020C-38E
2	2.37	240	300	TD50020A-14E	TD50020A-26E	TD50020A-38E
2	2.37	240	400	TD50020B-14E	TD50020B-26E	TD50020B-38E
2.5	2.87	120	75	TD50025A-14E	TD50025A-26E	TD50025A-38E
2.5	2.87	120	100	TD50025B-14E	TD50025B-26E	TD50025B-38E
2.5	2.87	120	125	TD50025C-14E	TD50025C-26E	TD50025C-38E
2.5	2.87	240	300	TD50025A-14E	TD50025A-26E	TD50025A-38E
2.5	2.87	240	400	TD50025B-14E	TD50025B-26E	TD50025B-38E
2.5	2.87	240	500	TD50025C-14E	TD50025C-26E	TD50025C-38E
3	3.37	120	100	TD50030F-14E	TD50030F-26E	TD50030F-38E
3	3.37	120	125	TD50030G-14E	TD50030G-26E	TD50030G-38E
3	3.37	240	125	TD50030A-14E	TD50030A-26E	TD50030A-38E
3	3.37	120	250	TD50030B-14E	TD50030B-26E	TD50030B-38E
3	3.37	240	250	TD50030C-14E	TD50030C-26E	TD50030C-38E
3	3.37	120	300	TD50030H-14E	TD50030H-26E	TD50030H-38E
3	3.37	240	300	TD50030D-14E	TD50030D-26E	TD50030D-38E
3	3.37	120	400	TD50030E-14E	TD50030E-26E	TD50030E-38E
3	3.37	240	400	TD50030F-14E	TD50030F-26E	TD50030F-38E
3	3.37	120	500	TD50030J-14E	TD50030J-26E	TD50030J-38E
3	3.37	240	500	TD50030A-14E	TD50030A-26E	TD50030A-38E
3.5	3.87	120	125	TD50035A-14E	TD50035A-26E	TD50035A-38E
3.5	3.87	240	250	TD50035B-14E	TD50035B-26E	TD50035B-38E
3.5	3.87	240	400	TD50035C-14E	TD50035C-26E	TD50035C-38E
3.5	3.87	240	500	TD50035A-14E	TD50035A-26E	TD50035A-38E
3.5	3.87	240	750	TD50035D-14E	TD50035D-26E	TD50035D-38E
4	4.37	240	125	TD50040A-14E	TD50040A-26E	TD50040A-38E
4	4.37	120	150	TD50040M-14E	TD50040M-26E	TD50040M-38E
4	4.37	120	200	TD50040J-14E	TD50040J-26E	TD50040J-38E
4	4.37	120	250	TD50040K-14E	TD50040K-26E	TD50040K-38E
4	4.37	240	250	TD50040B-14E	TD50040B-26E	TD50040B-38E
4	4.37	120	300	TD50040C-14E	TD50040C-26E	TD50040C-38E
4	4.37	240	300	TD50040D-14E	TD50040D-26E	TD50040D-38E
4	4.37	120	400	TD50040E-14E	TD50040E-26E	TD50040E-38E
4	4.37	240	400	TD50040F-14E	TD50040F-26E	TD50040F-38E
4	4.37	120	500	TD50040L-14E	TD50040L-26E	TD50040L-38E
4	4.37	240	500	TD50040G-14E	TD50040G-26E	TD50040G-38E
4	4.37	240	600	TD50040M-14E	TD50040M-26E	TD50040M-38E
4	4.37	240	750	TD50040H-14E	TD50040H-26E	TD50040H-38E
4	4.37	240	800	TD50040J-14E	TD50040J-26E	TD50040J-38E
4	4.37	240	1000	TD50040K-14E	TD50040K-26E	TD50040K-38E
4.5	4.87	120	125	TD50045C-14E	TD50045C-26E	TD50045C-38E
4.5	4.87	120	175	TD50045B-14E	TD50045B-26E	TD50045B-38E
4.5	4.87	240	250	TD50045A-14E	TD50045A-26E	TD50045A-38E
4.5	4.87	240	500	TD50045C-14E	TD50045C-26E	TD50045C-38E
4.5	4.87	240	750	TD50045B-14E	TD50045B-26E	TD50045B-38E

Marathon Stock Today Heaters

1/2" Diameter Heat-

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting
5	5.37	120	200	TD50050A-14E	TD50050A-26E	TD50050A-38E
5	5.37	120	250	TD50050B-14E	TD50050B-26E	TD50050B-38E
5	5.37	240	250	TD50050F-14E	TD50050F-26E	TD50050F-38E
5	5.37	240	300	TD50050C-14E	TD50050C-26E	TD50050C-38E
5	5.37	120	500	TD50050D-14E	TD50050D-26E	TD50050D-38E
5	5.37	240	500	TD50050E-14E	TD50050E-26E	TD50050E-38E
5	5.37	240	800	TD50050A-14E	TD50050A-26E	TD50050A-38E
5	5.37	240	1000	TD50050B-14E	TD50050B-26E	TD50050B-38E
5.5	5.87	240	500	TD50055B-14E	TD50055B-26E	TD50055B-38E
5.5	5.87	240	750	TD50055A-14E	TD50055A-26E	TD50055A-38E
6	6.37	120	250	TD50060D-14E	TD50060D-26E	TD50060D-38E
6	6.37	240	250	TD50060E-14E	TD50060E-26E	TD50060E-38E
6	6.37	120	300	TD50060G-14E	TD50060G-26E	TD50060G-38E
6	6.37	240	300	TD50060H-14E	TD50060H-26E	TD50060H-38E
6	6.37	120	375	TD50060A-14E	TD50060A-26E	TD50060A-38E
6	6.37	240	400	TD50060J-14E	TD50060J-26E	TD50060J-38E
6	6.37	120	500	TD50060K-14E	TD50060K-26E	TD50060K-38E
6	6.37	240	500	TD50060B-14E	TD50060B-26E	TD50060B-38E
6	6.37	240	750	TD50060C-14E	TD50060C-26E	TD50060C-38E
6	6.37	120	1000	TD50060F-14E	TD50060F-26E	TD50060F-38E
6	6.37	240	1000	TD50060D-14E	TD50060D-26E	TD50060D-38E
6	6.37	240	1200	TD50060G-14E	TD50060G-26E	TD50060G-38E
6	6.37	240	1500	TD50060A-14E	TD50060A-26E	TD50060A-38E
6.5	6.87	120	250	TD50065A-14E	TD50065A-26E	TD50065A-38E
6.5	6.87	240	500	TD50065B-14E	TD50065B-26E	TD50065B-38E
6.5	6.87	240	1000	TD50065A-14E	TD50065A-26E	TD50065A-38E
7	7.37	120	250	TD50070A-14E	TD50070A-26E	TD50070A-38E
7	7.37	240	300	TD50070D-14E	TD50070D-26E	TD50070D-38E
7	7.37	120	500	TD50070E-14E	TD50070E-26E	TD50070E-38E
7	7.37	240	500	TD50070F-14E	TD50070F-26E	TD50070F-38E
7	7.37	120	600	TD50070B-14E	TD50070B-26E	TD50070B-38E
7	7.37	240	600	TD50070C-14E	TD50070C-26E	TD50070C-38E
7	7.37	240	750	TD50070G-14E	TD50070G-26E	TD50070G-38E
7	7.37	240	1000	TD50070A-14E	TD50070A-26E	TD50070A-38E
7.5	7.87	240	1000	TD50075A-14E	TD50075A-26E	TD50075A-38E
8	8.37	120	250	TD50080G-14E	TD50080G-26E	TD50080G-38E
8	8.37	240	250	TD50080K-14E	TD50080K-26E	TD50080K-38E
8	8.37	120	300	TD50080H-14E	TD50080H-26E	TD50080H-38E
8	8.37	120	375	TD50080A-14E	TD50080A-26E	TD50080A-38E
8	8.37	240	400	TD50080B-14E	TD50080B-26E	TD50080B-38E
8	8.37	120	500	TD50080J-14E	TD50080J-26E	TD50080J-38E
8	8.37	240	500	TD50080C-14E	TD50080C-26E	TD50080C-38E
8	8.37	120	750	TD50080D-14E	TD50080D-26E	TD50080D-38E
8	8.37	240	750	TD50080E-14E	TD50080E-26E	TD50080E-38E
8	8.37	120	1000	TD50080F-14E	TD50080F-26E	TD50080F-38E
8	8.37	240	1000	TD50080G-14E	TD50080G-26E	TD50080G-38E
8	8.37	480	1000	TD50080K-14E	TD50080K-26E	TD50080K-38E
8	8.37	240	1200	TD50080H-14E	TD50080H-26E	TD50080H-38E
8	8.37	240	1500	TD50080A-14E	TD50080A-26E	TD50080A-38E
8	8.37	240	2000	TD50080J-14E	TD50080J-26E	TD50080J-38E
8.5	8.87	240	500	TD50085A-14E	TD50085A-26E	TD50085A-38E
8.5	8.87	240	1000	TD50085B-14E	TD50085B-26E	TD50085B-38E

Marathon Stock Today Heaters

1/2" Diameter Heaters with Epoxy Potting (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting	14" Leads with Epoxy Potting
9	9.37	240	500	TD50090A-14E	TD50090A-26E	TD50090A-38E
9	9.37	240	1000	TD50090B-14E	TD50090B-26E	TD50090B-38E
9.5	9.87	240	1000	TD50095A-14E	TD50095A-26E	TD50095A-38E
10	10.37	120	500	TD50100A-14E	TD50100A-26E	TD50100A-38E
10	10.37	240	500	TD50100B-14E	TD50100B-26E	TD50100B-38E
10	10.37	240	600	TD50100F-14E	TD50100F-26E	TD50100F-38E
10	10.37	120	1000	TD50100C-14E	TD50100C-26E	TD50100C-38E
10	10.37	240	1000	TD50100D-14E	TD50100D-26E	TD50100D-38E
10	10.37	480	1000	TD50100G-14E	TD50100G-26E	TD50100G-38E
10	10.37	240	1500	TD50100E-14E	TD50100E-26E	TD50100E-38E
10	10.37	240	2000	TD50100A-14E	TD50100A-26E	TD50100A-38E
10	10.37	480	2000	TD50100H-14E	TD50100H-26E	TD50100H-38E
11	11.37	240	1000	TD50110A-14E	TD50110A-26E	TD50110A-38E
11	11.37	240	1600	TD50110B-14E	TD50110B-26E	TD50110B-38E
12	12.37	120	500	TD50120A-14E	TD50120A-26E	TD50120A-38E
12	12.37	240	500	TD50120E-14E	TD50120E-26E	TD50120E-38E
12	12.37	120	600	TD50120F-14E	TD50120F-26E	TD50120F-38E
12	12.37	240	600	TD50120B-14E	TD50120B-26E	TD50120B-38E
12	12.37	240	800	TD50120G-14E	TD50120G-26E	TD50120G-38E
12	12.37	120	1000	TD50120H-14E	TD50120H-26E	TD50120H-38E
12	12.37	240	1000	TD50120C-14E	TD50120C-26E	TD50120C-38E
12	12.37	480	1200	TD50120J-14E	TD50120J-26E	TD50120J-38E
12	12.37	240	1500	TD50120D-14E	TD50120D-26E	TD50120D-38E
12	12.37	240	2000	TD50120A-14E	TD50120A-26E	TD50120A-38E
12	12.37	240	2400	TD50120F-14E	TD50120F-26E	TD50120F-38E
12.5	12.87	240	1000	TD50125A-14E	TD50125A-26E	TD50125A-38E
13	13.37	240	1000	TD50130A-14E	TD50130A-26E	TD50130A-38E
14	14.37	120	1000	TD50140A-14E	TD50140A-26E	TD50140A-38E
14	14.37	240	1000	TD50140B-14E	TD50140B-26E	TD50140B-38E
14	14.37	240	2300	TD50140C-14E	TD50140C-26E	TD50140C-38E
15	15.37	240	1000	TD50150A-14E	TD50150A-26E	TD50150A-38E
15	15.37	240	1500	TD50150B-14E	TD50150B-26E	TD50150B-38E
15	15.37	240	2000	TD50150C-14E	TD50150C-26E	TD50150C-38E
16	16.37	120	800	TD50160A-14E	TD50160A-26E	TD50160A-38E
16	16.37	240	800	TD50160B-14E	TD50160B-26E	TD50160B-38E
16	16.37	240	1000	TD50160C-14E	TD50160C-26E	TD50160C-38E
16	16.37	240	1500	TD50160D-14E	TD50160D-26E	TD50160D-38E
16	16.37	240	2000	TD50160E-14E	TD50160E-26E	TD50160E-38E
18	18.37	240	1000	TD50180A-14E	TD50180A-26E	TD50180A-38E
18	18.37	240	1500	TD50180C-14E	TD50180C-26E	TD50180C-38E
18	18.37	480	1500	TD50180B-14E	TD50180B-26E	TD50180B-38E
20	20.37	240	1000	TD50200A-14E	TD50200A-26E	TD50200A-38E
20	20.37	240	1500	TD50200B-14E	TD50200B-26E	TD50200B-38E
24	24.37	240	1000	TD50240A-14E	TD50240A-26E	TD50240A-38E
24	24.37	240	2000	TD50240B-14E	TD50240B-26E	TD50240B-38E

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
1.5	1.87	120	50	TD50015A-14F	TD50015A-26F	TD50015A-38F
1.5	1.87	120	200	TD50015B-14F	TD50015B-26F	TD50015B-38F
1.5	1.87	240	200	TD50015A-14F	TD50015A-26F	TD50015A-38F
2	2.37	120	75	TD50020A-14F	TD50020A-26F	TD50020A-38F
2	2.37	120	100	TD50020B-14F	TD50020B-26F	TD50020A-38F
2	2.37	240	200	TD50020C-14F	TD50020C-26F	TD50020C-38F
2	2.37	240	300	TD50020A-14F	TD50020A-26F	TD50020A-38F
2	2.37	240	400	TD50020B-14F	TD50020B-26F	TD50020B-38F
2.5	2.87	120	75	TD50025A-14F	TD50025A-26F	TD50025A-38F
2.5	2.87	120	100	TD50025B-14F	TD50025B-26F	TD50025B-38F
2.5	2.87	120	125	TD50025C-14F	TD50025C-26F	TD50025C-38F
2.5	2.87	240	300	TD50025A-14F	TD50025A-26F	TD50025A-38F
2.5	2.87	240	400	TD50025B-14F	TD50025B-26F	TD50025B-38F
2.5	2.87	240	500	TD50025C-14F	TD50025C-26F	TD50025C-38F
3	3.37	120	100	TD50030F-14F	TD50030F-26F	TD50030F-38F
3	3.37	120	125	TD50030G-14F	TD50030G-26F	TD50030G-38F
3	3.37	240	125	TD50030A-14F	TD50030A-26F	TD50030A-38F
3	3.37	120	250	TD50030B-14F	TD50030B-26F	TD50030B-38F
3	3.37	240	250	TD50030C-14F	TD50030C-26F	TD50030C-38F
3	3.37	120	300	TD50030H-14F	TD50030H-26F	TD50030H-38F
3	3.37	240	300	TD50030D-14F	TD50030D-26F	TD50030D-38F
3	3.37	120	400	TD50030E-14F	TD50030E-26F	TD50030E-38F
3	3.37	240	400	TD50030F-14F	TD50030F-26F	TD50030F-38F
3	3.37	120	500	TD50030J-14F	TD50030J-26F	TD50030J-38F
3	3.37	240	500	TD50030A-14F	TD50030A-26F	TD50030A-38F
3.5	3.87	120	125	TD50035A-14F	TD50035A-26F	TD50035A-38F
3.5	3.87	240	250	TD50035B-14F	TD50035B-26F	TD50035B-38F
3.5	3.87	240	400	TD50035C-14F	TD50035C-26F	TD50035C-38F
3.5	3.87	240	500	TD50035A-14F	TD50035A-26F	TD50035A-38F
3.5	3.87	240	750	TD50035D-14F	TD50035D-26F	TD50035D-38F
4	4.37	240	125	TD50040A-14F	TD50040A-26F	TD50040A-38F
4	4.37	120	150	TD50040M-14F	TD50040M-26F	TD50040M-38F
4	4.37	120	200	TD50040J-14F	TD50040J-26F	TD50040J-38F
4	4.37	120	250	TD50040K-14F	TD50040K-26F	TD50040K-38F
4	4.37	240	250	TD50040B-14F	TD50040B-26F	TD50040B-38F
4	4.37	120	300	TD50040C-14F	TD50040C-26F	TD50040C-38F
4	4.37	240	300	TD50040D-14F	TD50040D-26F	TD50040D-38F
4	4.37	120	400	TD50040E-14F	TD50040E-26F	TD50040E-38F
4	4.37	240	400	TD50040F-14F	TD50040F-26F	TD50040F-38F
4	4.37	120	500	TD50040L-14F	TD50040L-26F	TD50040L-38F
4	4.37	240	500	TD50040G-14F	TD50040G-26F	TD50040G-38F
4	4.37	240	600	TD50040M-14F	TD50040M-26F	TD50040M-38F
4	4.37	240	750	TD50040H-14F	TD50040H-26F	TD50040H-38F
4	4.37	240	800	TD50040J-14F	TD50040J-26F	TD50040J-38F
4	4.37	240	1000	TD50040K-14F	TD50040K-26F	TD50040K-38F
4.5	4.87	120	125	TD50045C-14F	TD50045C-26F	TD50045C-38F
4.5	4.87	120	175	TD50045B-14F	TD50045B-26F	TD50045B-38F
4.5	4.87	240	250	TD50045A-14F	TD50045A-26F	TD50045A-38F
4.5	4.87	240	500	TD50045C-14F	TD50045C-26F	TD50045C-38F
4.5	4.87	240	750	TD50045B-14F	TD50045B-26F	TD50045B-38F

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Flange (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
5	5.37	120	200	TD50050A-14F	TD50050A-26F	TD50050A-38F
5	5.37	120	250	TD50050B-14F	TD50050B-26F	TD50050B-38F
5	5.37	240	250	TD50050F-14F	TD50050F-26F	TD50050F-38F
5	5.37	240	300	TD50050C-14F	TD50050C-26F	TD50050C-38F
5	5.37	120	500	TD50050D-14F	TD50050D-26F	TD50050D-38F
5	5.37	240	500	TD50050E-14F	TD50050E-26F	TD50050E-38F
5	5.37	240	800	TD50050A-14F	TD50050A-26F	TD50050A-38F
5	5.37	240	1000	TD50050B-14F	TD50050B-26F	TD50050B-38F
5.5	5.87	240	500	TD50055B-14F	TD50055B-26F	TD50055B-38F
5.5	5.87	240	750	TD50055A-14F	TD50055A-26F	TD50055A-38F
6	6.37	120	250	TD50060D-14F	TD50060D-26F	TD50060D-38F
6	6.37	240	250	TD50060E-14F	TD50060E-26F	TD50060E-38F
6	6.37	120	300	TD50060G-14F	TD50060G-26F	TD50060G-38F
6	6.37	240	300	TD50060H-14F	TD50060H-26F	TD50060H-38F
6	6.37	120	375	TD50060A-14F	TD50060A-26F	TD50060A-38F
6	6.37	240	400	TD50060J-14F	TD50060J-26F	TD50060J-38F
6	6.37	120	500	TD50060K-14F	TD50060K-26F	TD50060K-38F
6	6.37	240	500	TD50060B-14F	TD50060B-26F	TD50060B-38F
6	6.37	240	750	TD50060C-14F	TD50060C-26F	TD50060C-38F
6	6.37	120	1000	TD50060F-14F	TD50060F-26F	TD50060F-38F
6	6.37	240	1000	TD50060D-14F	TD50060D-26F	TD50060D-38F
6	6.37	240	1200	TD50060G-14F	TD50060G-26F	TD50060G-38F
6	6.37	240	1500	TD50060A-14F	TD50060A-26F	TD50060A-38F
6.5	6.87	120	250	TD50065A-14F	TD50065A-26F	TD50065A-38F
6.5	6.87	240	500	TD50065B-14F	TD50065B-26F	TD50065B-38F
6.5	6.87	240	1000	TD50065A-14F	TD50065A-26F	TD50065A-38F
7	7.37	120	250	TD50070A-14F	TD50070A-26F	TD50070A-38F
7	7.37	240	300	TD50070D-14F	TD50070D-26F	TD50070D-38F
7	7.37	120	500	TD50070E-14F	TD50070E-26F	TD50070E-38F
7	7.37	240	500	TD50070F-14F	TD50070F-26F	TD50070F-38F
7	7.37	120	600	TD50070B-14F	TD50070B-26F	TD50070B-38F
7	7.37	240	600	TD50070C-14F	TD50070C-26F	TD50070C-38F
7	7.37	240	750	TD50070G-14F	TD50070G-26F	TD50070G-38F
7	7.37	240	1000	TD50070A-14F	TD50070A-26F	TD50070A-38F
7.5	7.87	240	1000	TD50075A-14F	TD50075A-26F	TD50075A-38F
8	8.37	120	250	TD50080G-14F	TD50080G-26F	TD50080G-38F
8	8.37	240	250	TD50080K-14F	TD50080K-26F	TD50080K-38F
8	8.37	120	300	TD50080H-14F	TD50080H-26F	TD50080H-38F
8	8.37	120	375	TD50080A-14F	TD50080A-26F	TD50080A-38F
8	8.37	240	400	TD50080B-14F	TD50080B-26F	TD50080B-38F
8	8.37	120	500	TD50080J-14F	TD50080J-26F	TD50080J-38F
8	8.37	240	500	TD50080C-14F	TD50080C-26F	TD50080C-38F
8	8.37	120	750	TD50080D-14F	TD50080D-26F	TD50080D-38F
8	8.37	240	750	TD50080E-14F	TD50080E-26F	TD50080E-38F
8	8.37	120	1000	TD50080F-14F	TD50080F-26F	TD50080F-38F
8	8.37	240	1000	TD50080G-14F	TD50080G-26F	TD50080G-38F
8	8.37	480	1000	TD50080K-14F	TD50080K-26F	TD50080K-38F
8	8.37	240	1200	TD50080H-14F	TD50080H-26F	TD50080H-38F
8	8.37	240	1500	TD50080A-14F	TD50080A-26F	TD50080A-38F
8	8.37	240	2000	TD50080J-14F	TD50080J-26F	TD50080J-38F
8.5	8.87	240	500	TD50085A-14F	TD50085A-26F	TD50085A-38F
8.5	8.87	240	1000	TD50085B-14F	TD50085B-26F	TD50085B-38F

Marathon Stock Today Heaters

1/2" Diameter Heaters with Standard Flange (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
9	9.37	240	500	TD50090A-14F	TD50090A-26F	TD50090A-38F
9	9.37	240	1000	TD50090B-14F	TD50090B-26F	TD50090B-38F
9.5	9.87	240	1000	TD50095A-14F	TD50095A-26F	TD50095A-38F
10	10.37	120	500	TD50100A-14F	TD50100A-26F	TD50100A-38F
10	10.37	240	500	TD50100B-14F	TD50100B-26F	TD50100B-38F
10	10.37	240	600	TD50100F-14F	TD50100F-26F	TD50100F-38F
10	10.37	120	1000	TD50100C-14F	TD50100C-26F	TD50100C-38F
10	10.37	240	1000	TD50100D-14F	TD50100D-26F	TD50100D-38F
10	10.37	480	1000	TD50100G-14F	TD50100G-26F	TD50100G-38F
10	10.37	240	1500	TD50100E-14F	TD50100E-26F	TD50100E-38F
10	10.37	240	2000	TD50100A-14F	TD50100A-26F	TD50100A-38F
10	10.37	480	2000	TD50100H-14F	TD50100H-26F	TD50100H-38F
11	11.37	240	1000	TD50110A-14F	TD50110A-26F	TD50110A-38F
11	11.37	240	1600	TD50110B-14F	TD50110B-26F	TD50110B-38F
12	12.37	120	500	TD50120A-14F	TD50120A-26F	TD50120A-38F
12	12.37	240	500	TD50120E-14F	TD50120E-26F	TD50120E-38F
12	12.37	120	600	TD50120F-14F	TD50120F-26F	TD50120F-38F
12	12.37	240	600	TD50120B-14F	TD50120B-26F	TD50120B-38F
12	12.37	240	800	TD50120G-14F	TD50120G-26F	TD50120G-38F
12	12.37	120	1000	TD50120H-14F	TD50120H-26F	TD50120H-38F
12	12.37	240	1000	TD50120C-14F	TD50120C-26F	TD50120C-38F
12	12.37	480	1200	TD50120J-14F	TD50120J-26F	TD50120J-38F
12	12.37	240	1500	TD50120D-14F	TD50120D-26F	TD50120D-38F
12	12.37	240	2000	TD50120A-14F	TD50120A-26F	TD50120A-38F
12	12.37	240	2400	TD50120F-14F	TD50120F-26F	TD50120F-38F
12.5	12.87	240	1000	TD50125A-14F	TD50125A-26F	TD50125A-38F
13	13.37	240	1000	TD50130A-14F	TD50130A-26F	TD50130A-38F
14	14.37	120	1000	TD50140A-14F	TD50140A-26F	TD50140A-38F
14	14.37	240	1000	TD50140B-14F	TD50140B-26F	TD50140B-38F
14	14.37	240	2300	TD50140C-14F	TD50140C-26F	TD50140C-38F
15	15.37	240	1000	TD50150A-14F	TD50150A-26F	TD50150A-38F
15	15.37	240	1500	TD50150B-14F	TD50150B-26F	TD50150B-38F
15	15.37	240	2000	TD50150C-14F	TD50150C-26F	TD50150C-38F
16	16.37	120	800	TD50160A-14F	TD50160A-26F	TD50160A-38F
16	16.37	240	800	TD50160B-14F	TD50160B-26F	TD50160B-38F
16	16.37	240	1000	TD50160C-14F	TD50160C-26F	TD50160C-38F
16	16.37	240	1500	TD50160D-14F	TD50160D-26F	TD50160D-38F
16	16.37	240	2000	TD50160E-14F	TD50160E-26F	TD50160E-38F
18	18.37	240	1000	TD50180A-14F	TD50180A-26F	TD50180A-38F
18	18.37	240	1500	TD50180C-14F	TD50180C-26F	TD50180C-38F
18	18.37	480	1500	TD50180B-14F	TD50180B-26F	TD50180B-38F
20	20.37	240	1000	TD50200A-14F	TD50200A-26F	TD50200A-38F
20	20.37	240	1500	TD50200B-14F	TD50200B-26F	TD50200B-38F
24	24.37	240	1000	TD50240A-14F	TD50240A-26F	TD50240A-38F
24	24.37	240	2000	TD50240B-14F	TD50240B-26F	TD50240B-38F

Marathon Stock Today Heaters

5/8" Diameter Heaters with Trimmed Cavity

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	3	240	250	TD62030A-14S	TD62030A-26S	TD62030A-38S
	3	240	400	TD62030B-14S	TD62030B-26S	TD62030B-38S
	3	120	500	TD62030D-14S	TD62030D-26S	TD62030D-38S
	3	240	500	TD62030C-14S	TD62030C-26S	TD62030C-38S
	4	120	250	TD62040A-14S	TD62040A-26S	TD62040A-38S
	4	240	500	TD62040B-14S	TD62040B-26S	TD62040B-38S
	4	240	750	TD62040C-14S	TD62040C-26S	TD62040C-38S
	4	240	1000	TD62040A-14S	TD62040A-26S	TD62040A-38S
	5	120	250	TD62050A-14S	TD62050A-26S	TD62050A-38S
	5	240	500	TD62050B-14S	TD62050B-26S	TD62050B-38S
	5	240	750	TD62050C-14S	TD62050C-26S	TD62050C-38S
	5	240	1000	TD62050A-14S	TD62050A-26S	TD62050A-38S
	6	120	250	TD62060A-14S	TD62060A-26S	TD62060A-38S
	6	120	375	TD62060D-14S	TD62060D-26S	TD62060D-38S
	6	120	500	TD62060F-14S	TD62060F-26S	TD62060F-38S
	6	240	500	TD62060B-14S	TD62060B-26S	TD62060B-38S
	6	120	750	TD62060G-14S	TD62060G-26S	TD62060G-38S
	6	240	750	TD62060C-14S	TD62060C-26S	TD62060C-38S
	6	240	1000	TD62060A-14S	TD62060A-26S	TD62060A-38S
	6	240	1500	TD62060D-14S	TD62060D-26S	TD62060D-38S
	7	120	375	TD62070A-14S	TD62070A-26S	TD62070A-38S
	7	240	500	TD62070C-14S	TD62070C-26S	TD62070C-38S
	7	240	1000	TD62070B-14S	TD62070B-26S	TD62070B-38S
	7	240	1500	TD62070A-14S	TD62070A-26S	TD62070A-38S
	8	120	375	TD62080C-14S	TD62080C-26S	TD62080C-38S
	8	120	500	TD62080D-14S	TD62080D-26S	TD62080D-38S
	8	240	500	TD62080A-14S	TD62080A-26S	TD62080A-38S
	8	240	750	TD62080E-14S	TD62080E-26S	TD62080E-38S
	8	240	1000	TD62080B-14S	TD62080B-26S	TD62080B-38S
	8	240	1500	TD62080C-14S	TD62080C-26S	TD62080C-38S
	8	240	2000	TD62080D-14S	TD62080D-26S	TD62080D-38S
	9	240	1000	TD62090A-14S	TD62090A-26S	TD62090A-38S
	9	240	1500	TD62090B-14S	TD62090B-26S	TD62090B-38S
	10	120	500	TD62100A-14S	TD62100A-26S	TD62100A-38S
	10	240	500	TD62100E-14S	TD62100E-26S	TD62100E-38S
	10	240	650	TD62100B-14S	TD62100B-26S	TD62100B-38S
	10	240	750	TD62100F-14S	TD62100F-26S	TD62100F-38S
	10	240	1000	TD62100C-14S	TD62100C-26S	TD62100C-38S
	10	240	1500	TD62100D-14S	TD62100D-26S	TD62100D-38S
	10	240	2000	TD62100A-14S	TD62100A-26S	TD62100A-38S
	11	240	1000	TD62110A-14S	TD62110A-26S	TD62110A-38S
	12	120	500	TD62120C-14S	TD62120C-26S	TD62120C-38S
	12	240	500	TD62120D-14S	TD62120D-26S	TD62120D-38S
	12	240	1000	TD62120A-14S	TD62120A-26S	TD62120A-38S
	12	240	1500	TD62120B-14S	TD62120B-26S	TD62120B-38S
	12	480	1500	TD62120E-14S	TD62120E-26S	TD62120E-38S
	12	240	2000	TD62120C-14S	TD62120C-26S	TD62120C-38S
	12	480	2000	TD62120D-14S	TD62120D-26S	TD62120D-38S
	13	240	1000	TD62130A-14S	TD62130A-26S	TD62130A-38S

Marathon Stock Today Heaters

5/8" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	14	120	500	TD62140C-14S	TD62140C-26S	TD62140C-38S
	14	240	1000	TD62140A-14S	TD62140A-26S	TD62140A-38S
	14	240	1500	TD62140B-14S	TD62140B-26S	TD62140B-38S
	14	240	2000	TD62140C-14S	TD62140C-26S	TD62140C-38S
	15	120	500	TD62150A-14S	TD62150A-26S	TD62150A-38S
	15	120	600	TD62150B-14S	TD62150B-26S	TD62150B-38S
	15	240	750	TD62150C-14S	TD62150C-26S	TD62150C-38S
	15	240	1000	TD62150D-14S	TD62150D-26S	TD62150D-38S
	15	240	2000	TD62150A-14S	TD62150A-26S	TD62150A-38S
	15	240	2400	TD62150B-14S	TD62150B-26S	TD62150B-38S
	16	120	500	TD62160B-14S	TD62160B-26S	TD62160B-38S
	16	120	625	TD62160C-14S	TD62160C-26S	TD62160C-38S
	16	240	1000	TD62160A-14S	TD62160A-26S	TD62160A-38S
	16	120	1125	TD62160D-14S	TD62160D-26S	TD62160D-38S
	16	240	2000	TD62160B-14S	TD62160B-26S	TD62160B-38S
	16	240	2500	TD62160C-14S	TD62160C-26S	TD62160C-38S
	16	240	4500	TD62160D-14S	TD62160D-26S	TD62160D-38S
	18	120	750	TD62180A-14S	TD62180A-26S	TD62180A-38S
	18	240	1000	TD62180B-14S	TD62180B-26S	TD62180B-38S
	18	240	1500	TD62180C-14S	TD62180C-26S	TD62180C-38S
	18	240	3000	TD62180A-14S	TD62180A-26S	TD62180A-38S
	20	120	875	TD62200A-14S	TD62200A-26S	TD62200A-38S
	20	240	1500	TD62200B-14S	TD62200B-26S	TD62200B-38S
	20	240	3500	TD62200A-14S	TD62200A-26S	TD62200A-38S
	24	120	500	TD62240C-14S	TD62240C-26S	TD62240C-38S
	24	240	500	TD62240D-14S	TD62240D-26S	TD62240D-38S
	24	240	1000	TD62240A-14S	TD62240A-26S	TD62240A-38S
	24	240	1500	TD62240B-14S	TD62240B-26S	TD62240B-38S
	24	240	2000	TD62240C-14S	TD62240C-26S	TD62240C-38S
	24	480	2000	TD62240D-14S	TD62240D-26S	TD62240D-38S
	30	240	1500	TD62300A-14S	TD62300A-26S	TD62300A-38S
	30	480	1500	TD62300B-14S	TD62300B-26S	TD62300B-38S
	32	240	2000	TD62320A-14S	TD62320A-26S	TD62320A-38S

Marathon Stock Today Heaters

5/8" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
3	3.37	240	250	TD62030A-14R	TD62030A-26R	TD62030A-38R
3	3.37	240	400	TD62030B-14R	TD62030B-26R	TD62030B-38R
3	3.37	120	500	TD62030D-14R	TD62030D-26R	TD62030D-38R
3	3.37	240	500	TD62030C-14R	TD62030C-26R	TD62030C-38R
4	4.37	120	250	TD62040A-14R	TD62040A-26R	TD62040A-38R
4	4.37	240	500	TD62040B-14R	TD62040B-26R	TD62040B-38R
4	4.37	240	750	TD62040C-14R	TD62040C-26R	TD62040C-38R
4	4.37	240	1000	TD62040A-14R	TD62040A-26R	TD62040A-38R
5	5.37	120	250	TD62050A-14R	TD62050A-26R	TD62050A-38R
5	5.37	240	500	TD62050B-14R	TD62050B-26R	TD62050B-38R
5	5.37	240	750	TD62050C-14R	TD62050C-26R	TD62050C-38R
5	5.37	240	1000	TD62050A-14R	TD62050A-26R	TD62050A-38R

Marathon Stock Today Heaters

5/8" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
6	6.37	120	250	TD62060A-14R	TD62060A-26R	TD62060A-38R
6	6.37	120	375	TD62060D-14R	TD62060D-26R	TD62060D-38R
6	6.37	120	500	TD62060F-14R	TD62060F-26R	TD62060F-38R
6	6.37	240	500	TD62060B-14R	TD62060B-26R	TD62060B-38R
6	6.37	120	750	TD62060G-14R	TD62060G-26R	TD62060G-38R
6	6.37	240	750	TD62060C-14R	TD62060C-26R	TD62060C-38R
6	6.37	240	1000	TD62060A-14R	TD62060A-26R	TD62060A-38R
6	6.37	240	1500	TD62060D-14R	TD62060D-26R	TD62060D-38R
7	7.37	120	375	TD62070A-14R	TD62070A-26R	TD62070A-38R
7	7.37	240	500	TD62070C-14R	TD62070C-26R	TD62070C-38R
7	7.37	240	1000	TD62070B-14R	TD62070B-26R	TD62070B-38R
7	7.37	240	1500	TD62070A-14R	TD62070A-26R	TD62070A-38R
8	8.37	120	375	TD62080C-14R	TD62080C-26R	TD62080C-38R
8	8.37	120	500	TD62080D-14R	TD62080D-26R	TD62080D-38R
8	8.37	240	500	TD62080A-14R	TD62080A-26R	TD62080A-38R
8	8.37	240	750	TD62080E-14R	TD62080E-26R	TD62080E-38R
8	8.37	240	1000	TD62080B-14R	TD62080B-26R	TD62080B-38R
8	8.37	240	1500	TD62080C-14R	TD62080C-26R	TD62080C-38R
8	8.37	240	2000	TD62080D-14R	TD62080D-26R	TD62080D-38R
9	9.37	240	1000	TD62090A-14R	TD62090A-26R	TD62090A-38R
9	9.37	240	1500	TD62090B-14R	TD62090B-26R	TD62090B-38R
10	10.37	120	500	TD62100A-14R	TD62100A-26R	TD62100A-38R
10	10.37	240	500	TD62100E-14R	TD62100E-26R	TD62100E-38R
10	10.37	240	650	TD62100B-14R	TD62100B-26R	TD62100B-38R
10	10.37	240	750	TD62100F-14R	TD62100F-26R	TD62100F-38R
10	10.37	240	1000	TD62100C-14R	TD62100C-26R	TD62100C-38R
10	10.37	240	1500	TD62100D-14R	TD62100D-26R	TD62100D-38R
10	10.37	240	2000	TD62100A-14R	TD62100A-26R	TD62100A-38R
11	11.37	240	1000	TD62110A-14R	TD62110A-26R	TD62110A-38R
12	12.37	120	500	TD62120C-14R	TD62120C-26R	TD62120C-38R
12	12.37	240	500	TD62120D-14R	TD62120D-26R	TD62120D-38R
12	12.37	240	1000	TD62120A-14R	TD62120A-26R	TD62120A-38R
12	12.37	240	1500	TD62120B-14R	TD62120B-26R	TD62120B-38R
12	12.37	480	1500	TD62120E-14R	TD62120E-26R	TD62120E-38R
12	12.37	240	2000	TD62120C-14R	TD62120C-26R	TD62120C-38R
12	12.37	480	2000	TD62120D-14R	TD62120D-26R	TD62120D-38R
13	13.37	240	1000	TD62130A-14R	TD62130A-26R	TD62130A-38R
14	14.37	120	500	TD62140C-14R	TD62140C-26R	TD62140C-38R
14	14.37	240	1000	TD62140A-14R	TD62140A-26R	TD62140A-38R
14	14.37	240	1500	TD62140B-14R	TD62140B-26R	TD62140B-38R
14	14.37	240	2000	TD62140C-14R	TD62140C-26R	TD62140C-38R
15	15.37	120	500	TD62150A-14R	TD62150A-26R	TD62150A-38R
15	15.37	120	600	TD62150B-14R	TD62150B-26R	TD62150B-38R
15	15.37	240	750	TD62150C-14R	TD62150C-26R	TD62150C-38R
15	15.37	240	1000	TD62150D-14R	TD62150D-26R	TD62150D-38R
15	15.37	240	2000	TD62150A-14R	TD62150A-26R	TD62150A-38R
15	15.37	240	2400	TD62150B-14R	TD62150B-26R	TD62150B-38R

Marathon Stock Today Heaters

5/8" Diameter Heaters with Rt. Angle Leads (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
16	16.37	120	500	TD62160B-14R	TD62160B-26R	TD62160B-38R
16	16.37	120	625	TD62160C-14R	TD62160C-26R	TD62160C-38R
16	16.37	240	1000	TD62160A-14R	TD62160A-26R	TD62160A-38R
16	16.37	120	1125	TD62160D-14R	TD62160D-26R	TD62160D-38R
16	16.37	240	2000	TD62160B-14R	TD62160B-26R	TD62160B-38R
16	16.37	240	2500	TD62160C-14R	TD62160C-26R	TD62160C-38R
16	16.37	240	4500	TD62160D-14R	TD62160D-26R	TD62160D-38R
18	18.37	120	750	TD62180A-14R	TD62180A-26R	TD62180A-38R
18	18.37	240	1000	TD62180B-14R	TD62180B-26R	TD62180B-38R
18	18.37	240	1500	TD62180C-14R	TD62180C-26R	TD62180C-38R
18	18.37	240	3000	TD62180A-14R	TD62180A-26R	TD62180A-38R
20	20.37	120	875	TD62200A-14R	TD62200A-26R	TD62200A-38R
20	20.37	240	1500	TD62200B-14R	TD62200B-26R	TD62200B-38R
20	20.37	240	3500	TD62200A-14R	TD62200A-26R	TD62200A-38R
24	24.37	120	500	TD62240C-14R	TD62240C-26R	TD62240C-38R
24	24.37	240	500	TD62240D-14R	TD62240D-26R	TD62240D-38R
24	24.37	240	1000	TD62240A-14R	TD62240A-26R	TD62240A-38R
24	24.37	240	1500	TD62240B-14R	TD62240B-26R	TD62240B-38R
24	24.37	240	2000	TD62240C-14R	TD62240C-26R	TD62240C-38R
24	24.37	480	2000	TD62240D-14R	TD62240D-26R	TD62240D-38R
30	30.37	240	1500	TD62300A-14R	TD62300A-26R	TD62300A-38R
30	30.37	480	1500	TD62300B-14R	TD62300B-26R	TD62300B-38R
32	32.37	240	2000	TD62320A-14R	TD62320A-26R	TD62320A-38R

Marathon Stock Today Heaters

5/8" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
3	3.37	240	250	TD62030A-14B12	TD62030A-26B24	TD62030A-38B36
3	3.37	240	400	TD62030B-14B12	TD62030B-26B24	TD62030B-38B36
3	3.37	120	500	TD62030D-14B12	TD62030D-26B24	TD62030D-38B36
3	3.37	240	500	TD62030C-14B12	TD62030C-26B24	TD62030C-38B36
4	4.37	120	250	TD62040A-14B12	TD62040A-26B24	TD62040A-38B36
4	4.37	240	500	TD62040B-14B12	TD62040B-26B24	TD62040B-38B36
4	4.37	240	750	TD62040C-14B12	TD62040C-26B24	TD62040C-38B36
4	4.37	240	1000	TD62040A-14B12	TD62040A-26B24	TD62040A-38B36
5	5.37	120	250	TD62050A-14B12	TD62050A-26B24	TD62050A-38B36
5	5.37	240	500	TD62050B-14B12	TD62050B-26B24	TD62050B-38B36
5	5.37	240	750	TD62050C-14B12	TD62050C-26B24	TD62050C-38B36
5	5.37	240	1000	TD62050A-14B12	TD62050A-26B24	TD62050A-38B36
6	6.37	120	250	TD62060A-14B12	TD62060A-26B24	TD62060A-38B36
6	6.37	120	375	TD62060D-14B12	TD62060D-26B24	TD62060D-38B36
6	6.37	120	500	TD62060F-14B12	TD62060F-26B24	TD62060F-38B36
6	6.37	240	500	TD62060B-14B12	TD62060B-26B24	TD62060B-38B36
6	6.37	120	750	TD62060G-14B12	TD62060G-26B24	TD62060G-38B36
6	6.37	240	750	TD62060C-14B12	TD62060C-26B24	TD62060C-38B36
6	6.37	240	1000	TD62060A-14B12	TD62060A-26B24	TD62060A-38B36
6	6.37	240	1500	TD62060D-14B12	TD62060D-26B24	TD62060D-38B36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
7	7.37	120	375	TD62070A-14B12	TD62070A-26B24	TD62070A-38B36
7	7.37	240	500	TD62070C-14B12	TD62070C-26B24	TD62070C-38B36
7	7.37	240	1000	TD62070B-14B12	TD62070B-26B24	TD62070B-38B36
7	7.37	240	1500	TD62070A-14B12	TD62070A-26B24	TD62070A-38B36
8	8.37	120	375	TD62080C-14B12	TD62080C-26B24	TD62080C-38B36
8	8.37	120	500	TD62080D-14B12	TD62080D-26B24	TD62080D-38B36
8	8.37	240	500	TD62080A-14B12	TD62080A-26B24	TD62080A-38B36
8	8.37	240	750	TD62080E-14B12	TD62080E-26B24	TD62080E-38B36
8	8.37	240	1000	TD62080B-14B12	TD62080B-26B24	TD62080B-38B36
8	8.37	240	1500	TD62080C-14B12	TD62080C-26B24	TD62080C-38B36
8	8.37	240	2000	TD62080D-14B12	TD62080D-26B24	TD62080D-38B36
9	9.37	240	1000	TD62090A-14B12	TD62090A-26B24	TD62090A-38B36
9	9.37	240	1500	TD62090B-14B12	TD62090B-26B24	TD62090B-38B36
10	10.37	120	500	TD62100A-14B12	TD62100A-26B24	TD62100A-38B36
10	10.37	240	500	TD62100E-14B12	TD62100E-26B24	TD62100E-38B36
10	10.37	240	650	TD62100B-14B12	TD62100B-26B24	TD62100B-38B36
10	10.37	240	750	TD62100F-14B12	TD62100F-26B24	TD62100F-38B36
10	10.37	240	1000	TD62100C-14B12	TD62100C-26B24	TD62100C-38B36
10	10.37	240	1500	TD62100D-14B12	TD62100D-26B24	TD62100D-38B36
10	10.37	240	2000	TD62100A-14B12	TD62100A-26B24	TD62100A-38B36
11	11.37	240	1000	TD62110A-14B12	TD62110A-26B24	TD62110A-38B36
12	12.37	120	500	TD62120C-14B12	TD62120C-26B24	TD62120C-38B36
12	12.37	240	500	TD62120D-14B12	TD62120D-26B24	TD62120D-38B36
12	12.37	240	1000	TD62120A-14B12	TD62120A-26B24	TD62120A-38B36
12	12.37	240	1500	TD62120B-14B12	TD62120B-26B24	TD62120B-38B36
12	12.37	480	1500	TD62120E-14B12	TD62120E-26B24	TD62120E-38B36
12	12.37	240	2000	TD62120C-14B12	TD62120C-26B24	TD62120C-38B36
12	12.37	480	2000	TD62120D-14B12	TD62120D-26B24	TD62120D-38B36
13	13.37	240	1000	TD62130A-14B12	TD62130A-26B24	TD62130A-38B36
14	14.37	120	500	TD62140C-14B12	TD62140C-26B24	TD62140C-38B36
14	14.37	240	1000	TD62140A-14B12	TD62140A-26B24	TD62140A-38B36
14	14.37	240	1500	TD62140B-14B12	TD62140B-26B24	TD62140B-38B36
14	14.37	240	2000	TD62140C-14B12	TD62140C-26B24	TD62140C-38B36
15	15.37	120	500	TD62150A-14B12	TD62150A-26B24	TD62150A-38B36
15	15.37	120	600	TD62150B-14B12	TD62150B-26B24	TD62150B-38B36
15	15.37	240	750	TD62150C-14B12	TD62150C-26B24	TD62150C-38B36
15	15.37	240	1000	TD62150D-14B12	TD62150D-26B24	TD62150D-38B36
15	15.37	240	2000	TD62150A-14B12	TD62150A-26B24	TD62150A-38B36
15	15.37	240	2400	TD62150B-14B12	TD62150B-26B24	TD62150B-38B36
16	16.37	120	500	TD62160B-14B12	TD62160B-26B24	TD62160B-38B36
16	16.37	120	625	TD62160C-14B12	TD62160C-26B24	TD62160C-38B36
16	16.37	240	1000	TD62160A-14B12	TD62160A-26B24	TD62160A-38B36
16	16.37	120	1125	TD62160D-14B12	TD62160D-26B24	TD62160D-38B36
16	16.37	240	2000	TD62160B-14B12	TD62160B-26B24	TD62160B-38B36
16	16.37	240	2500	TD62160C-14B12	TD62160C-26B24	TD62160C-38B36
16	16.37	240	4500	TD62160D-14B12	TD62160D-26B24	TD62160D-38B36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
18	18.37	120	750	TD62180A-14B12	TD62180A-26B24	TD62180A-38B36
18	18.37	240	1000	TD62180B-14B12	TD62180B-26B24	TD62180B-38B36
18	18.37	240	1500	TD62180C-14B12	TD62180C-26B24	TD62180C-38B36
18	18.37	240	3000	TD62180A-14B12	TD62180A-26B24	TD62180A-38B36
20	20.37	120	875	TD62200A-14B12	TD62200A-26B24	TD62200A-38B36
20	20.37	240	1500	TD62200B-14B12	TD62200B-26B24	TD62200B-38B36
20	20.37	240	3500	TD62200A-14B12	TD62200A-26B24	TD62200A-38B36
24	24.37	120	500	TD62240C-14B12	TD62240C-26B24	TD62240C-38B36
24	24.37	240	500	TD62240D-14B12	TD62240D-26B24	TD62240D-38B36
24	24.37	240	1000	TD62240A-14B12	TD62240A-26B24	TD62240A-38B36
24	24.37	240	1500	TD62240B-14B12	TD62240B-26B24	TD62240B-38B36
24	24.37	240	2000	TD62240C-14B12	TD62240C-26B24	TD62240C-38B36
24	24.37	480	2000	TD62240D-14B12	TD62240D-26B24	TD62240D-38B36
30	30.37	240	1500	TD62300A-14B12	TD62300A-26B24	TD62300A-38B36
30	30.37	480	1500	TD62300B-14B12	TD62300B-26B24	TD62300B-38B36
32	32.37	240	2000	TD62320A-14B12	TD62320A-26B24	TD62320A-38B36

Marathon Stock Today Heaters

5/8" Diameter Heaters Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/ 24" Braid	38" Rt. Angle Leads w/ 36" Braid
3	3.37	240	250	TD62030A-14A12	TD62030A-26A24	TD62030A-38A36
3	3.37	240	400	TD62030B-14A12	TD62030B-26A24	TD62030B-38A36
3	3.37	120	500	TD62030D-14A12	TD62030D-26A24	TD62030D-38A36
3	3.37	240	500	TD62030C-14A12	TD62030C-26A24	TD62030C-38A36
4	4.37	120	250	TD62040A-14A12	TD62040A-26A24	TD62040A-38A36
4	4.37	240	500	TD62040B-14A12	TD62040B-26A24	TD62040B-38A36
4	4.37	240	750	TD62040C-14A12	TD62040C-26A24	TD62040C-38A36
4	4.37	240	1000	TD62040A-14A12	TD62040A-26A24	TD62040A-38A36
5	5.37	120	250	TD62050A-14A12	TD62050A-26A24	TD62050A-38A36
5	5.37	240	500	TD62050B-14A12	TD62050B-26A24	TD62050B-38A36
5	5.37	240	750	TD62050C-14A12	TD62050C-26A24	TD62050C-38A36
5	5.37	240	1000	TD62050A-14A12	TD62050A-26A24	TD62050A-38A36
6	6.37	120	250	TD62060A-14A12	TD62060A-26A24	TD62060A-38A36
6	6.37	120	375	TD62060D-14A12	TD62060D-26A24	TD62060D-38A36
6	6.37	120	500	TD62060F-14A12	TD62060F-26A24	TD62060F-38A36
6	6.37	240	500	TD62060B-14A12	TD62060B-26A24	TD62060B-38A36
6	6.37	120	750	TD62060G-14A12	TD62060G-26A24	TD62060G-38A36
6	6.37	240	750	TD62060C-14A12	TD62060C-26A24	TD62060C-38A36
6	6.37	240	1000	TD62060A-14A12	TD62060A-26A24	TD62060A-38A36
6	6.37	240	1500	TD62060D-14A12	TD62060D-26A24	TD62060D-38A36
7	7.37	120	375	TD62070A-14A12	TD62070A-26A24	TD62070A-38A36
7	7.37	240	500	TD62070C-14A12	TD62070C-26A24	TD62070C-38A36
7	7.37	240	1000	TD62070B-14A12	TD62070B-26A24	TD62070B-38A36
7	7.37	240	1500	TD62070A-14A12	TD62070A-26A24	TD62070A-38A36

Marathon Stock Today Heaters

5/8" Diameter Heaters Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/ 24" Braid	38" Rt. Angle Leads w/ 36" Braid
8	8.37	120	375	TD62080C-14A12	TD62080C-26A24	TD62080C-38A36
8	8.37	120	500	TD62080D-14A12	TD62080D-26A24	TD62080D-38A36
8	8.37	240	500	TD62080A-14A12	TD62080A-26A24	TD62080A-38A36
8	8.37	240	750	TD62080E-14A12	TD62080E-26A24	TD62080E-38A36
8	8.37	240	1000	TD62080B-14A12	TD62080B-26A24	TD62080B-38A36
8	8.37	240	1500	TD62080C-14A12	TD62080C-26A24	TD62080C-38A36
8	8.37	240	2000	TD62080D-14A12	TD62080D-26A24	TD62080D-38A36
9	9.37	240	1000	TD62090A-14A12	TD62090A-26A24	TD62090A-38A36
9	9.37	240	1500	TD62090B-14A12	TD62090B-26A24	TD62090B-38A36
10	10.37	120	500	TD62100A-14A12	TD62100A-26A24	TD62100A-38A36
10	10.37	240	500	TD62100E-14A12	TD62100E-26A24	TD62100E-38A36
10	10.37	240	650	TD62100B-14A12	TD62100B-26A24	TD62100B-38A36
10	10.37	240	750	TD62100F-14A12	TD62100F-26A24	TD62100F-38A36
10	10.37	240	1000	TD62100C-14A12	TD62100C-26A24	TD62100C-38A36
10	10.37	240	1500	TD62100D-14A12	TD62100D-26A24	TD62100D-38A36
10	10.37	240	2000	TD62100A-14A12	TD62100A-26A24	TD62100A-38A36
11	11.37	240	1000	TD62110A-14A12	TD62110A-26A24	TD62110A-38A36
12	12.37	120	500	TD62120C-14A12	TD62120C-26A24	TD62120C-38A36
12	12.37	240	500	TD62120D-14A12	TD62120D-26A24	TD62120D-38A36
12	12.37	240	1000	TD62120A-14A12	TD62120A-26A24	TD62120A-38A36
12	12.37	240	1500	TD62120B-14A12	TD62120B-26A24	TD62120B-38A36
12	12.37	480	1500	TD62120E-14A12	TD62120E-26A24	TD62120E-38A36
12	12.37	240	2000	TD62120C-14A12	TD62120C-26A24	TD62120C-38A36
12	12.37	480	2000	TD62120D-14A12	TD62120D-26A24	TD62120D-38A36
13	13.37	240	1000	TD62130A-14A12	TD62130A-26A24	TD62130A-38A36
14	14.37	120	500	TD62140C-14A12	TD62140C-26A24	TD62140C-38A36
14	14.37	240	1000	TD62140A-14A12	TD62140A-26A24	TD62140A-38A36
14	14.37	240	1500	TD62140B-14A12	TD62140B-26A24	TD62140B-38A36
14	14.37	240	2000	TD62140C-14A12	TD62140C-26A24	TD62140C-38A36
15	15.37	120	500	TD62150A-14A12	TD62150A-26A24	TD62150A-38A36
15	15.37	120	600	TD62150B-14A12	TD62150B-26A24	TD62150B-38A36
15	15.37	240	750	TD62150C-14A12	TD62150C-26A24	TD62150C-38A36
15	15.37	240	1000	TD62150D-14A12	TD62150D-26A24	TD62150D-38A36
15	15.37	240	2000	TD62150A-14A12	TD62150A-26A24	TD62150A-38A36
15	15.37	240	2400	TD62150B-14A12	TD62150B-26A24	TD62150B-38A36
16	16.37	120	500	TD62160B-14A12	TD62160B-26A24	TD62160B-38A36
16	16.37	120	625	TD62160C-14A12	TD62160C-26A24	TD62160C-38A36
16	16.37	240	1000	TD62160A-14A12	TD62160A-26A24	TD62160A-38A36
16	16.37	120	1125	TD62160D-14A12	TD62160D-26A24	TD62160D-38A36
16	16.37	240	2000	TD62160B-14A12	TD62160B-26A24	TD62160B-38A36
16	16.37	240	2500	TD62160C-14A12	TD62160C-26A24	TD62160C-38A36
16	16.37	240	4500	TD62160D-14A12	TD62160D-26A24	TD62160D-38A36
18	18.37	120	750	TD62180A-14A12	TD62180A-26A24	TD62180A-38A36
18	18.37	240	1000	TD62180B-14A12	TD62180B-26A24	TD62180B-38A36
18	18.37	240	1500	TD62180C-14A12	TD62180C-26A24	TD62180C-38A36
18	18.37	240	3000	TD62180A-14A12	TD62180A-26A24	TD62180A-38A36
20	20.37	120	875	TD62200A-14A12	TD62200A-26A24	TD62200A-38A36
20	20.37	240	1500	TD62200B-14A12	TD62200B-26A24	TD62200B-38A36
20	20.37	240	3500	TD62200A-14A12	TD62200A-26A24	TD62200A-38A36

Marathon Stock Today Heaters

5/8" Diameter Heaters Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/ 24" Braid	38" Rt. Angle Leads w/ 36" Braid
24	24.37	120	500	TD62240C-14A12	TD62240C-26A24	TD62240C-38A36
24	24.37	240	500	TD62240D-14A12	TD62240D-26A24	TD62240D-38A36
24	24.37	240	1000	TD62240A-14A12	TD62240A-26A24	TD62240A-38A36
24	24.37	240	1500	TD62240B-14A12	TD62240B-26A24	TD62240B-38A36
24	24.37	240	2000	TD62240C-14A12	TD62240C-26A24	TD62240C-38A36
24	24.37	480	2000	TD62240D-14A12	TD62240D-26A24	TD62240D-38A36
30	30.37	240	1500	TD62300A-14A12	TD62300A-26A24	TD62300A-38A36
30	30.37	480	1500	TD62300B-14A12	TD62300B-26A24	TD62300B-38A36
32	32.37	240	2000	TD62320A-14A12	TD62320A-26A24	TD62320A-38A36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
3	3.37	240	250	TD62030A-14C12	TD62030A-26C24	TD62030A-38C36
3	3.37	240	400	TD62030B-14C12	TD62030B-26C24	TD62030B-38C36
3	3.37	120	500	TD62030D-14C12	TD62030D-26C24	TD62030D-38C36
3	3.37	240	500	TD62030C-14C12	TD62030C-26C24	TD62030C-38C36
4	4.37	120	250	TD62040A-14C12	TD62040A-26C24	TD62040A-38C36
4	4.37	240	500	TD62040B-14C12	TD62040B-26C24	TD62040B-38C36
4	4.37	240	750	TD62040C-14C12	TD62040C-26C24	TD62040C-38C36
4	4.37	240	1000	TD62040A-14C12	TD62040A-26C24	TD62040A-38C36
5	5.37	120	250	TD62050A-14C12	TD62050A-26C24	TD62050A-38C36
5	5.37	240	500	TD62050B-14C12	TD62050B-26C24	TD62050B-38C36
5	5.37	240	750	TD62050C-14C12	TD62050C-26C24	TD62050C-38C36
5	5.37	240	1000	TD62050A-14C12	TD62050A-26C24	TD62050A-38C36
6	6.37	120	250	TD62060A-14C12	TD62060A-26C24	TD62060A-38C36
6	6.37	120	375	TD62060D-14C12	TD62060D-26C24	TD62060D-38C36
6	6.37	120	500	TD62060F-14C12	TD62060F-26C24	TD62060F-38C36
6	6.37	240	500	TD62060B-14C12	TD62060B-26C24	TD62060B-38C36
6	6.37	120	750	TD62060G-14C12	TD62060G-26C24	TD62060G-38C36
6	6.37	240	750	TD62060C-14C12	TD62060C-26C24	TD62060C-38C36
6	6.37	240	1000	TD62060A-14C12	TD62060A-26C24	TD62060A-38C36
6	6.37	240	1500	TD62060D-14C12	TD62060D-26C24	TD62060D-38C36
7	7.37	120	375	TD62070A-14C12	TD62070A-26C24	TD62070A-38C36
7	7.37	240	500	TD62070C-14C12	TD62070C-26C24	TD62070C-38C36
7	7.37	240	1000	TD62070B-14C12	TD62070B-26C24	TD62070B-38C36
7	7.37	240	1500	TD62070A-14C12	TD62070A-26C24	TD62070A-38C36
8	8.37	120	375	TD62080C-14C12	TD62080C-26C24	TD62080C-38C36
8	8.37	120	500	TD62080D-14C12	TD62080D-26C24	TD62080D-38C36
8	8.37	240	500	TD62080A-14C12	TD62080A-26C24	TD62080A-38C36
8	8.37	240	750	TD62080E-14C12	TD62080E-26C24	TD62080E-38C36
8	8.37	240	1000	TD62080B-14C12	TD62080B-26C24	TD62080B-38C36
8	8.37	240	1500	TD62080C-14C12	TD62080C-26C24	TD62080C-38C36
8	8.37	240	2000	TD62080D-14C12	TD62080D-26C24	TD62080D-38C36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
9	9.37	240	1000	TD62090A-14C12	TD62090A-26C24	TD62090A-38C36
9	9.37	240	1500	TD62090B-14C12	TD62090B-26C24	TD62090B-38C36
10	10.37	120	500	TD62100A-14C12	TD62100A-26C24	TD62100A-38C36
10	10.37	240	500	TD62100E-14C12	TD62100E-26C24	TD62100E-38C36
10	10.37	240	650	TD62100B-14C12	TD62100B-26C24	TD62100B-38C36
10	10.37	240	750	TD62100F-14C12	TD62100F-26C24	TD62100F-38C36
10	10.37	240	1000	TD62100C-14C12	TD62100C-26C24	TD62100C-38C36
10	10.37	240	1500	TD62100D-14C12	TD62100D-26C24	TD62100D-38C36
10	10.37	240	2000	TD62100A-14C12	TD62100A-26C24	TD62100A-38C36
11	11.37	240	1000	TD62110A-14C12	TD62110A-26C24	TD62110A-38C36
12	12.37	120	500	TD62120C-14C12	TD62120C-26C24	TD62120C-38C36
12	12.37	240	500	TD62120D-14C12	TD62120D-26C24	TD62120D-38C36
12	12.37	240	1000	TD62120A-14C12	TD62120A-26C24	TD62120A-38C36
12	12.37	240	1500	TD62120B-14C12	TD62120B-26C24	TD62120B-38C36
12	12.37	480	1500	TD62120E-14C12	TD62120E-26C24	TD62120E-38C36
12	12.37	240	2000	TD62120C-14C12	TD62120C-26C24	TD62120C-38C36
12	12.37	480	2000	TD62120D-14C12	TD62120D-26C24	TD62120D-38C36
13	13.37	240	1000	TD62130A-14C12	TD62130A-26C24	TD62130A-38C36
14	14.37	120	500	TD62140C-14C12	TD62140C-26C24	TD62140C-38C36
14	14.37	240	1000	TD62140A-14C12	TD62140A-26C24	TD62140A-38C36
14	14.37	240	1500	TD62140B-14C12	TD62140B-26C24	TD62140B-38C36
14	14.37	240	2000	TD62140C-14C12	TD62140C-26C24	TD62140C-38C36
15	15.37	120	500	TD62150A-14C12	TD62150A-26C24	TD62150A-38C36
15	15.37	120	600	TD62150B-14C12	TD62150B-26C24	TD62150B-38C36
15	15.37	240	750	TD62150C-14C12	TD62150C-26C24	TD62150C-38C36
15	15.37	240	1000	TD62150D-14C12	TD62150D-26C24	TD62150D-38C36
15	15.37	240	2000	TD62150A-14C12	TD62150A-26C24	TD62150A-38C36
15	15.37	240	2400	TD62150B-14C12	TD62150B-26C24	TD62150B-38C36
16	16.37	120	500	TD62160B-14C12	TD62160B-26C24	TD62160B-38C36
16	16.37	120	625	TD62160C-14C12	TD62160C-26C24	TD62160C-38C36
16	16.37	240	1000	TD62160A-14C12	TD62160A-26C24	TD62160A-38C36
16	16.37	120	1125	TD62160D-14C12	TD62160D-26C24	TD62160D-38C36
16	16.37	240	2000	TD62160B-14C12	TD62160B-26C24	TD62160B-38C36
16	16.37	240	2500	TD62160C-14C12	TD62160C-26C24	TD62160C-38C36
16	16.37	240	4500	TD62160D-14C12	TD62160D-26C24	TD62160D-38C36
18	18.37	120	750	TD62180A-14C12	TD62180A-26C24	TD62180A-38C36
18	18.37	240	1000	TD62180B-14C12	TD62180B-26C24	TD62180B-38C36
18	18.37	240	1500	TD62180C-14C12	TD62180C-26C24	TD62180C-38C36
18	18.37	240	3000	TD62180A-14C12	TD62180A-26C24	TD62180A-38C36
20	20.37	120	875	TD62200A-14C12	TD62200A-26C24	TD62200A-38C36
20	20.37	240	1500	TD62200B-14C12	TD62200B-26C24	TD62200B-38C36
20	20.37	240	3500	TD62200A-14C12	TD62200A-26C24	TD62200A-38C36
24	24.37	120	500	TD62240C-14C12	TD62240C-26C24	TD62240C-38C36
24	24.37	240	500	TD62240D-14C12	TD62240D-26C24	TD62240D-38C36
24	24.37	240	1000	TD62240A-14C12	TD62240A-26C24	TD62240A-38C36
24	24.37	240	1500	TD62240B-14C12	TD62240B-26C24	TD62240B-38C36
24	24.37	240	2000	TD62240C-14C12	TD62240C-26C24	TD62240C-38C36
24	24.37	480	2000	TD62240D-14C12	TD62240D-26C24	TD62240D-38C36
30	30.37	240	1500	TD62300A-14C12	TD62300A-26C24	TD62300A-38C36
30	30.37	480	1500	TD62300B-14C12	TD62300B-26C24	TD62300B-38C36
32	32.37	240	2000	TD62320A-14C12	TD62320A-26C24	TD62320A-38C36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
3	3.37	240	250	TD62030A-14K12	TD62030A-26K24	TD62030A-38K36
3	3.37	240	400	TD62030B-14K12	TD62030B-26K24	TD62030B-38K36
3	3.37	120	500	TD62030D-14K12	TD62030D-26K24	TD62030D-38K36
3	3.37	240	500	TD62030C-14K12	TD62030C-26K24	TD62030C-38K36
4	4.37	120	250	TD62040A-14K12	TD62040A-26K24	TD62040A-38K36
4	4.37	240	500	TD62040B-14K12	TD62040B-26K24	TD62040B-38K36
4	4.37	240	750	TD62040C-14K12	TD62040C-26K24	TD62040C-38K36
4	4.37	240	1000	TD62040A-14K12	TD62040A-26K24	TD62040A-38K36
5	5.37	120	250	TD62050A-14K12	TD62050A-26K24	TD62050A-38K36
5	5.37	240	500	TD62050B-14K12	TD62050B-26K24	TD62050B-38K36
5	5.37	240	750	TD62050C-14K12	TD62050C-26K24	TD62050C-38K36
5	5.37	240	1000	TD62050A-14K12	TD62050A-26K24	TD62050A-38K36
6	6.37	120	250	TD62060A-14K12	TD62060A-26K24	TD62060A-38K36
6	6.37	120	375	TD62060D-14K12	TD62060D-26K24	TD62060D-38K36
6	6.37	120	500	TD62060F-14K12	TD62060F-26K24	TD62060F-38K36
6	6.37	240	500	TD62060B-14K12	TD62060B-26K24	TD62060B-38K36
6	6.37	120	750	TD62060G-14K12	TD62060G-26K24	TD62060G-38K36
6	6.37	240	750	TD62060C-14K12	TD62060C-26K24	TD62060C-38K36
6	6.37	240	1000	TD62060A-14K12	TD62060A-26K24	TD62060A-38K36
6	6.37	240	1500	TD62060D-14K12	TD62060D-26K24	TD62060D-38K36
7	7.37	120	375	TD62070A-14K12	TD62070A-26K24	TD62070A-38K36
7	7.37	240	500	TD62070C-14K12	TD62070C-26K24	TD62070C-38K36
7	7.37	240	1000	TD62070B-14K12	TD62070B-26K24	TD62070B-38K36
7	7.37	240	1500	TD62070A-14K12	TD62070A-26K24	TD62070A-38K36
8	8.37	120	375	TD62080C-14K12	TD62080C-26K24	TD62080C-38K36
8	8.37	120	500	TD62080D-14K12	TD62080D-26K24	TD62080D-38K36
8	8.37	240	500	TD62080A-14K12	TD62080A-26K24	TD62080A-38K36
8	8.37	240	750	TD62080E-14K12	TD62080E-26K24	TD62080E-38K36
8	8.37	240	1000	TD62080B-14K12	TD62080B-26K24	TD62080B-38K36
8	8.37	240	1500	TD62080C-14K12	TD62080C-26K24	TD62080C-38K36
8	8.37	240	2000	TD62080D-14K12	TD62080D-26K24	TD62080D-38K36
9	9.37	240	1000	TD62090A-14K12	TD62090A-26K24	TD62090A-38K36
9	9.37	240	1500	TD62090B-14K12	TD62090B-26K24	TD62090B-38K36
10	10.37	120	500	TD62100A-14K12	TD62100A-26K24	TD62100A-38K36
10	10.37	240	500	TD62100E-14K12	TD62100E-26K24	TD62100E-38K36
10	10.37	240	650	TD62100B-14K12	TD62100B-26K24	TD62100B-38K36
10	10.37	240	750	TD62100F-14K12	TD62100F-26K24	TD62100F-38K36
10	10.37	240	1000	TD62100C-14K12	TD62100C-26K24	TD62100C-38K36
10	10.37	240	1500	TD62100D-14K12	TD62100D-26K24	TD62100D-38K36
10	10.37	240	2000	TD62100A-14K12	TD62100A-26K24	TD62100A-38K36
11	11.37	240	1000	TD62110A-14K12	TD62110A-26K24	TD62110A-38K36
12	12.37	120	500	TD62120C-14K12	TD62120C-26K24	TD62120C-38K36
12	12.37	240	500	TD62120D-14K12	TD62120D-26K24	TD62120D-38K36
12	12.37	240	1000	TD62120A-14K12	TD62120A-26K24	TD62120A-38K36
12	12.37	240	1500	TD62120B-14K12	TD62120B-26K24	TD62120B-38K36
12	12.37	480	1500	TD62120E-14K12	TD62120E-26K24	TD62120E-38K36
12	12.37	240	2000	TD62120C-14K12	TD62120C-26K24	TD62120C-38K36
12	12.37	480	2000	TD62120D-14K12	TD62120D-26K24	TD62120D-38K36
13	13.37	240	1000	TD62130A-14K12	TD62130A-26K24	TD62130A-38K36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
14	14.37	120	500	TD62140C-14K12	TD62140C-26K24	TD62140C-38K36
14	14.37	240	1000	TD62140A-14K12	TD62140A-26K24	TD62140A-38K36
14	14.37	240	1500	TD62140B-14K12	TD62140B-26K24	TD62140B-38K36
14	14.37	240	2000	TD62140C-14K12	TD62140C-26K24	TD62140C-38K36
15	15.37	120	500	TD62150A-14K12	TD62150A-26K24	TD62150A-38K36
15	15.37	120	600	TD62150B-14K12	TD62150B-26K24	TD62150B-38K36
15	15.37	240	750	TD62150C-14K12	TD62150C-26K24	TD62150C-38K36
15	15.37	240	1000	TD62150D-14K12	TD62150D-26K24	TD62150D-38K36
15	15.37	240	2000	TD62150A-14K12	TD62150A-26K24	TD62150A-38K36
15	15.37	240	2400	TD62150B-14K12	TD62150B-26K24	TD62150B-38K36
16	16.37	120	500	TD62160B-14K12	TD62160B-26K24	TD62160B-38K36
16	16.37	120	625	TD62160C-14K12	TD62160C-26K24	TD62160C-38K36
16	16.37	240	1000	TD62160A-14K12	TD62160A-26K24	TD62160A-38K36
16	16.37	120	1125	TD62160D-14K12	TD62160D-26K24	TD62160D-38K36
16	16.37	240	2000	TD62160B-14K12	TD62160B-26K24	TD62160B-38K36
16	16.37	240	2500	TD62160C-14K12	TD62160C-26K24	TD62160C-38K36
16	16.37	240	4500	TD62160D-14K12	TD62160D-26K24	TD62160D-38K36
18	18.37	120	750	TD62180A-14K12	TD62180A-26K24	TD62180A-38K36
18	18.37	240	1000	TD62180B-14K12	TD62180B-26K24	TD62180B-38K36
18	18.37	240	1500	TD62180C-14K12	TD62180C-26K24	TD62180C-38K36
18	18.37	240	3000	TD62180A-14K12	TD62180A-26K24	TD62180A-38K36
20	20.37	120	875	TD62200A-14K12	TD62200A-26K24	TD62200A-38K36
20	20.37	240	1500	TD62200B-14K12	TD62200B-26K24	TD62200B-38K36
20	20.37	240	3500	TD62200A-14K12	TD62200A-26K24	TD62200A-38K36
24	24.37	120	500	TD62240C-14K12	TD62240C-26K24	TD62240C-38K36
24	24.37	240	500	TD62240D-14K12	TD62240D-26K24	TD62240D-38K36
24	24.37	240	1000	TD62240A-14K12	TD62240A-26K24	TD62240A-38K36
24	24.37	240	1500	TD62240B-14K12	TD62240B-26K24	TD62240B-38K36
24	24.37	240	2000	TD62240C-14K12	TD62240C-26K24	TD62240C-38K36
24	24.37	480	2000	TD62240D-14K12	TD62240D-26K24	TD62240D-38K36
30	30.37	240	1500	TD62300A-14K12	TD62300A-26K24	TD62300A-38K36
30	30.37	480	1500	TD62300B-14K12	TD62300B-26K24	TD62300B-38K36
32	32.37	240	2000	TD62320A-14K12	TD62320A-26K24	TD62320A-38K36

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" leads with Brass NPT	26" leads with Brass NPT	38" leads with Brass NPT
3	3.37	240	250	TD62030A-14H	TD62030A-26H	TD62030A-38H
3	3.37	240	400	TD62030B-14H	TD62030B-26H	TD62030B-38H
3	3.37	120	500	TD62030D-14H	TD62030D-26H	TD62030D-38H
3	3.37	240	500	TD62030C-14H	TD62030C-26H	TD62030C-38H
4	4.37	120	250	TD62040A-14H	TD62040A-26H	TD62040A-38H
4	4.37	240	500	TD62040B-14H	TD62040B-26H	TD62040B-38H
4	4.37	240	750	TD62040C-14H	TD62040C-26H	TD62040C-38H
4	4.37	240	1000	TD62040A-14H	TD62040A-26H	TD62040A-38H

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" leads with Brass NPT	26" leads with Brass NPT	38" leads with Brass NPT
5	5.37	120	250	TD62050A-14H	TD62050A-26H	TD62050A-38H
5	5.37	240	500	TD62050B-14H	TD62050B-26H	TD62050B-38H
5	5.37	240	750	TD62050C-14H	TD62050C-26H	TD62050C-38H
5	5.37	240	1000	TD62050A-14H	TD62050A-26H	TD62050A-38H
6	6.37	120	250	TD62060A-14H	TD62060A-26H	TD62060A-38H
6	6.37	120	375	TD62060D-14H	TD62060D-26H	TD62060D-38H
6	6.37	120	500	TD62060F-14H	TD62060F-26H	TD62060F-38H
6	6.37	240	500	TD62060B-14H	TD62060B-26H	TD62060B-38H
6	6.37	120	750	TD62060G-14H	TD62060G-26H	TD62060G-38H
6	6.37	240	750	TD62060C-14H	TD62060C-26H	TD62060C-38H
6	6.37	240	1000	TD62060A-14H	TD62060A-26H	TD62060A-38H
6	6.37	240	1500	TD62060D-14H	TD62060D-26H	TD62060D-38H
7	7.37	120	375	TD62070A-14H	TD62070A-26H	TD62070A-38H
7	7.37	240	500	TD62070C-14H	TD62070C-26H	TD62070C-38H
7	7.37	240	1000	TD62070B-14H	TD62070B-26H	TD62070B-38H
7	7.37	240	1500	TD62070A-14H	TD62070A-26H	TD62070A-38H
8	8.37	120	375	TD62080C-14H	TD62080C-26H	TD62080C-38H
8	8.37	120	500	TD62080D-14H	TD62080D-26H	TD62080D-38H
8	8.37	240	500	TD62080A-14H	TD62080A-26H	TD62080A-38H
8	8.37	240	750	TD62080E-14H	TD62080E-26H	TD62080E-38H
8	8.37	240	1000	TD62080B-14H	TD62080B-26H	TD62080B-38H
8	8.37	240	1500	TD62080C-14H	TD62080C-26H	TD62080C-38H
8	8.37	240	2000	TD62080D-14H	TD62080D-26H	TD62080D-38H
9	9.37	240	1000	TD62090A-14H	TD62090A-26H	TD62090A-38H
9	9.37	240	1500	TD62090B-14H	TD62090B-26H	TD62090B-38H
10	10.37	120	500	TD62100A-14H	TD62100A-26H	TD62100A-38H
10	10.37	240	500	TD62100E-14H	TD62100E-26H	TD62100E-38H
10	10.37	240	650	TD62100B-14H	TD62100B-26H	TD62100B-38H
10	10.37	240	750	TD62100F-14H	TD62100F-26H	TD62100F-38H
10	10.37	240	1000	TD62100C-14H	TD62100C-26H	TD62100C-38H
10	10.37	240	1500	TD62100D-14H	TD62100D-26H	TD62100D-38H
10	10.37	240	2000	TD62100A-14H	TD62100A-26H	TD62100A-38H
11	11.37	240	1000	TD62110A-14H	TD62110A-26H	TD62110A-38H
12	12.37	120	500	TD62120C-14H	TD62120C-26H	TD62120C-38H
12	12.37	240	500	TD62120D-14H	TD62120D-26H	TD62120D-38H
12	12.37	240	1000	TD62120A-14H	TD62120A-26H	TD62120A-38H
12	12.37	240	1500	TD62120B-14H	TD62120B-26H	TD62120B-38H
12	12.37	480	1500	TD62120E-14H	TD62120E-26H	TD62120E-38H
12	12.37	240	2000	TD62120C-14H	TD62120C-26H	TD62120C-38H
12	12.37	480	2000	TD62120D-14H	TD62120D-26H	TD62120D-38H
13	13.37	240	1000	TD62130A-14H	TD62130A-26H	TD62130A-38H
14	14.37	120	500	TD62140C-14H	TD62140C-26H	TD62140C-38H
14	14.37	240	1000	TD62140A-14H	TD62140A-26H	TD62140A-38H
14	14.37	240	1500	TD62140B-14H	TD62140B-26H	TD62140B-38H
14	14.37	240	2000	TD62140C-14H	TD62140C-26H	TD62140C-38H
15	15.37	120	500	TD62150A-14H	TD62150A-26H	TD62150A-38H
15	15.37	120	600	TD62150B-14H	TD62150B-26H	TD62150B-38H
15	15.37	240	750	TD62150C-14H	TD62150C-26H	TD62150C-38H
15	15.37	240	1000	TD62150D-14H	TD62150D-26H	TD62150D-38H
15	15.37	240	2000	TD62150A-14H	TD62150A-26H	TD62150A-38H
15	15.37	240	2400	TD62150B-14H	TD62150B-26H	TD62150B-38H

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Brass NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" leads with Brass NPT	26" leads with Brass NPT	38" leads with Brass NPT
16	16.37	120	500	TD62160B-14H	TD62160B-26H	TD62160B-38H
16	16.37	120	625	TD62160C-14H	TD62160C-26H	TD62160C-38H
16	16.37	240	1000	TD62160A-14H	TD62160A-26H	TD62160A-38H
16	16.37	120	1125	TD62160D-14H	TD62160D-26H	TD62160D-38H
16	16.37	240	2000	TD62160B-14H	TD62160B-26H	TD62160B-38H
16	16.37	240	2500	TD62160C-14H	TD62160C-26H	TD62160C-38H
16	16.37	240	4500	TD62160D-14H	TD62160D-26H	TD62160D-38H
18	18.37	120	750	TD62180A-14H	TD62180A-26H	TD62180A-38H
18	18.37	240	1000	TD62180B-14H	TD62180B-26H	TD62180B-38H
18	18.37	240	1500	TD62180C-14H	TD62180C-26H	TD62180C-38H
18	18.37	240	3000	TD62180A-14H	TD62180A-26H	TD62180A-38H
20	20.37	120	875	TD62200A-14H	TD62200A-26H	TD62200A-38H
20	20.37	240	1500	TD62200B-14H	TD62200B-26H	TD62200B-38H
20	20.37	240	3500	TD62200A-14H	TD62200A-26H	TD62200A-38H
24	24.37	120	500	TD62240C-14H	TD62240C-26H	TD62240C-38H
24	24.37	240	500	TD62240D-14H	TD62240D-26H	TD62240D-38H
24	24.37	240	1000	TD62240A-14H	TD62240A-26H	TD62240A-38H
24	24.37	240	1500	TD62240B-14H	TD62240B-26H	TD62240B-38H
24	24.37	240	2000	TD62240C-14H	TD62240C-26H	TD62240C-38H
24	24.37	480	2000	TD62240D-14H	TD62240D-26H	TD62240D-38H
30	30.37	240	1500	TD62300A-14H	TD62300A-26H	TD62300A-38H
30	30.37	480	1500	TD62300B-14H	TD62300B-26H	TD62300B-38H
32	32.37	240	2000	TD62320A-14H	TD62320A-26H	TD62320A-38H

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
3	3.37	240	250	TD62030A-14Q	TD62030A-26Q	TD62030A-38Q
3	3.37	240	400	TD62030B-14Q	TD62030B-26Q	TD62030B-38Q
3	3.37	120	500	TD62030D-14Q	TD62030D-26Q	TD62030D-38Q
3	3.37	240	500	TD62030C-14Q	TD62030C-26Q	TD62030C-38Q
4	4.37	120	250	TD62040A-14Q	TD62040A-26Q	TD62040A-38Q
4	4.37	240	500	TD62040B-14Q	TD62040B-26Q	TD62040B-38Q
4	4.37	240	750	TD62040C-14Q	TD62040C-26Q	TD62040C-38Q
4	4.37	240	1000	TD62040A-14Q	TD62040A-26Q	TD62040A-38Q
5	5.37	120	250	TD62050A-14Q	TD62050A-26Q	TD62050A-38Q
5	5.37	240	500	TD62050B-14Q	TD62050B-26Q	TD62050B-38Q
5	5.37	240	750	TD62050C-14Q	TD62050C-26Q	TD62050C-38Q
5	5.37	240	1000	TD62050A-14Q	TD62050A-26Q	TD62050A-38Q
6	6.37	120	250	TD62060A-14Q	TD62060A-26Q	TD62060A-38Q
6	6.37	120	375	TD62060D-14Q	TD62060D-26Q	TD62060D-38Q
6	6.37	120	500	TD62060F-14Q	TD62060F-26Q	TD62060F-38Q
6	6.37	240	500	TD62060B-14Q	TD62060B-26Q	TD62060B-38Q
6	6.37	120	750	TD62060G-14Q	TD62060G-26Q	TD62060G-38Q
6	6.37	240	750	TD62060C-14Q	TD62060C-26Q	TD62060C-38Q
6	6.37	240	1000	TD62060A-14Q	TD62060A-26Q	TD62060A-38Q
6	6.37	240	1500	TD62060D-14Q	TD62060D-26Q	TD62060D-38Q

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
7	7.37	120	375	TD62070A-14Q	TD62070A-26Q	TD62070A-38Q
7	7.37	240	500	TD62070C-14Q	TD62070C-26Q	TD62070C-38Q
7	7.37	240	1000	TD62070B-14Q	TD62070B-26Q	TD62070B-38Q
7	7.37	240	1500	TD62070A-14Q	TD62070A-26Q	TD62070A-38Q
8	8.37	120	375	TD62080C-14Q	TD62080C-26Q	TD62080C-38Q
8	8.37	120	500	TD62080D-14Q	TD62080D-26Q	TD62080D-38Q
8	8.37	240	500	TD62080A-14Q	TD62080A-26Q	TD62080A-38Q
8	8.37	240	750	TD62080E-14Q	TD62080E-26Q	TD62080E-38Q
8	8.37	240	1000	TD62080B-14Q	TD62080B-26Q	TD62080B-38Q
8	8.37	240	1500	TD62080C-14Q	TD62080C-26Q	TD62080C-38Q
8	8.37	240	2000	TD62080D-14Q	TD62080D-26Q	TD62080D-38Q
9	9.37	240	1000	TD62090A-14Q	TD62090A-26Q	TD62090A-38Q
9	9.37	240	1500	TD62090B-14Q	TD62090B-26Q	TD62090B-38Q
10	10.37	120	500	TD62100A-14Q	TD62100A-26Q	TD62100A-38Q
10	10.37	240	500	TD62100E-14Q	TD62100E-26Q	TD62100E-38Q
10	10.37	240	650	TD62100B-14Q	TD62100B-26Q	TD62100B-38Q
10	10.37	240	750	TD62100F-14Q	TD62100F-26Q	TD62100F-38Q
10	10.37	240	1000	TD62100C-14Q	TD62100C-26Q	TD62100C-38Q
10	10.37	240	1500	TD62100D-14Q	TD62100D-26Q	TD62100D-38Q
10	10.37	240	2000	TD62100A-14Q	TD62100A-26Q	TD62100A-38Q
11	11.37	240	1000	TD62110A-14Q	TD62110A-26Q	TD62110A-38Q
12	12.37	120	500	TD62120C-14Q	TD62120C-26Q	TD62120C-38Q
12	12.37	240	500	TD62120D-14Q	TD62120D-26Q	TD62120D-38Q
12	12.37	240	1000	TD62120A-14Q	TD62120A-26Q	TD62120A-38Q
12	12.37	240	1500	TD62120B-14Q	TD62120B-26Q	TD62120B-38Q
12	12.37	480	1500	TD62120E-14Q	TD62120E-26Q	TD62120E-38Q
12	12.37	240	2000	TD62120C-14Q	TD62120C-26Q	TD62120C-38Q
12	12.37	480	2000	TD62120D-14Q	TD62120D-26Q	TD62120D-38Q
13	13.37	240	1000	TD62130A-14Q	TD62130A-26Q	TD62130A-38Q
14	14.37	120	500	TD62140C-14Q	TD62140C-26Q	TD62140C-38Q
14	14.37	240	1000	TD62140A-14Q	TD62140A-26Q	TD62140A-38Q
14	14.37	240	1500	TD62140B-14Q	TD62140B-26Q	TD62140B-38Q
14	14.37	240	2000	TD62140C-14Q	TD62140C-26Q	TD62140C-38Q
15	15.37	120	500	TD62150A-14Q	TD62150A-26Q	TD62150A-38Q
15	15.37	120	600	TD62150B-14Q	TD62150B-26Q	TD62150B-38Q
15	15.37	240	750	TD62150C-14Q	TD62150C-26Q	TD62150C-38Q
15	15.37	240	1000	TD62150D-14Q	TD62150D-26Q	TD62150D-38Q
15	15.37	240	2000	TD62150A-14Q	TD62150A-26Q	TD62150A-38Q
15	15.37	240	2400	TD62150B-14Q	TD62150B-26Q	TD62150B-38Q
16	16.37	120	500	TD62160B-14Q	TD62160B-26Q	TD62160B-38Q
16	16.37	120	625	TD62160C-14Q	TD62160C-26Q	TD62160C-38Q
16	16.37	240	1000	TD62160A-14Q	TD62160A-26Q	TD62160A-38Q
16	16.37	120	1125	TD62160D-14Q	TD62160D-26Q	TD62160D-38Q
16	16.37	240	2000	TD62160B-14Q	TD62160B-26Q	TD62160B-38Q
16	16.37	240	2500	TD62160C-14Q	TD62160C-26Q	TD62160C-38Q
16	16.37	240	4500	TD62160D-14Q	TD62160D-26Q	TD62160D-38Q
18	18.37	120	750	TD62180A-14Q	TD62180A-26Q	TD62180A-38Q
18	18.37	240	1000	TD62180B-14Q	TD62180B-26Q	TD62180B-38Q
18	18.37	240	1500	TD62180C-14Q	TD62180C-26Q	TD62180C-38Q
18	18.37	240	3000	TD62180A-14Q	TD62180A-26Q	TD62180A-38Q

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
20	20.37	120	875	TD62200A-14Q	TD62200A-26Q	TD62200A-38Q
20	20.37	240	1500	TD62200B-14Q	TD62200B-26Q	TD62200B-38Q
20	20.37	240	3500	TD62200A-14Q	TD62200A-26Q	TD62200A-38Q
24	24.37	120	500	TD62240C-14Q	TD62240C-26Q	TD62240C-38Q
24	24.37	240	500	TD62240D-14Q	TD62240D-26Q	TD62240D-38Q
24	24.37	240	1000	TD62240A-14Q	TD62240A-26Q	TD62240A-38Q
24	24.37	240	1500	TD62240B-14Q	TD62240B-26Q	TD62240B-38Q
24	24.37	240	2000	TD62240C-14Q	TD62240C-26Q	TD62240C-38Q
24	24.37	480	2000	TD62240D-14Q	TD62240D-26Q	TD62240D-38Q
30	30.37	240	1500	TD62300A-14Q	TD62300A-26Q	TD62300A-38Q
30	30.37	480	1500	TD62300B-14Q	TD62300B-26Q	TD62300B-38Q
32	32.37	240	2000	TD62320A-14Q	TD62320A-26Q	TD62320A-38Q

Marathon Stock Today Heaters

5/8" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	26" Leads with Epoxy Potting	38" Leads with Epoxy Potting
3	3.37	240	250	TD62030A-14E	TD62030A-26E	TD62030A-38E
3	3.37	240	400	TD62030B-14E	TD62030B-26E	TD62030B-38E
3	3.37	120	500	TD62030D-14E	TD62030D-26E	TD62030D-38E
3	3.37	240	500	TD62030C-14E	TD62030C-26E	TD62030C-38E
4	4.37	120	250	TD62040A-14E	TD62040A-26E	TD62040A-38E
4	4.37	240	500	TD62040B-14E	TD62040B-26E	TD62040B-38E
4	4.37	240	750	TD62040C-14E	TD62040C-26E	TD62040C-38E
4	4.37	240	1000	TD62040A-14E	TD62040A-26E	TD62040A-38E
5	5.37	120	250	TD62050A-14E	TD62050A-26E	TD62050A-38E
5	5.37	240	500	TD62050B-14E	TD62050B-26E	TD62050B-38E
5	5.37	240	750	TD62050C-14E	TD62050C-26E	TD62050C-38E
5	5.37	240	1000	TD62050A-14E	TD62050A-26E	TD62050A-38E
6	6.37	120	250	TD62060A-14E	TD62060A-26E	TD62060A-38E
6	6.37	120	375	TD62060D-14E	TD62060D-26E	TD62060D-38E
6	6.37	120	500	TD62060F-14E	TD62060F-26E	TD62060F-38E
6	6.37	240	500	TD62060B-14E	TD62060B-26E	TD62060B-38E
6	6.37	120	750	TD62060G-14E	TD62060G-26E	TD62060G-38E
6	6.37	240	750	TD62060C-14E	TD62060C-26E	TD62060C-38E
6	6.37	240	1000	TD62060A-14E	TD62060A-26E	TD62060A-38E
6	6.37	240	1500	TD62060D-14E	TD62060D-26E	TD62060D-38E
7	7.37	120	375	TD62070A-14E	TD62070A-26E	TD62070A-38E
7	7.37	240	500	TD62070C-14E	TD62070C-26E	TD62070C-38E
7	7.37	240	1000	TD62070B-14E	TD62070B-26E	TD62070B-38E
7	7.37	240	1500	TD62070A-14E	TD62070A-26E	TD62070A-38E
8	8.37	120	375	TD62080C-14E	TD62080C-26E	TD62080C-38E
8	8.37	120	500	TD62080D-14E	TD62080D-26E	TD62080D-38E
8	8.37	240	500	TD62080A-14E	TD62080A-26E	TD62080A-38E
8	8.37	240	750	TD62080E-14E	TD62080E-26E	TD62080E-38E
8	8.37	240	1000	TD62080B-14E	TD62080B-26E	TD62080B-38E
8	8.37	240	1500	TD62080C-14E	TD62080C-26E	TD62080C-38E
8	8.37	240	2000	TD62080D-14E	TD62080D-26E	TD62080D-38E

Marathon Stock Today Heaters

5/8" Diameter Heaters with Epoxy Potting (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy Potting	26" Leads with Epoxy Potting	38" Leads with Epoxy Potting
9	9.37	240	1000	TD62090A-14E	TD62090A-26E	TD62090A-38E
9	9.37	240	1500	TD62090B-14E	TD62090B-26E	TD62090B-38E
10	10.37	120	500	TD62100A-14E	TD62100A-26E	TD62100A-38E
10	10.37	240	500	TD62100E-14E	TD62100E-26E	TD62100E-38E
10	10.37	240	650	TD62100B-14E	TD62100B-26E	TD62100B-38E
10	10.37	240	750	TD62100F-14E	TD62100F-26E	TD62100F-38E
10	10.37	240	1000	TD62100C-14E	TD62100C-26E	TD62100C-38E
10	10.37	240	1500	TD62100D-14E	TD62100D-26E	TD62100D-38E
10	10.37	240	2000	TD62100A-14E	TD62100A-26E	TD62100A-38E
11	11.37	240	1000	TD62110A-14E	TD62110A-26E	TD62110A-38E
12	12.37	120	500	TD62120C-14E	TD62120C-26E	TD62120C-38E
12	12.37	240	500	TD62120D-14E	TD62120D-26E	TD62120D-38E
12	12.37	240	1000	TD62120A-14E	TD62120A-26E	TD62120A-38E
12	12.37	240	1500	TD62120B-14E	TD62120B-26E	TD62120B-38E
12	12.37	480	1500	TD62120E-14E	TD62120E-26E	TD62120E-38E
12	12.37	240	2000	TD62120C-14E	TD62120C-26E	TD62120C-38E
12	12.37	480	2000	TD62120D-14E	TD62120D-26E	TD62120D-38E
13	13.37	240	1000	TD62130A-14E	TD62130A-26E	TD62130A-38E
14	14.37	120	500	TD62140C-14E	TD62140C-26E	TD62140C-38E
14	14.37	240	1000	TD62140A-14E	TD62140A-26E	TD62140A-38E
14	14.37	240	1500	TD62140B-14E	TD62140B-26E	TD62140B-38E
14	14.37	240	2000	TD62140C-14E	TD62140C-26E	TD62140C-38E
15	15.37	120	500	TD62150A-14E	TD62150A-26E	TD62150A-38E
15	15.37	120	600	TD62150B-14E	TD62150B-26E	TD62150B-38E
15	15.37	240	750	TD62150C-14E	TD62150C-26E	TD62150C-38E
15	15.37	240	1000	TD62150D-14E	TD62150D-26E	TD62150D-38E
15	15.37	240	2000	TD62150A-14E	TD62150A-26E	TD62150A-38E
15	15.37	240	2400	TD62150B-14E	TD62150B-26E	TD62150B-38E
16	16.37	120	500	TD62160B-14E	TD62160B-26E	TD62160B-38E
16	16.37	120	625	TD62160C-14E	TD62160C-26E	TD62160C-38E
16	16.37	240	1000	TD62160A-14E	TD62160A-26E	TD62160A-38E
16	16.37	120	1125	TD62160D-14E	TD62160D-26E	TD62160D-38E
16	16.37	240	2000	TD62160B-14E	TD62160B-26E	TD62160B-38E
16	16.37	240	2500	TD62160C-14E	TD62160C-26E	TD62160C-38E
16	16.37	240	4500	TD62160D-14E	TD62160D-26E	TD62160D-38E
18	18.37	120	750	TD62180A-14E	TD62180A-26E	TD62180A-38E
18	18.37	240	1000	TD62180B-14E	TD62180B-26E	TD62180B-38E
18	18.37	240	1500	TD62180C-14E	TD62180C-26E	TD62180C-38E
18	18.37	240	3000	TD62180A-14E	TD62180A-26E	TD62180A-38E
20	20.37	120	875	TD62200A-14E	TD62200A-26E	TD62200A-38E
20	20.37	240	1500	TD62200B-14E	TD62200B-26E	TD62200B-38E
20	20.37	240	3500	TD62200A-14E	TD62200A-26E	TD62200A-38E
24	24.37	120	500	TD62240C-14E	TD62240C-26E	TD62240C-38E
24	24.37	240	500	TD62240D-14E	TD62240D-26E	TD62240D-38E
24	24.37	240	1000	TD62240A-14E	TD62240A-26E	TD62240A-38E
24	24.37	240	1500	TD62240B-14E	TD62240B-26E	TD62240B-38E
24	24.37	240	2000	TD62240C-14E	TD62240C-26E	TD62240C-38E
24	24.37	480	2000	TD62240D-14E	TD62240D-26E	TD62240D-38E
30	30.37	240	1500	TD62300A-14E	TD62300A-26E	TD62300A-38E
30	30.37	480	1500	TD62300B-14E	TD62300B-26E	TD62300B-38E
32	32.37	240	2000	TD62320A-14E	TD62320A-26E	TD62320A-38E

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
3	3.37	240	250	TD62030A-14F	TD62030A-26F	TD62030A-38F
3	3.37	240	400	TD62030B-14F	TD62030B-26F	TD62030B-38F
3	3.37	120	500	TD62030D-14F	TD62030D-26F	TD62030D-38F
3	3.37	240	500	TD62030C-14F	TD62030C-26F	TD62030C-38F
4	4.37	120	250	TD62040A-14F	TD62040A-26F	TD62040A-38F
4	4.37	240	500	TD62040B-14F	TD62040B-26F	TD62040B-38F
4	4.37	240	750	TD62040C-14F	TD62040C-26F	TD62040C-38F
4	4.37	240	1000	TD62040A-14F	TD62040A-26F	TD62040A-38F
5	5.37	120	250	TD62050A-14F	TD62050A-26F	TD62050A-38F
5	5.37	240	500	TD62050B-14F	TD62050B-26F	TD62050B-38F
5	5.37	240	750	TD62050C-14F	TD62050C-26F	TD62050C-38F
5	5.37	240	1000	TD62050A-14F	TD62050A-26F	TD62050A-38F
6	6.37	120	250	TD62060A-14F	TD62060A-26F	TD62060A-38F
6	6.37	120	375	TD62060D-14F	TD62060D-26F	TD62060D-38F
6	6.37	120	500	TD62060F-14F	TD62060F-26F	TD62060F-38F
6	6.37	240	500	TD62060B-14F	TD62060B-26F	TD62060B-38F
6	6.37	120	750	TD62060G-14F	TD62060G-26F	TD62060G-38F
6	6.37	240	750	TD62060C-14F	TD62060C-26F	TD62060C-38F
6	6.37	240	1000	TD62060A-14F	TD62060A-26F	TD62060A-38F
6	6.37	240	1500	TD62060D-14F	TD62060D-26F	TD62060D-38F
7	7.37	120	375	TD62070A-14F	TD62070A-26F	TD62070A-38F
7	7.37	240	500	TD62070C-14F	TD62070C-26F	TD62070C-38F
7	7.37	240	1000	TD62070B-14F	TD62070B-26F	TD62070B-38F
7	7.37	240	1500	TD62070A-14F	TD62070A-26F	TD62070A-38F
8	8.37	120	375	TD62080C-14F	TD62080C-26F	TD62080C-38F
8	8.37	120	500	TD62080D-14F	TD62080D-26F	TD62080D-38F
8	8.37	240	500	TD62080A-14F	TD62080A-26F	TD62080A-38F
8	8.37	240	750	TD62080E-14F	TD62080E-26F	TD62080E-38F
8	8.37	240	1000	TD62080B-14F	TD62080B-26F	TD62080B-38F
8	8.37	240	1500	TD62080C-14F	TD62080C-26F	TD62080C-38F
8	8.37	240	2000	TD62080D-14F	TD62080D-26F	TD62080D-38F
9	9.37	240	1000	TD62090A-14F	TD62090A-26F	TD62090A-38F
9	9.37	240	1500	TD62090B-14F	TD62090B-26F	TD62090B-38F
10	10.37	120	500	TD62100A-14F	TD62100A-26F	TD62100A-38F
10	10.37	240	500	TD62100E-14F	TD62100E-26F	TD62100E-38F
10	10.37	240	650	TD62100B-14F	TD62100B-26F	TD62100B-38F
10	10.37	240	750	TD62100F-14F	TD62100F-26F	TD62100F-38F
10	10.37	240	1000	TD62100C-14F	TD62100C-26F	TD62100C-38F
10	10.37	240	1500	TD62100D-14F	TD62100D-26F	TD62100D-38F
10	10.37	240	2000	TD62100A-14F	TD62100A-26F	TD62100A-38F
11	11.37	240	1000	TD62110A-14F	TD62110A-26F	TD62110A-38F
12	12.37	120	500	TD62120C-14F	TD62120C-26F	TD62120C-38F
12	12.37	240	500	TD62120D-14F	TD62120D-26F	TD62120D-38F
12	12.37	240	1000	TD62120A-14F	TD62120A-26F	TD62120A-38F
12	12.37	240	1500	TD62120B-14F	TD62120B-26F	TD62120B-38F
12	12.37	480	1500	TD62120E-14F	TD62120E-26F	TD62120E-38F
12	12.37	240	2000	TD62120C-14F	TD62120C-26F	TD62120C-38F
12	12.37	480	2000	TD62120D-14F	TD62120D-26F	TD62120D-38F
13	13.37	240	1000	TD62130A-14F	TD62130A-26F	TD62130A-38F

Marathon Stock Today Heaters

5/8" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
14	14.37	120	500	TD62140C-14F	TD62140C-26F	TD62140C-38F
14	14.37	240	1000	TD62140A-14F	TD62140A-26F	TD62140A-38F
14	14.37	240	1500	TD62140B-14F	TD62140B-26F	TD62140B-38F
14	14.37	240	2000	TD62140C-14F	TD62140C-26F	TD62140C-38F
15	15.37	120	500	TD62150A-14F	TD62150A-26F	TD62150A-38F
15	15.37	120	600	TD62150B-14F	TD62150B-26F	TD62150B-38F
15	15.37	240	750	TD62150C-14F	TD62150C-26F	TD62150C-38F
15	15.37	240	1000	TD62150D-14F	TD62150D-26F	TD62150D-38F
15	15.37	240	2000	TD62150A-14F	TD62150A-26F	TD62150A-38F
15	15.37	240	2400	TD62150B-14F	TD62150B-26F	TD62150B-38F
16	16.37	120	500	TD62160B-14F	TD62160B-26F	TD62160B-38F
16	16.37	120	625	TD62160C-14F	TD62160C-26F	TD62160C-38F
16	16.37	240	1000	TD62160A-14F	TD62160A-26F	TD62160A-38F
16	16.37	120	1125	TD62160D-14F	TD62160D-26F	TD62160D-38F
16	16.37	240	2000	TD62160B-14F	TD62160B-26F	TD62160B-38F
16	16.37	240	2500	TD62160C-14F	TD62160C-26F	TD62160C-38F
16	16.37	240	4500	TD62160D-14F	TD62160D-26F	TD62160D-38F
18	18.37	120	750	TD62180A-14F	TD62180A-26F	TD62180A-38F
18	18.37	240	1000	TD62180B-14F	TD62180B-26F	TD62180B-38F
18	18.37	240	1500	TD62180C-14F	TD62180C-26F	TD62180C-38F
18	18.37	240	3000	TD62180A-14F	TD62180A-26F	TD62180A-38F
20	20.37	120	875	TD62200A-14F	TD62200A-26F	TD62200A-38F
20	20.37	240	1500	TD62200B-14F	TD62200B-26F	TD62200B-38F
20	20.37	240	3500	TD62200A-14F	TD62200A-26F	TD62200A-38F
24	24.37	120	500	TD62240C-14F	TD62240C-26F	TD62240C-38F
24	24.37	240	500	TD62240D-14F	TD62240D-26F	TD62240D-38F
24	24.37	240	1000	TD62240A-14F	TD62240A-26F	TD62240A-38F
24	24.37	240	1500	TD62240B-14F	TD62240B-26F	TD62240B-38F
24	24.37	240	2000	TD62240C-14F	TD62240C-26F	TD62240C-38F
24	24.37	480	2000	TD62240D-14F	TD62240D-26F	TD62240D-38F
30	30.37	240	1500	TD62300A-14F	TD62300A-26F	TD62300A-38F
30	30.37	480	1500	TD62300B-14F	TD62300B-26F	TD62300B-38F
32	32.37	240	2000	TD62320A-14F	TD62320A-26F	TD62320A-38F

Marathon Stock Today Heaters

3/4" Diameter Heaters with Trimmed Cavity

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	2	240	250	TD75020A-14S	TD75020A-26S	TD75020A-38S
	3	240	225	TD75030A-14S	TD75030A-26S	TD75030A-38S
	3	240	400	TD75030B-14S	TD75030B-26S	TD75030B-38S
	3	120	500	TD75030C-14S	TD75030C-26S	TD75030C-38S
	3	240	500	TD75030D-14S	TD75030D-26S	TD75030D-38S
	4	120	250	TD75040B-14S	TD75040B-26S	TD75040B-38S
	4	240	750	TD75040A-14S	TD75040A-26S	TD75040A-38S
	4	240	1000	TD75040B-14S	TD75040B-26S	TD75040B-38S

Marathon Stock Today Heaters

3/4" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	5	120	250	TD75050B-14S	TD75050B-26S	TD75050B-38S
	5	240	500	TD75050A-14S	TD75050A-26S	TD75050A-38S
	5	240	1000	TD75050B-14S	TD75050B-26S	TD75050B-38S
	6	120	375	TD75060E-14S	TD75060E-26S	TD75060E-38S
	6	120	500	TD75060A-14S	TD75060A-26S	TD75060A-38S
	6	240	500	TD75060B-14S	TD75060B-26S	TD75060B-38S
	6	240	1000	TD75060C-14S	TD75060C-26S	TD75060C-38S
	6	240	1200	TD75060D-14S	TD75060D-26S	TD75060D-38S
	6	240	1500	TD75060E-14S	TD75060E-26S	TD75060E-38S
	6	240	2000	TD75060A-14S	TD75060A-26S	TD75060A-38S
	7	120	375	TD75070C-14S	TD75070C-26S	TD75070C-38S
	7	240	500	TD75070A-14S	TD75070A-26S	TD75070A-38S
	7	240	1000	TD75070B-14S	TD75070B-26S	TD75070B-38S
	7	240	1500	TD75070C-14S	TD75070C-26S	TD75070C-38S
	8	120	350	TD75080C-14S	TD75080C-26S	TD75080C-38S
	8	240	350	TD75080E-14S	TD75080E-26S	TD75080E-38S
	8	120	500	TD75080D-14S	TD75080D-26S	TD75080D-38S
	8	240	600	TD75080A-14S	TD75080A-26S	TD75080A-38S
	8	240	750	TD75080F-14S	TD75080F-26S	TD75080F-38S
	8	240	1000	TD75080B-14S	TD75080B-26S	TD75080B-38S
	8	240	1500	TD75080C-14S	TD75080C-26S	TD75080C-38S
	8	480	1500	TD75080E-14S	TD75080E-26S	TD75080E-38S
	8	240	2000	TD75080D-14S	TD75080D-26S	TD75080D-38S
	9	120	350	TD75090D-14S	TD75090D-26S	TD75090D-38S
	9	240	350	TD75090B-14S	TD75090B-26S	TD75090B-38S
	9	240	1000	TD75090C-14S	TD75090C-26S	TD75090C-38S
	9	240	1400	TD75090D-14S	TD75090D-26S	TD75090D-38S
	9	480	1400	TD75090B-14S	TD75090B-26S	TD75090B-38S
	9	240	1800	TD75090A-14S	TD75090A-26S	TD75090A-38S
	10	120	500	TD75100C-14S	TD75100C-26S	TD75100C-38S
	10	120	750	TD75100F-14S	TD75100F-26S	TD75100F-38S
	10	240	1000	TD75100A-14S	TD75100A-26S	TD75100A-38S
	10	240	1200	TD75100E-14S	TD75100E-26S	TD75100E-38S
	10	240	1500	TD75100B-14S	TD75100B-26S	TD75100B-38S
	10	240	2000	TD75100C-14S	TD75100C-26S	TD75100C-38S
	10	240	3000	TD75100F-14S	TD75100F-26S	TD75100F-38S
	12	120	500	TD75120D-14S	TD75120D-26S	TD75120D-38S
	12	240	500	TD75120E-14S	TD75120E-26S	TD75120E-38S
	12	120	1000	TD75120A-14S	TD75120A-26S	TD75120A-38S
	12	240	1000	TD75120B-14S	TD75120B-26S	TD75120B-38S
	12	240	1500	TD75120C-14S	TD75120C-26S	TD75120C-38S
	12	240	2000	TD75120D-14S	TD75120D-26S	TD75120D-38S
	12	480	2000	TD75120E-14S	TD75120E-26S	TD75120E-38S
	12	240	2500	TD75120F-14S	TD75120F-26S	TD75120F-38S
	14	240	2000	TD75140A-14S	TD75140A-26S	TD75140A-38S
	14	240	4500	TD75140B-14S	TD75140B-26S	TD75140B-38S
	15	240	1000	TD75150A-14S	TD75150A-26S	TD75150A-38S
	16	240	875	TD75160B-14S	TD75160B-26S	TD75160B-38S
	16	240	1000	TD75160C-14S	TD75160C-26S	TD75160C-38S
	16	240	1600	TD75160A-14S	TD75160A-26S	TD75160A-38S
	16	480	3500	TD75160B-14S	TD75160B-26S	TD75160B-38S

Marathon Stock Today Heaters

3/4" Diameter Heaters with Trimmed Cavity (continued)

	O.A.L.	Volts	Watts	14" Leads	26" Leads	38" Leads
	18	240	1000	TD75180A-14S	TD75180A-26S	TD75180A-38S
	18	240	2000	TD75180B-14S	TD75180B-26S	TD75180B-38S
	18	480	2000	TD75180C-14S	TD75180C-26S	TD75180C-38S
	18	240	2400	TD75180D-14S	TD75180D-26S	TD75180D-38S
	20	240	1200	TD75200A-14S	TD75200A-26S	TD75200A-38S
	20	240	2250	TD75200B-14S	TD75200B-26S	TD75200B-38S
	24	240	1000	TD75240A-14S	TD75240A-26S	TD75240A-38S
	24	240	1500	TD75240B-14S	TD75240B-26S	TD75240B-38S
	24	240	2000	TD75240C-14S	TD75240C-26S	TD75240C-38S
	24	480	2500	TD75240D-14S	TD75240D-26S	TD75240D-38S
	24	240	3000	TD75240E-14S	TD75240E-26S	TD75240E-38S
	24	480	4000	TD75240A-14S	TD75080C-26S	TD75080C-38S
	28	240	2400	TD75280A-14S	TD75280A-26S	TD75280A-38S
	30	240	2000	TD75300A-14S	TD75300A-26S	TD75300A-38S
	32	240	2000	TD75320A-14S	TD75320A-26S	TD75320A-38S
	36	240	2000	TD75360A-14S	TD75360A-26S	TD75360A-38S

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
2	2.37	240	250	TD75020A-14R	TD75020A-26R	TD75020A-38R
3	3.37	240	225	TD75030A-14R	TD75030A-26R	TD75030A-38R
3	3.37	240	400	TD75030B-14R	TD75030B-26R	TD75030B-38R
3	3.37	120	500	TD75030C-14R	TD75030C-26R	TD75030C-38R
3	3.37	240	500	TD75030D-14R	TD75030D-26R	TD75030D-38R
4	4.37	120	250	TD75040B-14R	TD75040B-26R	TD75040B-38R
4	4.37	240	750	TD75040A-14R	TD75040A-26R	TD75040A-38R
4	4.37	240	1000	TD75040B-14R	TD75040B-26R	TD75040B-38R
5	5.37	120	250	TD75050B-14R	TD75050B-26R	TD75050B-38R
5	5.37	240	500	TD75050A-14R	TD75050A-26R	TD75050A-38R
5	5.37	240	1000	TD75050B-14R	TD75050B-26R	TD75050B-38R
6	6.37	120	375	TD75060E-14R	TD75060E-26R	TD75060E-38R
6	6.37	120	500	TD75060A-14R	TD75060A-26R	TD75060A-38R
6	6.37	240	500	TD75060B-14R	TD75060B-26R	TD75060B-38R
6	6.37	240	1000	TD75060C-14R	TD75060C-26R	TD75060C-38R
6	6.37	240	1200	TD75060D-14R	TD75060D-26R	TD75060D-38R
6	6.37	240	1500	TD75060E-14R	TD75060E-26R	TD75060E-38R
6	6.37	240	2000	TD75060A-14R	TD75060A-26R	TD75060A-38R
7	7.37	120	375	TD75070C-14R	TD75070C-26R	TD75070C-38R
7	7.37	240	500	TD75070A-14R	TD75070A-26R	TD75070A-38R
7	7.37	240	1000	TD75070B-14R	TD75070B-26R	TD75070B-38R
7	7.37	240	1500	TD75070C-14R	TD75070C-26R	TD75070C-38R

Marathon Stock Today Heaters 3/4" Diameter Heaters with Rt. Angle Leads

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads	26" Rt. Angle Leads	38" Rt. Angle Leads
8	8.37	120	350	TD75080C-14R	TD75080C-26R	TD75080C-38R
8	8.37	240	350	TD75080E-14R	TD75080E-26R	TD75080E-38R
8	8.37	120	500	TD75080D-14R	TD75080D-26R	TD75080D-38R
8	8.37	240	600	TD75080A-14R	TD75080A-26R	TD75080A-38R
8	8.37	240	750	TD75080F-14R	TD75080F-26R	TD75080F-38R
8	8.37	240	1000	TD75080B-14R	TD75080B-26R	TD75080B-38R
8	8.37	240	1500	TD75080C-14R	TD75080C-26R	TD75080C-38R
8	8.37	480	1500	TD75080E-14R	TD75080E-26R	TD75080E-38R
8	8.37	240	2000	TD75080D-14R	TD75080D-26R	TD75080D-38R
9	9.37	120	350	TD75090D-14R	TD75090D-26R	TD75090D-38R
9	9.37	240	350	TD75090B-14R	TD75090B-26R	TD75090B-38R
9	9.37	240	1000	TD75090C-14R	TD75090C-26R	TD75090C-38R
9	9.37	240	1400	TD75090D-14R	TD75090D-26R	TD75090D-38R
9	9.37	480	1400	TD75090B-14R	TD75090B-26R	TD75090B-38R
9	9.37	240	1800	TD75090A-14R	TD75090A-26R	TD75090A-38R
10	10.37	120	500	TD75100C-14R	TD75100C-26R	TD75100C-38R
10	10.37	120	750	TD75100F-14R	TD75100F-26R	TD75100F-38R
10	10.37	240	1000	TD75100A-14R	TD75100A-26R	TD75100A-38R
10	10.37	240	1200	TD75100E-14R	TD75100E-26R	TD75100E-38R
10	10.37	240	1500	TD75100B-14R	TD75100B-26R	TD75100B-38R
10	10.37	240	2000	TD75100C-14R	TD75100C-26R	TD75100C-38R
10	10.37	240	3000	TD75100F-14R	TD75100F-26R	TD75100F-38R
12	12.37	120	500	TD75120D-14R	TD75120D-26R	TD75120D-38R
12	12.37	240	500	TD75120E-14R	TD75120E-26R	TD75120E-38R
12	12.37	120	1000	TD75120A-14R	TD75120A-26R	TD75120A-38R
12	12.37	240	1000	TD75120B-14R	TD75120B-26R	TD75120B-38R
12	12.37	240	1500	TD75120C-14R	TD75120C-26R	TD75120C-38R
12	12.37	240	2000	TD75120D-14R	TD75120D-26R	TD75120D-38R
12	12.37	480	2000	TD75120E-14R	TD75120E-26R	TD75120E-38R
12	12.37	240	2500	TD75120F-14R	TD75120F-26R	TD75120F-38R
14	14.37	240	2000	TD75140A-14R	TD75140A-26R	TD75140A-38R
14	14.37	240	4500	TD75140B-14R	TD75140B-26R	TD75140B-38R
15	15.37	240	1000	TD75150A-14R	TD75150A-26R	TD75150A-38R
16	16.37	240	875	TD75160B-14R	TD75160B-26R	TD75160B-38R
16	16.37	240	1000	TD75160C-14R	TD75160C-26R	TD75160C-38R
16	16.37	240	1600	TD75160A-14R	TD75160A-26R	TD75160A-38R
16	16.37	480	3500	TD75160B-14R	TD75160B-26R	TD75160B-38R
18	18.37	240	1000	TD75180A-14R	TD75180A-26R	TD75180A-38R
18	18.37	240	2000	TD75180B-14R	TD75180B-26R	TD75180B-38R
18	18.37	480	2000	TD75180C-14R	TD75180C-26R	TD75180C-38R
18	18.37	240	2400	TD75180D-14R	TD75180D-26R	TD75180D-38R
20	20.37	240	1200	TD75200A-14R	TD75200A-26R	TD75200A-38R
20	20.37	240	2250	TD75200B-14R	TD75200B-26R	TD75200B-38R
24	24.37	240	1000	TD75240A-14R	TD75240A-26R	TD75240A-38R
24	24.37	240	1500	TD75240B-14R	TD75240B-26R	TD75240B-38R
24	24.37	240	2000	TD75240C-14R	TD75240C-26R	TD75240C-38R
24	24.37	480	2500	TD75240D-14R	TD75240D-26R	TD75240D-38R
24	24.37	240	3000	TD75240E-14R	TD75240E-26R	TD75240E-38R
24	24.37	480	4000	TD75240A-14R	TD75080C-26R	TD75080C-38R
28	28.37	240	2400	TD75280A-14R	TD75280A-26R	TD75280A-38R
30	30.37	240	2000	TD75300A-14R	TD75300A-26R	TD75300A-38R
32	32.37	240	2000	TD75320A-14R	TD75320A-26R	TD75320A-38R
36	36.37	240	2000	TD75360A-14R	TD75360A-26R	TD75360A-38R

Marathon Stock Today Heaters

3/4" Diameter Heaters with Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
2	2.37	240	250	TD75020A-14B12	TD75020A-26B24	TD75020A-38B36
3	3.37	240	225	TD75030A-14B12	TD75030A-26B24	TD75030A-38B36
3	3.37	240	400	TD75030B-14B12	TD75030B-26B24	TD75030B-38B36
3	3.37	120	500	TD75030C-14B12	TD75030C-26B24	TD75030C-38B36
3	3.37	240	500	TD75030D-14B12	TD75030D-26B24	TD75030D-38B36
4	4.37	120	250	TD75040B-14B12	TD75040B-26B24	TD75040B-38B36
4	4.37	240	750	TD75040A-14B12	TD75040A-26B24	TD75040A-38B36
4	4.37	240	1000	TD75040B-14B12	TD75040B-26B24	TD75040B-38B36
5	5.37	120	250	TD75050B-14B12	TD75050B-26B24	TD75050B-38B36
5	5.37	240	500	TD75050A-14B12	TD75050A-26B24	TD75050A-38B36
5	5.37	240	1000	TD75050B-14B12	TD75050B-26B24	TD75050B-38B36
6	6.37	120	375	TD75060E-14B12	TD75060E-26B24	TD75060E-38B36
6	6.37	120	500	TD75060A-14B12	TD75060A-26B24	TD75060A-38B36
6	6.37	240	500	TD75060B-14B12	TD75060B-26B24	TD75060B-38B36
6	6.37	240	1000	TD75060C-14B12	TD75060C-26B24	TD75060C-38B36
6	6.37	240	1200	TD75060D-14B12	TD75060D-26B24	TD75060D-38B36
6	6.37	240	1500	TD75060E-14B12	TD75060E-26B24	TD75060E-38B36
6	6.37	240	2000	TD75060A-14B12	TD75060A-26B24	TD75060A-38B36
7	7.37	120	375	TD75070C-14B12	TD75070C-26B24	TD75070C-38B36
7	7.37	240	500	TD75070A-14B12	TD75070A-26B24	TD75070A-38B36
7	7.37	240	1000	TD75070B-14B12	TD75070B-26B24	TD75070B-38B36
7	7.37	240	1500	TD75070C-14B12	TD75070C-26B24	TD75070C-38B36
8	8.37	120	350	TD75080C-14B12	TD75080C-26B24	TD75080C-38B36
8	8.37	240	350	TD75080E-14B12	TD75080E-26B24	TD75080E-38B36
8	8.37	120	500	TD75080D-14B12	TD75080D-26B24	TD75080D-38B36
8	8.37	240	600	TD75080A-14B12	TD75080A-26B24	TD75080A-38B36
8	8.37	240	750	TD75080F-14B12	TD75080F-26B24	TD75080F-38B36
8	8.37	240	1000	TD75080B-14B12	TD75080B-26B24	TD75080B-38B36
8	8.37	240	1500	TD75080C-14B12	TD75080C-26B24	TD75080C-38B36
8	8.37	480	1500	TD75080E-14B12	TD75080E-26B24	TD75080E-38B36
8	8.37	240	2000	TD75080D-14B12	TD75080D-26B24	TD75080D-38B36
9	9.37	120	350	TD75090D-14B12	TD75090D-26B24	TD75090D-38B36
9	9.37	240	350	TD75090B-14B12	TD75090B-26B24	TD75090B-38B36
9	9.37	240	1000	TD75090C-14B12	TD75090C-26B24	TD75090C-38B36
9	9.37	240	1400	TD75090D-14B12	TD75090D-26B24	TD75090D-38B36
9	9.37	480	1400	TD75090B-14B12	TD75090B-26B24	TD75090B-38B36
9	9.37	240	1800	TD75090A-14B12	TD75090A-26B24	TD75090A-38B36
10	10.37	120	500	TD75100C-14B12	TD75100C-26B24	TD75100C-38B36
10	10.37	120	750	TD75100F-14B12	TD75100F-26B24	TD75100F-38B36
10	10.37	240	1000	TD75100A-14B12	TD75100A-26B24	TD75100A-38B36
10	10.37	240	1200	TD75100E-14B12	TD75100E-26B24	TD75100E-38B36
10	10.37	240	1500	TD75100B-14B12	TD75100B-26B24	TD75100B-38B36
10	10.37	240	2000	TD75100C-14B12	TD75100C-26B24	TD75100C-38B36
10	10.37	240	3000	TD75100F-14B12	TD75100F-26B24	TD75100F-38B36
12	12.37	120	500	TD75120D-14B12	TD75120D-26B24	TD75120D-38B36
12	12.37	240	500	TD75120E-14B12	TD75120E-26B24	TD75120E-38B36
12	12.37	120	1000	TD75120A-14B12	TD75120A-26B24	TD75120A-38B36
12	12.37	240	1000	TD75120B-14B12	TD75120B-26B24	TD75120B-38B36
12	12.37	240	1500	TD75120C-14B12	TD75120C-26B24	TD75120C-38B36
12	12.37	240	2000	TD75120D-14B12	TD75120D-26B24	TD75120D-38B36
12	12.37	480	2000	TD75120E-14B12	TD75120E-26B24	TD75120E-38B36
12	12.37	240	2500	TD75120F-14B12	TD75120F-26B24	TD75120F-38B36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Braid	26" Leads w/ 24" Braid	38" Leads w/ 36" Braid
14	14.37	240	2000	TD75140A-14B12	TD75140A-26B24	TD75140A-38B36
14	14.37	240	4500	TD75140B-14B12	TD75140B-26B24	TD75140B-38B36
15	15.37	240	1000	TD75150A-14B12	TD75150A-26B24	TD75150A-38B36
16	16.37	240	875	TD75160B-14B12	TD75160B-26B24	TD75160B-38B36
16	16.37	240	1000	TD75160C-14B12	TD75160C-26B24	TD75160C-38B36
16	16.37	240	1600	TD75160A-14B12	TD75160A-26B24	TD75160A-38B36
16	16.37	480	3500	TD75160B-14B12	TD75160B-26B24	TD75160B-38B36
18	18.37	240	1000	TD75180A-14B12	TD75180A-26B24	TD75180A-38B36
18	18.37	240	2000	TD75180B-14B12	TD75180B-26B24	TD75180B-38B36
18	18.37	480	2000	TD75180C-14B12	TD75180C-26B24	TD75180C-38B36
18	18.37	240	2400	TD75180D-14B12	TD75180D-26B24	TD75180D-38B36
20	20.37	240	1200	TD75200A-14B12	TD75200A-26B24	TD75200A-38B36
20	20.37	240	2250	TD75200B-14B12	TD75200B-26B24	TD75200B-38B36
24	24.37	240	1000	TD75240A-14B12	TD75240A-26B24	TD75240A-38B36
24	24.37	240	1500	TD75240B-14B12	TD75240B-26B24	TD75240B-38B36
24	24.37	240	2000	TD75240C-14B12	TD75240C-26B24	TD75240C-38B36
24	24.37	480	2500	TD75240D-14B12	TD75240D-26B24	TD75240D-38B36
24	24.37	240	3000	TD75240E-14B12	TD75240E-26B24	TD75240E-38B36
24	24.37	480	4000	TD75240A-14B12	TD75080C-26B24	TD75080C-38B36
28	28.37	240	2400	TD75280A-14B12	TD75280A-26B24	TD75280A-38B36
30	30.37	240	2000	TD75300A-14B12	TD75300A-26B24	TD75300A-38B36
32	32.37	240	2000	TD75320A-14B12	TD75320A-26B24	TD75320A-38B36
36	36.37	240	2000	TD75360A-14B12	TD75360A-26B24	TD75360A-38B36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Stainless Steel Braid

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/14" Braid	38" Rt. Angle Leads w/ 36" Braid
2	2.37	240	250	TD75020A-14A12	TD75020A-26A24	TD75020A-38A36
3	3.37	240	225	TD75030A-14A12	TD75030A-26A24	TD75030A-38A36
3	3.37	240	400	TD75030B-14A12	TD75030B-26A24	TD75030B-38A36
3	3.37	120	500	TD75030C-14A12	TD75030C-26A24	TD75030C-38A36
3	3.37	240	500	TD75030D-14A12	TD75030D-26A24	TD75030D-38A36
4	4.37	120	250	TD75040B-14A12	TD75040B-26A24	TD75040B-38A36
4	4.37	240	750	TD75040A-14A12	TD75040A-26A24	TD75040A-38A36
4	4.37	240	1000	TD75040B-14A12	TD75040B-26A24	TD75040B-38A36
5	5.37	120	250	TD75050B-14A12	TD75050B-26A24	TD75050B-38A36
5	5.37	240	500	TD75050A-14A12	TD75050A-26A24	TD75050A-38A36
5	5.37	240	1000	TD75050B-14A12	TD75050B-26A24	TD75050B-38A36
6	6.37	120	375	TD75060E-14A12	TD75060E-26A24	TD75060E-38A36
6	6.37	120	500	TD75060A-14A12	TD75060A-26A24	TD75060A-38A36
6	6.37	240	500	TD75060B-14A12	TD75060B-26A24	TD75060B-38A36
6	6.37	240	1000	TD75060C-14A12	TD75060C-26A24	TD75060C-38A36
6	6.37	240	1200	TD75060D-14A12	TD75060D-26A24	TD75060D-38A36
6	6.37	240	1500	TD75060E-14A12	TD75060E-26A24	TD75060E-38A36
6	6.37	240	2000	TD75060A-14A12	TD75060A-26A24	TD75060A-38A36
7	7.37	120	375	TD75070C-14A12	TD75070C-26A24	TD75070C-38A36
7	7.37	240	500	TD75070A-14A12	TD75070A-26A24	TD75070A-38A36
7	7.37	240	1000	TD75070B-14A12	TD75070B-26A24	TD75070B-38A36
7	7.37	240	1500	TD75070C-14A12	TD75070C-26A24	TD75070C-38A36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/14" Braid	38" Rt. Angle Leads w/ 36" Braid
8	8.37	120	350	TD75080C-14A12	TD75080C-26A24	TD75080C-38A36
8	8.37	240	350	TD75080E-14A12	TD75080E-26A24	TD75080E-38A36
8	8.37	120	500	TD75080D-14A12	TD75080D-26A24	TD75080D-38A36
8	8.37	240	600	TD75080A-14A12	TD75080A-26A24	TD75080A-38A36
8	8.37	240	750	TD75080F-14A12	TD75080F-26A24	TD75080F-38A36
8	8.37	240	1000	TD75080B-14A12	TD75080B-26A24	TD75080B-38A36
8	8.37	240	1500	TD75080C-14A12	TD75080C-26A24	TD75080C-38A36
8	8.37	480	1500	TD75080E-14A12	TD75080E-26A24	TD75080E-38A36
8	8.37	240	2000	TD75080D-14A12	TD75080D-26A24	TD75080D-38A36
9	9.37	120	350	TD75090D-14A12	TD75090D-26A24	TD75090D-38A36
9	9.37	240	350	TD75090B-14A12	TD75090B-26A24	TD75090B-38A36
9	9.37	240	1000	TD75090C-14A12	TD75090C-26A24	TD75090C-38A36
9	9.37	240	1400	TD75090D-14A12	TD75090D-26A24	TD75090D-38A36
9	9.37	480	1400	TD75090B-14A12	TD75090B-26A24	TD75090B-38A36
9	9.37	240	1800	TD75090A-14A12	TD75090A-26A24	TD75090A-38A36
10	10.37	120	500	TD75100C-14A12	TD75100C-26A24	TD75100C-38A36
10	10.37	120	750	TD75100F-14A12	TD75100F-26A24	TD75100F-38A36
10	10.37	240	1000	TD75100A-14A12	TD75100A-26A24	TD75100A-38A36
10	10.37	240	1200	TD75100E-14A12	TD75100E-26A24	TD75100E-38A36
10	10.37	240	1500	TD75100B-14A12	TD75100B-26A24	TD75100B-38A36
10	10.37	240	2000	TD75100C-14A12	TD75100C-26A24	TD75100C-38A36
10	10.37	240	3000	TD75100F-14A12	TD75100F-26A24	TD75100F-38A36
12	12.37	120	500	TD75120D-14A12	TD75120D-26A24	TD75120D-38A36
12	12.37	240	500	TD75120E-14A12	TD75120E-26A24	TD75120E-38A36
12	12.37	120	1000	TD75120A-14A12	TD75120A-26A24	TD75120A-38A36
12	12.37	240	1000	TD75120B-14A12	TD75120B-26A24	TD75120B-38A36
12	12.37	240	1500	TD75120C-14A12	TD75120C-26A24	TD75120C-38A36
12	12.37	240	2000	TD75120D-14A12	TD75120D-26A24	TD75120D-38A36
12	12.37	480	2000	TD75120E-14A12	TD75120E-26A24	TD75120E-38A36
12	12.37	240	2500	TD75120F-14A12	TD75120F-26A24	TD75120F-38A36
14	14.37	240	2000	TD75140A-14A12	TD75140A-26A24	TD75140A-38A36
14	14.37	240	4500	TD75140B-14A12	TD75140B-26A24	TD75140B-38A36
15	15.37	240	1000	TD75150A-14A12	TD75150A-26A24	TD75150A-38A36
16	16.37	240	875	TD75160B-14A12	TD75160B-26A24	TD75160B-38A36
16	16.37	240	1000	TD75160C-14A12	TD75160C-26A24	TD75160C-38A36
16	16.37	240	1600	TD75160A-14A12	TD75160A-26A24	TD75160A-38A36
16	16.37	480	3500	TD75160B-14A12	TD75160B-26A24	TD75160B-38A36
18	18.37	240	1000	TD75180A-14A12	TD75180A-26A24	TD75180A-38A36
18	18.37	240	2000	TD75180B-14A12	TD75180B-26A24	TD75180B-38A36
18	18.37	480	2000	TD75180C-14A12	TD75180C-26A24	TD75180C-38A36
18	18.37	240	2400	TD75180D-14A12	TD75180D-26A24	TD75180D-38A36
20	20.37	240	1200	TD75200A-14A12	TD75200A-26A24	TD75200A-38A36
20	20.37	240	2250	TD75200B-14A12	TD75200B-26A24	TD75200B-38A36
24	24.37	240	1000	TD75240A-14A12	TD75240A-26A24	TD75240A-38A36
24	24.37	240	1500	TD75240B-14A12	TD75240B-26A24	TD75240B-38A36
24	24.37	240	2000	TD75240C-14A12	TD75240C-26A24	TD75240C-38A36
24	24.37	480	2500	TD75240D-14A12	TD75240D-26A24	TD75240D-38A36
24	24.37	240	3000	TD75240E-14A12	TD75240E-26A24	TD75240E-38A36
24	24.37	480	4000	TD75240A-14A12	TD75080C-26A24	TD75080C-38A36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Stainless Steel Braid (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Braid	26" Rt. Angle Leads w/ 14" Braid	38" Rt. Angle Leads w/ 36" Braid
28	28.37	240	2400	TD75280A-14A12	TD75280A-26A24	TD75280A-38A36
30	30.37	240	2000	TD75300A-14A12	TD75300A-26A24	TD75300A-38A36
32	32.37	240	2000	TD75320A-14A12	TD75320A-26A24	TD75320A-38A36
36	36.37	240	2000	TD75360A-14A12	TD75360A-26A24	TD75360A-38A36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
2	2.37	240	250	TD75020A-14C12	TD75020A-26C24	TD75020A-38C36
3	3.37	240	225	TD75030A-14C12	TD75030A-26C24	TD75030A-38C36
3	3.37	240	400	TD75030B-14C12	TD75030B-26C24	TD75030B-38C36
3	3.37	120	500	TD75030C-14C12	TD75030C-26C24	TD75030C-38C36
3	3.37	240	500	TD75030D-14C12	TD75030D-26C24	TD75030D-38C36
4	4.37	120	250	TD75040B-14C12	TD75040B-26C24	TD75040B-38C36
4	4.37	240	750	TD75040A-14C12	TD75040A-26C24	TD75040A-38C36
4	4.37	240	1000	TD75040B-14C12	TD75040B-26C24	TD75040B-38C36
5	5.37	120	250	TD75050B-14C12	TD75050B-26C24	TD75050B-38C36
5	5.37	240	500	TD75050A-14C12	TD75050A-26C24	TD75050A-38C36
5	5.37	240	1000	TD75050B-14C12	TD75050B-26C24	TD75050B-38C36
6	6.37	120	375	TD75060E-14C12	TD75060E-26C24	TD75060E-38C36
6	6.37	120	500	TD75060A-14C12	TD75060A-26C24	TD75060A-38C36
6	6.37	240	500	TD75060B-14C12	TD75060B-26C24	TD75060B-38C36
6	6.37	240	1000	TD75060C-14C12	TD75060C-26C24	TD75060C-38C36
6	6.37	240	1200	TD75060D-14C12	TD75060D-26C24	TD75060D-38C36
6	6.37	240	1500	TD75060E-14C12	TD75060E-26C24	TD75060E-38C36
6	6.37	240	2000	TD75060A-14C12	TD75060A-26C24	TD75060A-38C36
7	7.37	120	375	TD75070C-14C12	TD75070C-26C24	TD75070C-38C36
7	7.37	240	500	TD75070A-14C12	TD75070A-26C24	TD75070A-38C36
7	7.37	240	1000	TD75070B-14C12	TD75070B-26C24	TD75070B-38C36
7	7.37	240	1500	TD75070C-14C12	TD75070C-26C24	TD75070C-38C36
8	8.37	120	350	TD75080C-14C12	TD75080C-26C24	TD75080C-38C36
8	8.37	240	350	TD75080E-14C12	TD75080E-26C24	TD75080E-38C36
8	8.37	120	500	TD75080D-14C12	TD75080D-26C24	TD75080D-38C36
8	8.37	240	600	TD75080A-14C12	TD75080A-26C24	TD75080A-38C36
8	8.37	240	750	TD75080F-14C12	TD75080F-26C24	TD75080F-38C36
8	8.37	240	1000	TD75080B-14C12	TD75080B-26C24	TD75080B-38C36
8	8.37	240	1500	TD75080C-14C12	TD75080C-26C24	TD75080C-38C36
8	8.37	480	1500	TD75080E-14C12	TD75080E-26C24	TD75080E-38C36
8	8.37	240	2000	TD75080D-14C12	TD75080D-26C24	TD75080D-38C36
9	9.37	120	350	TD75090D-14C12	TD75090D-26C24	TD75090D-38C36
9	9.37	240	350	TD75090B-14C12	TD75090B-26C24	TD75090B-38C36
9	9.37	240	1000	TD75090C-14C12	TD75090C-26C24	TD75090C-38C36
9	9.37	240	1400	TD75090D-14C12	TD75090D-26C24	TD75090D-38C36
9	9.37	480	1400	TD75090B-14C12	TD75090B-26C24	TD75090B-38C36
9	9.37	240	1800	TD75090A-14C12	TD75090A-26C24	TD75090A-38C36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads w/ 12" Conduit	26" Leads w/ 24" Conduit	38" Leads w/ 36" Conduit
10	10.37	120	500	TD75100C-14C12	TD75100C-26C24	TD75100C-38C36
10	10.37	120	750	TD75100F-14C12	TD75100F-26C24	TD75100F-38C36
10	10.37	240	1000	TD75100A-14C12	TD75100A-26C24	TD75100A-38C36
10	10.37	240	1200	TD75100E-14C12	TD75100E-26C24	TD75100E-38C36
10	10.37	240	1500	TD75100B-14C12	TD75100B-26C24	TD75100B-38C36
10	10.37	240	2000	TD75100C-14C12	TD75100C-26C24	TD75100C-38C36
10	10.37	240	3000	TD75100F-14C12	TD75100F-26C24	TD75100F-38C36
12	12.37	120	500	TD75120D-14C12	TD75120D-26C24	TD75120D-38C36
12	12.37	240	500	TD75120E-14C12	TD75120E-26C24	TD75120E-38C36
12	12.37	120	1000	TD75120A-14C12	TD75120A-26C24	TD75120A-38C36
12	12.37	240	1000	TD75120B-14C12	TD75120B-26C24	TD75120B-38C36
12	12.37	240	1500	TD75120C-14C12	TD75120C-26C24	TD75120C-38C36
12	12.37	240	2000	TD75120D-14C12	TD75120D-26C24	TD75120D-38C36
12	12.37	480	2000	TD75120E-14C12	TD75120E-26C24	TD75120E-38C36
12	12.37	240	2500	TD75120F-14C12	TD75120F-26C24	TD75120F-38C36
14	14.37	240	2000	TD75140A-14C12	TD75140A-26C24	TD75140A-38C36
14	14.37	240	4500	TD75140B-14C12	TD75140B-26C24	TD75140B-38C36
15	15.37	240	1000	TD75150A-14C12	TD75150A-26C24	TD75150A-38C36
16	16.37	240	875	TD75160B-14C12	TD75160B-26C24	TD75160B-38C36
16	16.37	240	1000	TD75160C-14C12	TD75160C-26C24	TD75160C-38C36
16	16.37	240	1600	TD75160A-14C12	TD75160A-26C24	TD75160A-38C36
16	16.37	480	3500	TD75160B-14C12	TD75160B-26C24	TD75160B-38C36
18	18.37	240	1000	TD75180A-14C12	TD75180A-26C24	TD75180A-38C36
18	18.37	240	2000	TD75180B-14C12	TD75180B-26C24	TD75180B-38C36
18	18.37	480	2000	TD75180C-14C12	TD75180C-26C24	TD75180C-38C36
18	18.37	240	2400	TD75180D-14C12	TD75180D-26C24	TD75180D-38C36
20	20.37	240	1200	TD75200A-14C12	TD75200A-26C24	TD75200A-38C36
20	20.37	240	2250	TD75200B-14C12	TD75200B-26C24	TD75200B-38C36
24	24.37	240	1000	TD75240A-14C12	TD75240A-26C24	TD75240A-38C36
24	24.37	240	1500	TD75240B-14C12	TD75240B-26C24	TD75240B-38C36
24	24.37	240	2000	TD75240C-14C12	TD75240C-26C24	TD75240C-38C36
24	24.37	480	2500	TD75240D-14C12	TD75240D-26C24	TD75240D-38C36
24	24.37	240	3000	TD75240E-14C12	TD75240E-26C24	TD75240E-38C36
24	24.37	480	4000	TD75240A-14C12	TD75080C-26C24	TD75080C-38C36
28	28.37	240	2400	TD75280A-14C12	TD75280A-26C24	TD75280A-38C36
30	30.37	240	2000	TD75300A-14C12	TD75300A-26C24	TD75300A-38C36
32	32.37	240	2000	TD75320A-14C12	TD75320A-26C24	TD75320A-38C36
36	36.37	240	2000	TD75360A-14C12	TD75360A-26C24	TD75360A-38C36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
2	2.37	240	250	TD75020A-14K12	TD75020A-26K24	TD75020A-38K36
3	3.37	240	225	TD75030A-14K12	TD75030A-26K24	TD75030A-38K36
3	3.37	240	400	TD75030B-14K12	TD75030B-26K24	TD75030B-38K36
3	3.37	120	500	TD75030C-14K12	TD75030C-26K24	TD75030C-38K36
3	3.37	240	500	TD75030D-14K12	TD75030D-26K24	TD75030D-38K36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
4	4.37	120	250	TD75040B-14K12	TD75040B-26K24	TD75040B-38K36
4	4.37	240	750	TD75040A-14K12	TD75040A-26K24	TD75040A-38K36
4	4.37	240	1000	TD75040B-14K12	TD75040B-26K24	TD75040B-38K36
5	5.37	120	250	TD75050B-14K12	TD75050B-26K24	TD75050B-38K36
5	5.37	240	500	TD75050A-14K12	TD75050A-26K24	TD75050A-38K36
5	5.37	240	1000	TD75050B-14K12	TD75050B-26K24	TD75050B-38K36
6	6.37	120	375	TD75060E-14K12	TD75060E-26K24	TD75060E-38K36
6	6.37	120	500	TD75060A-14K12	TD75060A-26K24	TD75060A-38K36
6	6.37	240	500	TD75060B-14K12	TD75060B-26K24	TD75060B-38K36
6	6.37	240	1000	TD75060C-14K12	TD75060C-26K24	TD75060C-38K36
6	6.37	240	1200	TD75060D-14K12	TD75060D-26K24	TD75060D-38K36
6	6.37	240	1500	TD75060E-14K12	TD75060E-26K24	TD75060E-38K36
6	6.37	240	2000	TD75060A-14K12	TD75060A-26K24	TD75060A-38K36
7	7.37	120	375	TD75070C-14K12	TD75070C-26K24	TD75070C-38K36
7	7.37	240	500	TD75070A-14K12	TD75070A-26K24	TD75070A-38K36
7	7.37	240	1000	TD75070B-14K12	TD75070B-26K24	TD75070B-38K36
7	7.37	240	1500	TD75070C-14K12	TD75070C-26K24	TD75070C-38K36
8	8.37	120	350	TD75080C-14K12	TD75080C-26K24	TD75080C-38K36
8	8.37	240	350	TD75080E-14K12	TD75080E-26K24	TD75080E-38K36
8	8.37	120	500	TD75080D-14K12	TD75080D-26K24	TD75080D-38K36
8	8.37	240	600	TD75080A-14K12	TD75080A-26K24	TD75080A-38K36
8	8.37	240	750	TD75080F-14K12	TD75080F-26K24	TD75080F-38K36
8	8.37	240	1000	TD75080B-14K12	TD75080B-26K24	TD75080B-38K36
8	8.37	240	1500	TD75080C-14K12	TD75080C-26K24	TD75080C-38K36
8	8.37	480	1500	TD75080E-14K12	TD75080E-26K24	TD75080E-38K36
8	8.37	240	2000	TD75080D-14K12	TD75080D-26K24	TD75080D-38K36
9	9.37	120	350	TD75090D-14K12	TD75090D-26K24	TD75090D-38K36
9	9.37	240	350	TD75090B-14K12	TD75090B-26K24	TD75090B-38K36
9	9.37	240	1000	TD75090C-14K12	TD75090C-26K24	TD75090C-38K36
9	9.37	240	1400	TD75090D-14K12	TD75090D-26K24	TD75090D-38K36
9	9.37	480	1400	TD75090B-14K12	TD75090B-26K24	TD75090B-38K36
9	9.37	240	1800	TD75090A-14K12	TD75090A-26K24	TD75090A-38K36
10	10.37	120	500	TD75100C-14K12	TD75100C-26K24	TD75100C-38K36
10	10.37	120	750	TD75100F-14K12	TD75100F-26K24	TD75100F-38K36
10	10.37	240	1000	TD75100A-14K12	TD75100A-26K24	TD75100A-38K36
10	10.37	240	1200	TD75100E-14K12	TD75100E-26K24	TD75100E-38K36
10	10.37	240	1500	TD75100B-14K12	TD75100B-26K24	TD75100B-38K36
10	10.37	240	2000	TD75100C-14K12	TD75100C-26K24	TD75100C-38K36
10	10.37	240	3000	TD75100F-14K12	TD75100F-26K24	TD75100F-38K36
12	12.37	120	500	TD75120D-14K12	TD75120D-26K24	TD75120D-38K36
12	12.37	240	500	TD75120E-14K12	TD75120E-26K24	TD75120E-38K36
12	12.37	120	1000	TD75120A-14K12	TD75120A-26K24	TD75120A-38K36
12	12.37	240	1000	TD75120B-14K12	TD75120B-26K24	TD75120B-38K36
12	12.37	240	1500	TD75120C-14K12	TD75120C-26K24	TD75120C-38K36
12	12.37	240	2000	TD75120D-14K12	TD75120D-26K24	TD75120D-38K36
12	12.37	480	2000	TD75120E-14K12	TD75120E-26K24	TD75120E-38K36
12	12.37	240	2500	TD75120F-14K12	TD75120F-26K24	TD75120F-38K36
14	14.37	240	2000	TD75140A-14K12	TD75140A-26K24	TD75140A-38K36
14	14.37	240	4500	TD75140B-14K12	TD75140B-26K24	TD75140B-38K36
15	15.37	240	1000	TD75150A-14K12	TD75150A-26K24	TD75150A-38K36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Rt. Angle Flexible Stainless Steel Conduit (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Rt. Angle Leads w/ 12" Conduit	26" Rt. Angle Leads w/ 24" Conduit	38" Rt. Angle Leads w/ 36" Conduit
16	16.37	240	875	TD75160B-14K12	TD75160B-26K24	TD75160B-38K36
16	16.37	240	1000	TD75160C-14K12	TD75160C-26K24	TD75160C-38K36
16	16.37	240	1600	TD75160A-14K12	TD75160A-26K24	TD75160A-38K36
16	16.37	480	3500	TD75160B-14K12	TD75160B-26K24	TD75160B-38K36
18	18.37	240	1000	TD75180A-14K12	TD75180A-26K24	TD75180A-38K36
18	18.37	240	2000	TD75180B-14K12	TD75180B-26K24	TD75180B-38K36
18	18.37	480	2000	TD75180C-14K12	TD75180C-26K24	TD75180C-38K36
18	18.37	240	2400	TD75180D-14K12	TD75180D-26K24	TD75180D-38K36
20	20.37	240	1200	TD75200A-14K12	TD75200A-26K24	TD75200A-38K36
20	20.37	240	2250	TD75200B-14K12	TD75200B-26K24	TD75200B-38K36
24	24.37	240	1000	TD75240A-14K12	TD75240A-26K24	TD75240A-38K36
24	24.37	240	1500	TD75240B-14K12	TD75240B-26K24	TD75240B-38K36
24	24.37	240	2000	TD75240C-14K12	TD75240C-26K24	TD75240C-38K36
24	24.37	480	2500	TD75240D-14K12	TD75240D-26K24	TD75240D-38K36
24	24.37	240	3000	TD75240E-14K12	TD75240E-26K24	TD75240E-38K36
24	24.37	480	4000	TD75240A-14K12	TD75080C-26K24	TD75080C-38K36
28	28.37	240	2400	TD75280A-14K12	TD75280A-26K24	TD75280A-38K36
30	30.37	240	2000	TD75300A-14K12	TD75300A-26K24	TD75300A-38K36
32	32.37	240	2000	TD75320A-14K12	TD75320A-26K24	TD75320A-38K36
36	36.37	240	2000	TD75360A-14K12	TD75360A-26K24	TD75360A-38K36

Marathon Stock Today Heaters

3/4" Diameter Heaters with Standard Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Brass NPT	26" Leads with Brass NPT	38" Leads with Brass NPT
2	2.37	240	250	TD75020A-14H	TD75020A-26H	TD75020A-38H
3	3.37	240	225	TD75030A-14H	TD75030A-26H	TD75030A-38H
3	3.37	240	400	TD75030B-14H	TD75030B-26H	TD75030B-38H
3	3.37	120	500	TD75030C-14H	TD75030C-26H	TD75030C-38H
3	3.37	240	500	TD75030D-14H	TD75030D-26H	TD75030D-38H
4	4.37	120	250	TD75040B-14H	TD75040B-26H	TD75040B-38H
4	4.37	240	750	TD75040A-14H	TD75040A-26H	TD75040A-38H
4	4.37	240	1000	TD75040B-14H	TD75040B-26H	TD75040B-38H
5	5.37	120	250	TD75050B-14H	TD75050B-26H	TD75050B-38H
5	5.37	240	500	TD75050A-14H	TD75050A-26H	TD75050A-38H
5	5.37	240	1000	TD75050B-14H	TD75050B-26H	TD75050B-38H
6	6.37	120	375	TD75060E-14H	TD75060E-26H	TD75060E-38H
6	6.37	120	500	TD75060A-14H	TD75060A-26H	TD75060A-38H
6	6.37	240	500	TD75060B-14H	TD75060B-26H	TD75060B-38H
6	6.37	240	1000	TD75060C-14H	TD75060C-26H	TD75060C-38H
6	6.37	240	1200	TD75060D-14H	TD75060D-26H	TD75060D-38H
6	6.37	240	1500	TD75060E-14H	TD75060E-26H	TD75060E-38H
6	6.37	240	2000	TD75060A-14H	TD75060A-26H	TD75060A-38H
7	7.37	120	375	TD75070C-14H	TD75070C-26H	TD75070C-38H
7	7.37	240	500	TD75070A-14H	TD75070A-26H	TD75070A-38H
7	7.37	240	1000	TD75070B-14H	TD75070B-26H	TD75070B-38H
7	7.37	240	1500	TD75070C-14H	TD75070C-26H	TD75070C-38H

Marathon Stock Today Heaters 3/4" Diameter Heaters with Standard Brass NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Brass NPT	26" Leads with Brass NPT	38" Leads with Brass NPT
8	8.37	120	350	TD75080C-14H	TD75080C-26H	TD75080C-38H
8	8.37	240	350	TD75080E-14H	TD75080E-26H	TD75080E-38H
8	8.37	120	500	TD75080D-14H	TD75080D-26H	TD75080D-38H
8	8.37	240	600	TD75080A-14H	TD75080A-26H	TD75080A-38H
8	8.37	240	750	TD75080F-14H	TD75080F-26H	TD75080F-38H
8	8.37	240	1000	TD75080B-14H	TD75080B-26H	TD75080B-38H
8	8.37	240	1500	TD75080C-14H	TD75080C-26H	TD75080C-38H
8	8.37	480	1500	TD75080E-14H	TD75080E-26H	TD75080E-38H
8	8.37	240	2000	TD75080D-14H	TD75080D-26H	TD75080D-38H
9	9.37	120	350	TD75090D-14H	TD75090D-26H	TD75090D-38H
9	9.37	240	350	TD75090B-14H	TD75090B-26H	TD75090B-38H
9	9.37	240	1000	TD75090C-14H	TD75090C-26H	TD75090C-38H
9	9.37	240	1400	TD75090D-14H	TD75090D-26H	TD75090D-38H
9	9.37	480	1400	TD75090B-14H	TD75090B-26H	TD75090B-38H
9	9.37	240	1800	TD75090A-14H	TD75090A-26H	TD75090A-38H
10	10.37	120	500	TD75100C-14H	TD75100C-26H	TD75100C-38H
10	10.37	120	750	TD75100F-14H	TD75100F-26H	TD75100F-38H
10	10.37	240	1000	TD75100A-14H	TD75100A-26H	TD75100A-38H
10	10.37	240	1200	TD75100E-14H	TD75100E-26H	TD75100E-38H
10	10.37	240	1500	TD75100B-14H	TD75100B-26H	TD75100B-38H
10	10.37	240	2000	TD75100C-14H	TD75100C-26H	TD75100C-38H
10	10.37	240	3000	TD75100F-14H	TD75100F-26H	TD75100F-38H
12	12.37	120	500	TD75120D-14H	TD75120D-26H	TD75120D-38H
12	12.37	240	500	TD75120E-14H	TD75120E-26H	TD75120E-38H
12	12.37	120	1000	TD75120A-14H	TD75120A-26H	TD75120A-38H
12	12.37	240	1000	TD75120B-14H	TD75120B-26H	TD75120B-38H
12	12.37	240	1500	TD75120C-14H	TD75120C-26H	TD75120C-38H
12	12.37	240	2000	TD75120D-14H	TD75120D-26H	TD75120D-38H
12	12.37	480	2000	TD75120E-14H	TD75120E-26H	TD75120E-38H
12	12.37	240	2500	TD75120F-14H	TD75120F-26H	TD75120F-38H
14	14.37	240	2000	TD75140A-14H	TD75140A-26H	TD75140A-38H
14	14.37	240	4500	TD75140B-14H	TD75140B-26H	TD75140B-38H
15	15.37	240	1000	TD75150A-14H	TD75150A-26H	TD75150A-38H
16	16.37	240	875	TD75160B-14H	TD75160B-26H	TD75160B-38H
16	16.37	240	1000	TD75160C-14H	TD75160C-26H	TD75160C-38H
16	16.37	240	1600	TD75160A-14H	TD75160A-26H	TD75160A-38H
16	16.37	480	3500	TD75160B-14H	TD75160B-26H	TD75160B-38H
18	18.37	240	1000	TD75180A-14H	TD75180A-26H	TD75180A-38H
18	18.37	240	2000	TD75180B-14H	TD75180B-26H	TD75180B-38H
18	18.37	480	2000	TD75180C-14H	TD75180C-26H	TD75180C-38H
18	18.37	240	2400	TD75180D-14H	TD75180D-26H	TD75180D-38H
20	20.37	240	1200	TD75200A-14H	TD75200A-26H	TD75200A-38H
20	20.37	240	2250	TD75200B-14H	TD75200B-26H	TD75200B-38H
24	24.37	240	1000	TD75240A-14H	TD75240A-26H	TD75240A-38H
24	24.37	240	1500	TD75240B-14H	TD75240B-26H	TD75240B-38H
24	24.37	240	2000	TD75240C-14H	TD75240C-26H	TD75240C-38H
24	24.37	480	2500	TD75240D-14H	TD75240D-26H	TD75240D-38H
24	24.37	240	3000	TD75240E-14H	TD75240E-26H	TD75240E-38H
24	24.37	480	4000	TD75240A-14H	TD75080C-26H	TD75080C-38H
28	28.37	240	2400	TD75280A-14H	TD75280A-26H	TD75280A-38H
30	30.37	240	2000	TD75300A-14H	TD75300A-26H	TD75300A-38H
32	32.37	240	2000	TD75320A-14H	TD75320A-26H	TD75320A-38H
36	36.37	240	2000	TD75360A-14H	TD75360A-26H	TD75360A-38H

Marathon Stock Today Heaters

3/4" Diameter Heaters with Standard Stainless Steel NPT

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
2	2.37	240	250	TD75020A-14Q	TD75020A-26Q	TD75020A-38Q
3	3.37	240	225	TD75030A-14Q	TD75030A-26Q	TD75030A-38Q
3	3.37	240	400	TD75030B-14Q	TD75030B-26Q	TD75030B-38Q
3	3.37	120	500	TD75030C-14Q	TD75030C-26Q	TD75030C-38Q
3	3.37	240	500	TD75030D-14Q	TD75030D-26Q	TD75030D-38Q
4	4.37	120	250	TD75040B-14Q	TD75040B-26Q	TD75040B-38Q
4	4.37	240	750	TD75040A-14Q	TD75040A-26Q	TD75040A-38Q
4	4.37	240	1000	TD75040B-14Q	TD75040B-26Q	TD75040B-38Q
5	5.37	120	250	TD75050B-14Q	TD75050B-26Q	TD75050B-38Q
5	5.37	240	500	TD75050A-14Q	TD75050A-26Q	TD75050A-38Q
5	5.37	240	1000	TD75050B-14Q	TD75050B-26Q	TD75050B-38Q
6	6.37	120	375	TD75060E-14Q	TD75060E-26Q	TD75060E-38Q
6	6.37	120	500	TD75060A-14Q	TD75060A-26Q	TD75060A-38Q
6	6.37	240	500	TD75060B-14Q	TD75060B-26Q	TD75060B-38Q
6	6.37	240	1000	TD75060C-14Q	TD75060C-26Q	TD75060C-38Q
6	6.37	240	1200	TD75060D-14Q	TD75060D-26Q	TD75060D-38Q
6	6.37	240	1500	TD75060E-14Q	TD75060E-26Q	TD75060E-38Q
6	6.37	240	2000	TD75060A-14Q	TD75060A-26Q	TD75060A-38Q
7	7.37	120	375	TD75070C-14Q	TD75070C-26Q	TD75070C-38Q
7	7.37	240	500	TD75070A-14Q	TD75070A-26Q	TD75070A-38Q
7	7.37	240	1000	TD75070B-14Q	TD75070B-26Q	TD75070B-38Q
7	7.37	240	1500	TD75070C-14Q	TD75070C-26Q	TD75070C-38Q
8	8.37	120	350	TD75080C-14Q	TD75080C-26Q	TD75080C-38Q
8	8.37	240	350	TD75080E-14Q	TD75080E-26Q	TD75080E-38Q
8	8.37	120	500	TD75080D-14Q	TD75080D-26Q	TD75080D-38Q
8	8.37	240	600	TD75080A-14Q	TD75080A-26Q	TD75080A-38Q
8	8.37	240	750	TD75080F-14Q	TD75080F-26Q	TD75080F-38Q
8	8.37	240	1000	TD75080B-14Q	TD75080B-26Q	TD75080B-38Q
8	8.37	240	1500	TD75080C-14Q	TD75080C-26Q	TD75080C-38Q
8	8.37	480	1500	TD75080E-14Q	TD75080E-26Q	TD75080E-38Q
8	8.37	240	2000	TD75080D-14Q	TD75080D-26Q	TD75080D-38Q
9	9.37	120	350	TD75090D-14Q	TD75090D-26Q	TD75090D-38Q
9	9.37	240	350	TD75090B-14Q	TD75090B-26Q	TD75090B-38Q
9	9.37	240	1000	TD75090C-14Q	TD75090C-26Q	TD75090C-38Q
9	9.37	240	1400	TD75090D-14Q	TD75090D-26Q	TD75090D-38Q
9	9.37	480	1400	TD75090B-14Q	TD75090B-26Q	TD75090B-38Q
9	9.37	240	1800	TD75090A-14Q	TD75090A-26Q	TD75090A-38Q
10	10.37	120	500	TD75100C-14Q	TD75100C-26Q	TD75100C-38Q
10	10.37	120	750	TD75100F-14Q	TD75100F-26Q	TD75100F-38Q
10	10.37	240	1000	TD75100A-14Q	TD75100A-26Q	TD75100A-38Q
10	10.37	240	1200	TD75100E-14Q	TD75100E-26Q	TD75100E-38Q
10	10.37	240	1500	TD75100B-14Q	TD75100B-26Q	TD75100B-38Q
10	10.37	240	2000	TD75100C-14Q	TD75100C-26Q	TD75100C-38Q
10	10.37	240	3000	TD75100F-14Q	TD75100F-26Q	TD75100F-38Q
12	12.37	120	500	TD75120D-14Q	TD75120D-26Q	TD75120D-38Q
12	12.37	240	500	TD75120E-14Q	TD75120E-26Q	TD75120E-38Q
12	12.37	120	1000	TD75120A-14Q	TD75120A-26Q	TD75120A-38Q
12	12.37	240	1000	TD75120B-14Q	TD75120B-26Q	TD75120B-38Q
12	12.37	240	1500	TD75120C-14Q	TD75120C-26Q	TD75120C-38Q
12	12.37	240	2000	TD75120D-14Q	TD75120D-26Q	TD75120D-38Q
12	12.37	480	2000	TD75120E-14Q	TD75120E-26Q	TD75120E-38Q
12	12.37	240	2500	TD75120F-14Q	TD75120F-26Q	TD75120F-38Q

Marathon Stock Today Heaters

3/4" Diameter Heaters with Standard Stainless Steel NPT (continued)

Insertion Length	O.A.L.	Volts	Watts	14" Leads with S/S NPT	26" Leads with S/S NPT	38" Leads with S/S NPT
14	14.37	240	2000	TD75140A-14Q	TD75140A-26Q	TD75140A-38Q
14	14.37	240	4500	TD75140B-14Q	TD75140B-26Q	TD75140B-38Q
15	15.37	240	1000	TD75150A-14Q	TD75150A-26Q	TD75150A-38Q
16	16.37	240	875	TD75160B-14Q	TD75160B-26Q	TD75160B-38Q
16	16.37	240	1000	TD75160C-14Q	TD75160C-26Q	TD75160C-38Q
16	16.37	240	1600	TD75160A-14Q	TD75160A-26Q	TD75160A-38Q
16	16.37	480	3500	TD75160B-14Q	TD75160B-26Q	TD75160B-38Q
18	18.37	240	1000	TD75180A-14Q	TD75180A-26Q	TD75180A-38Q
18	18.37	240	2000	TD75180B-14Q	TD75180B-26Q	TD75180B-38Q
18	18.37	480	2000	TD75180C-14Q	TD75180C-26Q	TD75180C-38Q
18	18.37	240	2400	TD75180D-14Q	TD75180D-26Q	TD75180D-38Q
20	20.37	240	1200	TD75200A-14Q	TD75200A-26Q	TD75200A-38Q
20	20.37	240	2250	TD75200B-14Q	TD75200B-26Q	TD75200B-38Q
24	24.37	240	1000	TD75240A-14Q	TD75240A-26Q	TD75240A-38Q
24	24.37	240	1500	TD75240B-14Q	TD75240B-26Q	TD75240B-38Q
24	24.37	240	2000	TD75240C-14Q	TD75240C-26Q	TD75240C-38Q
24	24.37	480	2500	TD75240D-14Q	TD75240D-26Q	TD75240D-38Q
24	24.37	240	3000	TD75240E-14Q	TD75240E-26Q	TD75240E-38Q
24	24.37	480	4000	TD75240A-14Q	TD75080C-26Q	TD75080C-38Q
28	28.37	240	2400	TD75280A-14Q	TD75280A-26Q	TD75280A-38Q
30	30.37	240	2000	TD75300A-14Q	TD75300A-26Q	TD75300A-38Q
32	32.37	240	2000	TD75320A-14Q	TD75320A-26Q	TD75320A-38Q
36	36.37	240	2000	TD75360A-14Q	TD75360A-26Q	TD75360A-38Q

Marathon Stock Today Heaters

3/4" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy	26" Leads with Epoxy	38" Leads with Epoxy
2	2.37	240	250	TD75020A-14E	TD75020A-26E	TD75020A-38E
3	3.37	240	225	TD75030A-14E	TD75030A-26E	TD75030A-38E
3	3.37	240	400	TD75030B-14E	TD75030B-26E	TD75030B-38E
3	3.37	120	500	TD75030C-14E	TD75030C-26E	TD75030C-38E
3	3.37	240	500	TD75030D-14E	TD75030D-26E	TD75030D-38E
4	4.37	120	250	TD75040B-14E	TD75040B-26E	TD75040B-38E
4	4.37	240	750	TD75040A-14E	TD75040A-26E	TD75040A-38E
4	4.37	240	1000	TD75040B-14E	TD75040B-26E	TD75040B-38E
5	5.37	120	250	TD75050B-14E	TD75050B-26E	TD75050B-38E
5	5.37	240	500	TD75050A-14E	TD75050A-26E	TD75050A-38E
5	5.37	240	1000	TD75050B-14E	TD75050B-26E	TD75050B-38E
6	6.37	120	375	TD75060E-14E	TD75060E-26E	TD75060E-38E
6	6.37	120	500	TD75060A-14E	TD75060A-26E	TD75060A-38E
6	6.37	240	500	TD75060B-14E	TD75060B-26E	TD75060B-38E
6	6.37	240	1000	TD75060C-14E	TD75060C-26E	TD75060C-38E
6	6.37	240	1200	TD75060D-14E	TD75060D-26E	TD75060D-38E
6	6.37	240	1500	TD75060E-14E	TD75060E-26E	TD75060E-38E
6	6.37	240	2000	TD75060A-14E	TD75060A-26E	TD75060A-38E
7	7.37	120	375	TD75070C-14E	TD75070C-26E	TD75070C-38E
7	7.37	240	500	TD75070A-14E	TD75070A-26E	TD75070A-38E
7	7.37	240	1000	TD75070B-14E	TD75070B-26E	TD75070B-38E
7	7.37	240	1500	TD75070C-14E	TD75070C-26E	TD75070C-38E

Marathon Stock Today Heaters 3/4" Diameter Heaters with Epoxy Potting

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Epoxy	26" Leads with Epoxy	38" Leads with Epoxy
8	8.37	120	350	TD75080C-14E	TD75080C-26E	TD75080C-38E
8	8.37	240	350	TD75080E-14E	TD75080E-26E	TD75080E-38E
8	8.37	120	500	TD75080D-14E	TD75080D-26E	TD75080D-38E
8	8.37	240	600	TD75080A-14E	TD75080A-26E	TD75080A-38E
8	8.37	240	750	TD75080F-14E	TD75080F-26E	TD75080F-38E
8	8.37	240	1000	TD75080B-14E	TD75080B-26E	TD75080B-38E
8	8.37	240	1500	TD75080C-14E	TD75080C-26E	TD75080C-38E
8	8.37	480	1500	TD75080E-14E	TD75080E-26E	TD75080E-38E
8	8.37	240	2000	TD75080D-14E	TD75080D-26E	TD75080D-38E
9	9.37	120	350	TD75090D-14E	TD75090D-26E	TD75090D-38E
9	9.37	240	350	TD75090B-14E	TD75090B-26E	TD75090B-38E
9	9.37	240	1000	TD75090C-14E	TD75090C-26E	TD75090C-38E
9	9.37	240	1400	TD75090D-14E	TD75090D-26E	TD75090D-38E
9	9.37	480	1400	TD75090B-14E	TD75090B-26E	TD75090B-38E
9	9.37	240	1800	TD75090A-14E	TD75090A-26E	TD75090A-38E
10	10.37	120	500	TD75100C-14E	TD75100C-26E	TD75100C-38E
10	10.37	120	750	TD75100F-14E	TD75100F-26E	TD75100F-38E
10	10.37	240	1000	TD75100A-14E	TD75100A-26E	TD75100A-38E
10	10.37	240	1200	TD75100E-14E	TD75100E-26E	TD75100E-38E
10	10.37	240	1500	TD75100B-14E	TD75100B-26E	TD75100B-38E
10	10.37	240	2000	TD75100C-14E	TD75100C-26E	TD75100C-38E
10	10.37	240	3000	TD75100F-14E	TD75100F-26E	TD75100F-38E
12	12.37	120	500	TD75120D-14E	TD75120D-26E	TD75120D-38E
12	12.37	240	500	TD75120E-14E	TD75120E-26E	TD75120E-38E
12	12.37	120	1000	TD75120A-14E	TD75120A-26E	TD75120A-38E
12	12.37	240	1000	TD75120B-14E	TD75120B-26E	TD75120B-38E
12	12.37	240	1500	TD75120C-14E	TD75120C-26E	TD75120C-38E
12	12.37	240	2000	TD75120D-14E	TD75120D-26E	TD75120D-38E
12	12.37	480	2000	TD75120E-14E	TD75120E-26E	TD75120E-38E
12	12.37	240	2500	TD75120F-14E	TD75120F-26E	TD75120F-38E
14	14.37	240	2000	TD75140A-14E	TD75140A-26E	TD75140A-38E
14	14.37	240	4500	TD75140B-14E	TD75140B-26E	TD75140B-38E
15	15.37	240	1000	TD75150A-14E	TD75150A-26E	TD75150A-38E
16	16.37	240	875	TD75160B-14E	TD75160B-26E	TD75160B-38E
16	16.37	240	1000	TD75160C-14E	TD75160C-26E	TD75160C-38E
16	16.37	240	1600	TD75160A-14E	TD75160A-26E	TD75160A-38E
16	16.37	480	3500	TD75160B-14E	TD75160B-26E	TD75160B-38E
18	18.37	240	1000	TD75180A-14E	TD75180A-26E	TD75180A-38E
18	18.37	240	2000	TD75180B-14E	TD75180B-26E	TD75180B-38E
18	18.37	480	2000	TD75180C-14E	TD75180C-26E	TD75180C-38E
18	18.37	240	2400	TD75180D-14E	TD75180D-26E	TD75180D-38E
20	20.37	240	1200	TD75200A-14E	TD75200A-26E	TD75200A-38E
20	20.37	240	2250	TD75200B-14E	TD75200B-26E	TD75200B-38E
24	24.37	240	1000	TD75240A-14E	TD75240A-26E	TD75240A-38E
24	24.37	240	1500	TD75240B-14E	TD75240B-26E	TD75240B-38E
24	24.37	240	2000	TD75240C-14E	TD75240C-26E	TD75240C-38E
24	24.37	480	2500	TD75240D-14E	TD75240D-26E	TD75240D-38E
24	24.37	240	3000	TD75240E-14E	TD75240E-26E	TD75240E-38E
24	24.37	480	4000	TD75240A-14E	TD75080C-26E	TD75080C-38E
28	28.37	240	2400	TD75280A-14E	TD75280A-26E	TD75280A-38E
30	30.37	240	2000	TD75300A-14E	TD75300A-26E	TD75300A-38E
32	32.37	240	2000	TD75320A-14E	TD75320A-26E	TD75320A-38E
36	36.37	240	2000	TD75360A-14E	TD75360A-26E	TD75360A-38E

Marathon Stock Today Heaters 3/4" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
2	2.37	240	250	TD75020A-14F	TD75020A-26F	TD75020A-38F
3	3.37	240	225	TD75030A-14F	TD75030A-26F	TD75030A-38F
3	3.37	240	400	TD75030B-14F	TD75030B-26F	TD75030B-38F
3	3.37	120	500	TD75030C-14F	TD75030C-26F	TD75030C-38F
3	3.37	240	500	TD75030D-14F	TD75030D-26F	TD75030D-38F
4	4.37	120	250	TD75040B-14F	TD75040B-26F	TD75040B-38F
4	4.37	240	750	TD75040A-14F	TD75040A-26F	TD75040A-38F
4	4.37	240	1000	TD75040B-14F	TD75040B-26F	TD75040B-38F
5	5.37	120	250	TD75050B-14F	TD75050B-26F	TD75050B-38F
5	5.37	240	500	TD75050A-14F	TD75050A-26F	TD75050A-38F
5	5.37	240	1000	TD75050B-14F	TD75050B-26F	TD75050B-38F
6	6.37	120	375	TD75060E-14F	TD75060E-26F	TD75060E-38F
6	6.37	120	500	TD75060A-14F	TD75060A-26F	TD75060A-38F
6	6.37	240	500	TD75060B-14F	TD75060B-26F	TD75060B-38F
6	6.37	240	1000	TD75060C-14F	TD75060C-26F	TD75060C-38F
6	6.37	240	1200	TD75060D-14F	TD75060D-26F	TD75060D-38F
6	6.37	240	1500	TD75060E-14F	TD75060E-26F	TD75060E-38F
6	6.37	240	2000	TD75060A-14F	TD75060A-26F	TD75060A-38F
7	7.37	120	375	TD75070C-14F	TD75070C-26F	TD75070C-38F
7	7.37	240	500	TD75070A-14F	TD75070A-26F	TD75070A-38F
7	7.37	240	1000	TD75070B-14F	TD75070B-26F	TD75070B-38F
7	7.37	240	1500	TD75070C-14F	TD75070C-26F	TD75070C-38F
8	8.37	120	350	TD75080C-14F	TD75080C-26F	TD75080C-38F
8	8.37	240	350	TD75080E-14F	TD75080E-26F	TD75080E-38F
8	8.37	120	500	TD75080D-14F	TD75080D-26F	TD75080D-38F
8	8.37	240	600	TD75080A-14F	TD75080A-26F	TD75080A-38F
8	8.37	240	750	TD75080F-14F	TD75080F-26F	TD75080F-38F
8	8.37	240	1000	TD75080B-14F	TD75080B-26F	TD75080B-38F
8	8.37	240	1500	TD75080C-14F	TD75080C-26F	TD75080C-38F
8	8.37	480	1500	TD75080E-14F	TD75080E-26F	TD75080E-38F
8	8.37	240	2000	TD75080D-14F	TD75080D-26F	TD75080D-38F
9	9.37	120	350	TD75090D-14F	TD75090D-26F	TD75090D-38F
9	9.37	240	350	TD75090B-14F	TD75090B-26F	TD75090B-38F
9	9.37	240	1000	TD75090C-14F	TD75090C-26F	TD75090C-38F
9	9.37	240	1400	TD75090D-14F	TD75090D-26F	TD75090D-38F
9	9.37	480	1400	TD75090B-14F	TD75090B-26F	TD75090B-38F
9	9.37	240	1800	TD75090A-14F	TD75090A-26F	TD75090A-38F
10	10.37	120	500	TD75100C-14F	TD75100C-26F	TD75100C-38F
10	10.37	120	750	TD75100F-14F	TD75100F-26F	TD75100F-38F
10	10.37	240	1000	TD75100A-14F	TD75100A-26F	TD75100A-38F
10	10.37	240	1200	TD75100E-14F	TD75100E-26F	TD75100E-38F
10	10.37	240	1500	TD75100B-14F	TD75100B-26F	TD75100B-38F
10	10.37	240	2000	TD75100C-14F	TD75100C-26F	TD75100C-38F
10	10.37	240	3000	TD75100F-14F	TD75100F-26F	TD75100F-38F
12	12.37	120	500	TD75120D-14F	TD75120D-26F	TD75120D-38F
12	12.37	240	500	TD75120E-14F	TD75120E-26F	TD75120E-38F
12	12.37	120	1000	TD75120A-14F	TD75120A-26F	TD75120A-38F
12	12.37	240	1000	TD75120B-14F	TD75120B-26F	TD75120B-38F
12	12.37	240	1500	TD75120C-14F	TD75120C-26F	TD75120C-38F
12	12.37	240	2000	TD75120D-14F	TD75120D-26F	TD75120D-38F
12	12.37	480	2000	TD75120E-14F	TD75120E-26F	TD75120E-38F
12	12.37	240	2500	TD75120F-14F	TD75120F-26F	TD75120F-38F

Marathon Stock Today Heaters

3/4" Diameter Heaters with Standard Flange

Insertion Length	O.A.L.	Volts	Watts	14" Leads with Flange	26" Leads with Flange	38" Leads with Flange
14	14.37	240	2000	TD75140A-14F	TD75140A-26F	TD75140A-38F
14	14.37	240	4500	TD75140B-14F	TD75140B-26F	TD75140B-38F
15	15.37	240	1000	TD75150A-14F	TD75150A-26F	TD75150A-38F
16	16.37	240	875	TD75160B-14F	TD75160B-26F	TD75160B-38F
16	16.37	240	1000	TD75160C-14F	TD75160C-26F	TD75160C-38F
16	16.37	240	1600	TD75160A-14F	TD75160A-26F	TD75160A-38F
16	16.37	480	3500	TD75160B-14F	TD75160B-26F	TD75160B-38F
18	18.37	240	1000	TD75180A-14F	TD75180A-26F	TD75180A-38F
18	18.37	240	2000	TD75180B-14F	TD75180B-26F	TD75180B-38F
18	18.37	480	2000	TD75180C-14F	TD75180C-26F	TD75180C-38F
18	18.37	240	2400	TD75180D-14F	TD75180D-26F	TD75180D-38F
20	20.37	240	1200	TD75200A-14F	TD75200A-26F	TD75200A-38F
20	20.37	240	2250	TD75200B-14F	TD75200B-26F	TD75200B-38F
24	24.37	240	1000	TD75240A-14F	TD75240A-26F	TD75240A-38F
24	24.37	240	1500	TD75240B-14F	TD75240B-26F	TD75240B-38F
24	24.37	240	2000	TD75240C-14F	TD75240C-26F	TD75240C-38F
24	24.37	480	2500	TD75240D-14F	TD75240D-26F	TD75240D-38F
24	24.37	240	3000	TD75240E-14F	TD75240E-26F	TD75240E-38F
24	24.37	480	4000	TD75240A-14F	TD75080C-26F	TD75080C-38F
28	28.37	240	2400	TD75280A-14F	TD75280A-26F	TD75280A-38F
30	30.37	240	2000	TD75300A-14F	TD75300A-26F	TD75300A-38F
32	32.37	240	2000	TD75320A-14F	TD75320A-26F	TD75320A-38F
36	36.37	240	2000	TD75360A-14F	TD75360A-26F	TD75360A-38F

808 Hackberry Lane
Del Rio, TX 78840
Ph: 830.775.1417
Fax: 830.775.4379
Email: sales@backermarathon.com
www.backermarathon.com